

2013 PRODUCT GUIDE



 BERETTA
500 YEARS. ONE PASSION.

WELCOME TO THE

*At the core of Beretta is a passion.
An understanding of the wild places. The cold fields of autumn.
The high grass and the low marsh. Rain and sun. Man and dog.

It's an understanding that is pure and real.
It lives in the deepest reaches of the hunter's heart.
The innermost corners of the shooter's soul.
And it is everywhere.
A field in Tuscany. A lake in Wyoming. The flash of a tail.
The thunder of wings.*

WORLD OF BERETTA

*And then there is the stirring. The relentless search for balance.
Between what has gone before and what is yet to be.
Between then and now and tomorrow.*

*This is the passion that drives Beretta. It's in our genes.
And so, too, is it in our hearts. It's why we exist.
And it's why we have endured for nearly 500 years.
Because of one purpose.
One passion we are proud to share with you.*



BERETTA

500 YEARS. ONE PASSION.

THE WORLD OF BERETTA



Gardone Val Trompia (Italy) - View of the facade of the "Villa Beretta," Once the main living quarters of the Beretta Family

A world of passion and authenticity. Beretta was born in 1526, during the height of the Italian Renaissance. Our oldest surviving company document shows how the Republic of Venice trusted us to build gun-barrels for the defense of that magnificent city. We were making history then, and have been making history for the last half-millennium by serving our customers with enthusiasm, integrity, and by being innovative without losing sight of our Italian heritage.

Since its inception, our company has been owned and operated by the Beretta family with a continuity that makes us unique in history. As you turn the pages, you will experience the flavors and textures of our tradition ~ a tradition that we are proud to share with you.





A300 OUTLANDER

SEE PAGE 20



692 SPORTING

SEE PAGE 26



DT11

SEE PAGE 24



Nano

NANO

SEE PAGE 56

TABLE OF CONTENTS	PAGE
FIELD GRADE SHOTGUNS	6
COMPETITION SHOTGUNS	22
RIFLES	38
TACTICAL PRODUCTS	54



At Beretta, we think of shotguns as works of art. They must not only be perfectly suited for their purpose in the field, but they must be authentic, beautiful and a joy to own. Therefore, Beretta shotguns continue to be the real thing for hunters who seek a thrill every time they open their gun-case, no matter if hunting season is still months away.

Just like any well-crafted work of art, Beretta shotguns are always innovative: our passion for seeking new things is equally strong in the field and the engineering lab. But at Beretta, innovation never comes at the expense of tradition. This is why our firearms retain a timeless appeal even while incorporating the latest technology.

We design our art to fit different hunters' tastes and budgets. Whether you seek a reliable semiautomatic shotgun to reach high-flying geese in the misty October marshes, or whether you prefer the classic feel of a hand-engraved over-and-under for upland quail, there is a Beretta shotgun that is right for you.





A400 XTREME



FIELD

OVER/UNDER	686/687 SILVER PIGEONS	8-11
	SV10 PERENNIALS	12-14
SEMI-AUTO	A400 FAMILY	14-19
	A300 FAMILY	20-21
CHOKES ACCESSORIES		20
		21



SILVER PIGEON I

SILVER PIGEON



SILVER PIGEON I	
ACTION	Low Profile, Improved Box Lock
GAUGE	12, 20, 28, .410
CHAMBER	3" (2¼" on 28 gauge)
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.43"
STOCK DROP – HEEL	2.26"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Field Combos feature Schnabel Single Field feature Semi-Beavertail
RIB TYPE	Flat ¼" x ¼"
SIGHT	Metal Bead
WEIGHT (AVERAGE)	6.8 Lbs. (12 ga.)
CARRY CASE	Yes



SILVER PIGEON III

There's no need to sacrifice style for function with this attractively priced member of the Silver Pigeon family. The distinctive Silver Pigeon III has all the features of the S and II, but with more extensive engraving, including game scenes, on the frame. Available in a trim and racy 28-gauge made on its own properly scaled frame, this finely crafted shotgun with natural pointability is up to any hunting challenge.



MobilChoke see page 22.

687 SILVER PIGEON III					
CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J687IG6	81351-6	687 SILVER PIGEON III	12	26"	MCF
J687IG8	81352-3	687 SILVER PIGEON III	12	28"	MCF
J687IJ6	81355-4	687 SILVER PIGEON III	20	26"	MCF
J687IJ8	81356-1	687 SILVER PIGEON III	20	28"	MCF
J687IK6	81357-8	687 SILVER PIGEON III	28	26"	MCF
J687IK8	81358-5	687 SILVER PIGEON III	28	28"	MCF

*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

686 SILVER PIGEON I

686 SILVER PIGEON I

The Silver Pigeon I marks the dividing line between Beretta's more economical double guns and the highly decorated luxury models. While popularly priced, it offers the aesthetics and materials of the premium over-unders. The receiver has extensive, but refined, floral and scroll decoration that will make this shotgun a source of pride for years to come. Beretta's 28 and .410 gauge shotguns are built on scaled receivers resulting in a smaller overall profile and a reduction in weight.

686 SILVER PIGEON I					
CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J6863J6	14702-4	686 SILVER PIGEON I	12	26"	MCF
J6863J8	14704-8	686 SILVER PIGEON I	12	28"	MCF
J6863J0	14705-5	686 SILVER PIGEON I	12	30"	MCF
J6863K6	16931-6	686 SILVER PIGEON I	20	26"	MCF
J6863K8	16932-3	686 SILVER PIGEON I	20	28"	MCF
J6863K0	16933-0	686 SILVER PIGEON I	20	30"	MCF
J6863M6	18102-8	686 SILVER PIGEON I	28	26"	MCF
J6863M8	18138-7	686 SILVER PIGEON I	28	28"	MCF
J6863M0	18139-4	686 SILVER PIGEON I	28	30"	MCF
J6863N6	18140-0	686 SILVER PIGEON I	.410	26"	MCF
J6863N8	18141-7	686 SILVER PIGEON I	.410	28"	MCF
J6863P8	18157-8	686 SILVER PIGEON I COMBO	20/28	28"	MCF
J6863R8	18917-8	686 SILVER PIGEON I COMBO	28/.410	28"	MCF

*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

687 SILVER PIGEON III



SILVER PIGEON III	
ACTION	Low Profile, Improved Box Lock
GAUGE	12, 20, 28
CHAMBER	3" (2¾" on 28 gauge)
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Schnabel
RIB TYPE	Flat ¼" x ¼"
SIGHT	Metal Bead
WEIGHT (AVERAGE)	6.8 Lbs. (12 ga.)
CARRY CASE	Yes

687 SILVER PIGEON



687 SILVER PIGEON V

The pinnacle of the Silver Pigeon line, this prestigious over-under is stocked in richly figured, oil-finished walnut and detailed with gold game bird inlays and a Beretta gold medallion underneath. The receiver is treated with Beretta's proprietary process that imparts a classic color-case finish that ensures metallurgical integrity and a distortion-free part. A joy to own and shoot, thanks to Beretta's superior mechanical refinement and innovative technology, the Silver Pigeon V will last for generations.

687 SILVER PIGEON V					
CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J687IN6	81364-6	687 SILVER PIGEON V	12	26"	MCF
J67IN8	81365-3	687 SILVER PIGEON V	12	28"	MCF
J687IQ6	81366-0	687 SILVER PIGEON V	20	26"	MCF
J687IQ8	81367-7	687 SILVER PIGEON V	20	28"	MCF
J687IQ8S	81580-0	687 SILVER PIGEON V (ENGLISH STOCK)	20	28"	MCF
J687IR6	81368-4	687 SILVER PIGEON V	28	26"	MCF
J687IR8	81369-1	687 SILVER PIGEON V	28	28"	MCF
J687IR8S	81577-0	687 SILVER PIGEON V (ENGLISH STOCK)	28	28"	MCF
J687IS8	81578-7	687 SILVER PIGEON V	.410	28"	MCF
J687IS8S	81579-4	687 SILVER PIGEON V (ENGLISH STOCK)	.410	28"	MCF

*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)



SILVER PIGEON V	
ACTION	Low Profile, Improved Box Lock
GAUGE	12, 20 28 & .410 feature Scaled Receivers
CHAMBER	3" (2¾" on 28 gauge)
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Fluted Beavertail
RIB TYPE	Flat ¼" x ¼"
SIGHT	Metal Bead
WEIGHT (AVERAGE)	6.8 Lbs. (12 ga.)
CARRY CASE	Yes



687 SILVER PIGEON V



687 EELL DIAMOND PIGEON



687 EELL DIAMOND PIGEON

In Italian, EL stands for extra lusso (extra luxury). The EELL designation takes that quality to an even higher level. This is an over-under with the feel and allure of a classic game gun for the discriminating sportsman who appreciates all the finer points of a well-made shotgun. The patented locking system creates a particularly slim receiver, making it one of the most elegant, finely balanced and responsive shotguns in the world. The extensive hand-chased engraving, combined with the highly figured oil-finished walnut, makes a classic statement of your good taste.

687 EELL DIAMOND PIGEON					
CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J687EJ6	30571-4	687 EELL DIAMOND PIGEON	12	26"	MCF
J687EJ8	30572-1	687 EELL DIAMOND PIGEON	12	28"	MCF
J687EK6	30573-8	687 EELL DIAMOND PIGEON	20	26"	MCF
J687EK8	30574-5	687 EELL DIAMOND PIGEON	20	28"	MCF
J687385	18805-8	687 EELL DIAMOND PIGEON COMBO	20/28	28"	MCF
J687EM8	30632-2	687 EELL DIAMOND PIGEON	28	28"	MCF
J687390	81014-0	687 EELL DIAMOND PIGEON	.410	26"	MCF
J687395	81015-7	687 EELL DIAMOND PIGEON	.410	28"	MCF

*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

The rich hand-chased engraving extends to the trigger plate and trigger guard.



The sideplate design gives the engraver full scope for his craft. When combined with fine walnut, nothing is quite so pleasing.

687 EELL DIAMOND PIGEON	
ACTION	Low Profile, Improved Box Lock
GAUGE	12, 20 .410 features Scaled Receiver
CHAMBER	3" (2¾" on 28 gauge)
WOOD FINISH	Oil
STOCK/FORE-END	Highly Select Walnut – Checkered
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Schnabel
RIB TYPE	Flat ¼" x ¼"
SIGHT	Metal Bead
WEIGHT (AVERAGE)	6.8 Lbs. (12 ga.)
CARRY CASE	Yes

SV10



Beretta's SV10 Perennia I combines a sophisticated floral engraving pattern with a technologically advanced design that is unmatched anywhere. The low profile monobloc receiver maintains the traditional Beretta Dual-Lug top lock system. This provides a constant lock between the barrels and receiver and the new trapezoidal shoulders improve the efficiency of the lock-up. The redesigned safety with positive locking barrel selector offers a better grip and positive barrel selection ensuring top performance. Loaded with technological features like the Nano Ceramic fore-end iron to reduce wear and corrosion, and the superior recoil reduction of the Kick-Off system the SV10 Perennia I is the perfect blend of technology and classic styling.



SV10 PERENNIA I	
ACTION	Low Profile, Improved Box Lock
GAUGE	12, 20
CHAMBER	3"
WOOD FINISH	Oil
STOCK/FORE-END	Xtra-Grain
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Semi-Beavertail
RIB TYPE	Flat ¼" x ¼"
WEIGHT (AVERAGE)	7.3 Lbs. (12 ga., with K/O)
SIGHT	Metal Bead
CARRY CASE	Yes



SV10 PERENNIA I					
CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	*CHOKE
JV11A16	14691-1	SV10 PERENNIA I	12	26"	OBF-HP
JV11A18	14692-8	SV10 PERENNIA I	12	28"	OBF-HP
JV11B16	14693-5	SV10 PERENNIA I KO	12	26"	OBF-HP
JV11B18	14694-2	SV10 PERENNIA I KO	12	28"	OBF-HP
JV11A26	14676-3	SV10 PERENNIA I	20	26"	OBF-HP
JV11A28	14677-0	SV10 PERENNIA I	20	28"	OBF-HP
JV11B26	14678-7	SV10 PERENNIA I KO	20	26"	OBF-HP
JV11B28	14679-4	SV10 PERENNIA I KO	20	28"	OBF-HP

*OBF-HP = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

SV10 PERENNIA I



SV10 PERENNIA III



The SV10 Perennia III combines a sophisticated classic design with advanced technology. Maintaining the low profile monobloc receiver featured on the Perennia I, the traditional Beretta Dual-Lug top lock system provides a constant lock between the barrels and receiver. The new trapezoidal shoulders improve the efficiency of the lock-up. Styling refinements continue into the shape of the stock inletting which now moves well forward into the sides of the receiver consolidating the rigidity of the low-profile assembly. Beretta's commitment to innovation is showcased in the Perennia III, which is loaded with technological features like: the easily removable Q-stock, removable trigger group, Nano Ceramic fore-end iron to reduce wear and corrosion, and the superior recoil reduction of the Kick-Off system. The SV10 Perennia III is the perfect blend of technology and classic styling.



"Q" STOCK: patented by Beretta, this feature allows for disassembly in just seconds without removing the recoil pad, this along with a removable trigger group greatly improves the ease of maintenance. Available on Perennia III only.

ADJUSTABLE EJECTION / EXTRACTION:

The Perennia introduces a new patented extraction system that allows the selection between automatic ejection or simple mechanical extraction of the fired shells by a simple turn of a screw.



SV10 PERENNIA III

ACTION	Low Profile, Improved Box Lock
GAUGE	20
CHAMBER	3"
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Automatic
TRIGGER	Single Selective
FORE-END	Semi-Beavertail
RIB TYPE	Flat ¼" x ¼"
SIGHT	Metal Bead
WEIGHT (AVERAGE)	6.5 Lbs. (20 ga., with K/O)
CARRY CASE	Yes

SV10 PERENNIA III

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
JVI3A26	14706-2	SV10 PERENNIA III	20	26"	OBF-HP
JVI3A28	14707-9	SV10 PERENNIA III	20	28"	OBF-HP
JVI3B26	14708-6	SV10 PERENNIA III KO	20	26"	OBF-HP
JVI3B28	14709-3	SV10 PERENNIA III KO	20	28"	OBF-HP

*OBF-HP = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

A 400

Xtreme*The forecast calls for Reign*

BLINK 4  in less than **1**
One Second

**KICK-OFF³**

The only device in the world that acts on the second recoil peak.

Precise laboratory testing clearly demonstrated that recoil has two very distinct components: the explosion of the ammunition at the moment of firing (1st peak) and the impact of the bolt against the receiver at the end of its travel (2nd peak). Kick-Off³ is a third hydraulic dampener that targets the 2nd recoil peak. In doing this, even the stress on the mechanical components is notably reduced, increasing the service life of the gun.

**KICK-OFF^M**






The world's most advanced recoil reduction, now MEGA! Kick-Off and Kick-Off³ have revolutionized the world of recoil reduction, bringing the performance up to -70%. Now Kick-Off goes MEGA, giving hunters the maximum of comfort and control together. With Kick-Off MEGA, the gun recoils parallel to the cheek mount. These combined systems result in a substantial reduction in muzzle rise and less recoil, allowing for better follow-up shot control.

//B-LOK

Fast-locking in a 60° rotation, the new B-Lok forend cap provides a perfect lock in just a fraction of a second!



Out-of-the-box LOP options (Length of Pull)

		= 14 1/8" LOP
Pad Only		= 14 3/8" LOP
Pad + 1/2" Spacer		= 15 1/8" LOP
Pad + 1" Spacer		= 15 3/8" LOP
Pad + 1" + 1/2" Spacer		

Spacers see page 23.

A400 XTREME REALTREE® MAX-4® CAMO



UNICO



All 12 gauge loads in a single shotgun.

A400 XTREME

Frigid rain, driving sleet, blinding snow and relentless salt spray—hardcore waterfowlers live to hunt in Xtreme conditions and so must their shotgun. Beretta's A400 Xtreme features Kick-Off MEGA's 70% recoil reduction, Blink's 36% faster cycling of any 12-gauge load, and Aqua Technology's exclusive corrosionproof barrier. These features combine to produce the Xtreme's never quit, show no mercy attitude that will reign in the most Xtreme conditions imaginable. Know No Limits—Go Xtreme.

BLACK SYNTHETIC



GORE® OPTIFADE® CONCEALMENT MARSH

AQUA
TECHNOLOGY

STEELIUM

Beretta makes the best barrels in the world. Starting with proprietary tri-alloy steel (Ni/Cr/Mo), the metal goes through a unique manufacturing process. Deep hole drilling, cold-hammer forging, and vacuum distension create the very best ballistic performance available.

OPTIMA BORE
HP

The special Optima-Bore® HP geometry was conceived to offer the best performance even with steel shot. The shot pattern remains perfect and uniform in every type of hunting situation, complemented by the use of the Optima-Choke® HP choke tubes.

A400 XTREME

ACTION	Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning Piston
GAUGE	12
CHAMBER	3½"
FINISH	Synthetic, Max-4 Camo, GORE OPTIFADE Marsh
STOCK/FORE-END	Overmold Grips
STOCK	Adjustable Shim System
RECOIL PAD	Micro-Core Pad
SAFETY	Crossbolt with ergonomics for a better grip
TRIGGER	Chrome-Plated
RECEIVER	Aluminum Alloy
RIB TYPE	¼" x ¼" Ventilated
SIGHT	Fiber Optic
WEIGHT (AVERAGE)	7.8 Lbs.
CARRY CASE	Yes

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE
J40XD16	18705-1	A400 Xtreme Blk Syn, KO	12	26"	OBF-HP
J40XD18	18724-2	A400 Xtreme Blk Syn, KO	12	28"	OBF-HP
J40XF16	18736-5	A400 Xtreme Max4, KO	12	26"	OBF-HP
J40XF18	18748-8	A400 Xtreme Max4 KO	12	28"	OBF-HP
J40XF10	18789-1	A400 Xtreme Max4, KO	12	30"	OBF-HP
J40XM16	19819-4	A400 Xtreme Optifade, KO	12	26"	OBF-HP
J40XM18	19820-0	A400 Xtreme Optifade, KO	12	28"	OBF-HP

*OBF-HP – Full (F), Modified (M), Cylinder (C)

A400 Xplor ACTION



A400 XPLOR ACTION

The New Beretta A400 Xplor Action is much more than a semi-automatic that does everything well—it's the semi-automatic that does everything as well as a Beretta. In designing the new Beretta A400 Xplor Action our objective was to make the world's most versatile shotgun even better. We retained all the features that have made the A400 series such a success in a lightweight shotgun. The result? Enhanced pointability, balance and ease of swing. It's the semi-automatic you can use with absolute confidence regardless of game, target or season. The receiver also comes with scope mount grooves to accept optics and other aiming systems.




From the fore-end insert to the trigger guard and over to the kick-off interface, each component of the A400 Xplor has been conceived to optimize form, weight and functionality.



The finishing of the A400 Xplor Action's receiver is an absolute innovation in the world of hunting shotguns and represents the union between the protective characteristics of anodizing and the exclusive brown-bronze color that renders the A400 Xplor Action truly unique.

KICK-OFF

**Micro
Core**

 **BERETTA**

12 GAUGE WITH KICKOFF

A400 XPLORE ACTION

20 GAUGE

NEW
2013Fast field disassembly into
only five components.

OPTIONAL GUN POD (SOLD SEPARATELY)

This digital display allows you to always have everything under control. This revolutionary system provides a digital readout of the ambient air temperature, the cartridge pressure of the round fired and the overall number of rounds fired through the shotgun.

Code E8A119 - Compatible with 12 Gauge A400 Action ONLY.



A400 XPLORE ACTION

ACTION	Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning piston
GAUGE	12, 20
CHAMBER	3"
STOCK FINISH	Xtra-Grain Technology with Oil Finish
STOCK/FORE-END	Select Walnut – Checkered
STOCK	Adjustable Shim System
RECOIL PAD	Micro-Core Pad
SAFETY	Crossbolt Ergonomics for a Better Grip
TRIGGER	Chrome-Plated
LENGTH OF PULL	14.5" (14.25" with Kick-Off) with 0.75" pad
CHECKERING	New Checkering with Beretta logo
RECEIVER	Bronze Toned Aluminum-alloyed Receiver
FORE-END	Checkering with Beretta Logo
RIB TYPE	¼" x ¼" Ventilated
SIGHT	Fiber Optic
WEIGHT (AVERAGE)	6.7 Lbs. w/o Kick-Off(12 ga.)
CARRY CASE	Yes

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J40AA16	19684-8	XPLORE Action GP	12	26"	OBF-HP
J40AY16	19686-2	XPLORE Action KO GP	12	26"	OBF-HP
J40AY18	19687-9	XPLORE Action KO GP	12	28"	OBF-HP
J40NA16	58236-8	XPLORE Action	12	26"	OBF-HP
J40NA18	58237-5	XPLORE Action	12	28"	OBF-HP
J40NY16	58238-2	XPLORE Action KO	12	26"	OBF-HP
J40NY18	58239-9	XPLORE Action KO	12	28"	OBF-HP
J40AA26	58225-2	XPLORE Action	20	26"	OBF-HP
J40AA28	58226-9	XPLORE Action	20	28"	OBF-HP
J40AY26	58227-6	XPLORE Action KO	20	26"	OBF-HP
J40AY28	58235-1	XPLORE Action KO	20	28"	OBF-HP

*OBF-HP – Full (F), Modified (M), Cylinder (C)

A400
Xplor
UNICO

eXpect the uneXpected.




The A400 Xplor will shatter expectations of what a semi-automatic can be. Built on a compact receiver, the Xplor was conceived and designed to shoot any 12 gauge shell, from 2¾" to 3½" magnums with the weight and balance of a high performance 3" receiver. From quail and geese to doves and sporting clays, the Xplor can handle it all.

To create a shotgun this versatile and accurate took many different engineering firsts, and 500 years of Beretta knowledge, know-how, and expertise.



KICK-OFF



KICK-OFF³

Kick-Off³ is the only recoil reduction system in the world that uses hydraulic dampeners very similar to those in automobile suspensions. All the other systems on the market are based on a the deformation of soft materials like rubber, polyurethane or polymer inserts. The difference? 70% less recoil than the nearest competitor.



A400 Xplor Unico is equipped with the best technological solutions in the world to increase performance, reliability and shooting comfort. Recoil almost reduced to zero, maximum muzzle rise reduction and perfect shouldering will be your best allies in guaranteeing a successful hunt every time.

Micro-Core recoil pads see page 23.

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE
J40UA16	10418-8	XPLOR Unico	12	26"	OBF-HP
J40UA18	10419-5	XPLOR Unico	12	28"	OBF-HP
J40UY16	10416-4	XPLOR Unico, KO	12	26"	OBF-HP
J40UY18	10417-1	XPLOR Unico, KO	12	28"	OBF-HP
J40UY10	11366-1	XPLOR Unico, KO	12	30"	OBF-HP

*OBF-HP – Full (F), Modified (M), Cylinder (C)

A400 XPLOR UNICO



36% faster than any other shotgun.

The innovative Beretta gas operating system is 36% faster than any other operating system. Featuring a rotating bolt, new feeding system and a self-cleaning piston, the A400 Xplor possesses unmatched reliability, speed and performance.

The operating system of the A400 Xplor is a true jewel of engineering that distinguishes itself from all other systems on the market with its exceptional cycling speed. Being the fastest to shoot follow-up shots means increasing your chances of hitting the target. With an A400 Xplor anything is possible.


UNICO

The versatility to shoot 2¾" to 3½" loads through a gun with the weight and balance previously found only on a high-performance competition shotgun.



Shot pattern remains perfect and uniform in every type of hunting situation.

Optima-Bore HP geometry was conceived to offer the best ballistic performance available even with steel shot. The shot pattern remains perfectly uniform whatever the shell size or load. Optima-Bore HP choke tubes further enhance the effect.



A400 XPLOR UNICO	
ACTION	Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston
GAUGE	12
CHAMBER	3½"
STOCK FINISH	Xtra-Grain Technology with Oil Finish
STOCK/FORE-END	Select Walnut – Checkered
STOCK	Adjustable Shim System
RECOIL PAD	Micro-Core Pad
SAFETY	Crossbolt ergonomics for a better grip
TRIGGER	Chrome-Plated
LENGTH OF PULL	14.5" (14.25" with Kick-Off) with 0.75" pad
CHECKERING	New checkering with Beretta logo
RECEIVER	Green Toned Aluminum-alloyed receiver
FORE-END	Checkering with Beretta Logo
RIB TYPE	¼" x ¼" Ventilated
SIGHT	Front Metal Bead
WEIGHT (AVERAGE)	7.1 Lbs. (12 ga.)
CARRY CASE	Yes

A300
Outlander

BLACK SYNTHETIC



OILED WOOD

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE
J30TT18	18940-6	A300 Outlander Black Synthetic	12	28"	MC3
J30TC18	18941-3	A300 Outlander Camo	12	28"	MC3
J30TA18	18939-0	A300 Outlander Wood	12	28"	MC3

*MC3-Full (F), Modified (M), Improved Cylinder (IC)

CHOKES



MOBILCHOKE

These choke tubes are factory OEM replacements for shotguns with the Mobilchoke system.

Beretta Mobilchoke tubes are available in two versions:

- Internal for 12, 20, 28, and .410 Gauge
- Extended length +25mm and +50mm for 12 Gauge

They have been designed to resist stress and ensure long durability. Treatments to which they have been subject protect them against corrosion.

Mobilchoke			
Code	Gauge	Constriction	Type
JCTUBE13	12	F	Flush
JCTUBE14	12	IM	Flush
JCTUBE15	12	M	Flush
JCTUBE16	12	IC	Flush
JCTUBE18	12	CL	Flush
JCTUBE17	12	SK	Flush
JCTUBE21	20	F	Flush
JCTUBE22	20	IM	Flush
JCTUBE23	20	M	Flush
JCTUBE24	20	IC	Flush
JCTUBE28	20	CL	Flush
JCTUBE27	20	SK	Flush
JCTUBE33	28	F	Flush
JCTUBE34	28	IM	Flush
JCTUBE35	28	M	Flush
JCTUBE36	28	IC	Flush
JCTUBE38	28	CL	Flush
JCTUBE37	28	SK	Flush
JCTUBE43	.410	F	Flush
JCTUBE44	.410	IM	Flush
JCTUBE45	.410	M	Flush
JCTUBE46	.410	IC	Flush
JCTUBE48	.410	CL	Flush
JCTUBE47	.410	SK	Flush



OPTIMACHOKE® HP

Beretta OptimaChoke® HP tubes stand up to the heat of competition. Manufactured from high strength steel and finished in a nickel-alloy coating, these chokes guarantee significant corrosion resistance and have the ability to withstand the rigors of steel shot. OptimaChoke® HP tubes are fully interchangeable on all Beretta barrels that are threaded for OptimaChoke® HP.

OptimaChoke HP			
Code	Gauge	Constriction	Type
C62070	12	F	Flush
C62071	12	IM	Flush
C62072	12	M	Flush
C62073	12	IC	Flush
C62074	12	CL	Flush
C61848	20	F	Flush
C61849	20	IM	Flush
C61850	20	M	Flush
C61851	20	IC	Flush
C61852	20	C	Flush



OptimaChoke Plus Flush			
Code	Gauge	Constriction	Type
JCOPN12	12	EF	Flush
JCOPN13	12	F	Flush
JCOPN03	12	LF	Flush
JCOPN14	12	IM	Flush
JCOPN15	12	M	Flush
JCOPN05	12	LM	Flush
JCOPN16	12	IC	Flush
JCOPN17	12	SK USA	Flush
JCOPN18	12	CL	Flush
OptimaChoke Plus Extended			
C62178	12	F	3/4" extended
C62179	12	IM	3/4" extended
C62180	12	M	3/4" extended
C62181	12	IC	3/4" extended
C62182	12	CL	3/4" extended
C62183	12	SK	3/4" extended

OPTIMACHOKE® PLUS

OptimaChoke Plus® are the best in terms of performance, resistance and reliability. Thanks to an elongated cone, OptimaChoke Plus® guarantees an excellent shot pattern. The shape improves resistance to the pressure and speed created by 3.5" cartridges with steel shot. The special heat treatment assures a high level of durability.



MAX-4* CAMO

A300 OUTLANDER

ACTION	Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston
GAUGE	12
CHAMBER	3"
STOCK FINISH	Black Synthetic, Camo or Oiled Wood
STOCK	Adjustable Shim System
RECOIL PAD	Fitted Rubber Pad
SAFETY	Crossbolt with ergonomics for a better grip
TRIGGER	Chrome-Plated
RECEIVER	Aluminum Alloy
RIB TYPE	¼" x ¼" Ventilated
SIGHT	Front Metal Bead
WEIGHT(AVERAGE)	7.6 Lbs.

A300 OUTLANDER

The A300 Outlander is a reliable solution for shotgunners willing to step into the Beretta world of superior semi-auto performance at a price anyone can afford. Legendary Beretta performance and reliability with worry free operation—all hallmarks of Beretta's newest addition to the semi-auto lineup. Born of decades of technological advancement in the field of semi-auto shotguns, the A300 Outlander is guaranteed to perform.

ACCESSORIES

**BERETTA MICRO-CORE FIELD RECOIL PAD (E7300)**

SOFT, LIGHT AND FITTABLE! A further step forward in performance. Soft, light and able to slide during shouldering. MICRO-CORE is an innovative recoil pad developed by Beretta thanks to its experience matured over decades on competition fields around the world. MICRO-CORE expands gradually and instantly, increasing its surface area on the shoulder and giving the shotgun secure and precise support.



Code	Application	Thickness
E73004	Field	.79"
E73005	Field	.59"
E73006	Field	.40"
E73021	Skeet/Sporting	.51"
E73022	Skeet/Sporting	.91"
E73023	Skeet/Sporting	.71"
E73024	Trap	.51"
E73025	Trap	.91"
E73026	Trap	.71"

Gel-Tek Cheek Protector 3mm (E00378)**Gel-Tek Cheek Protector 6mm (E00489)**

Beretta has an exclusive on this item and its so unique!

Features and Benefits:

- The pad can be moved from gun to gun and put back into the package for use later.
- It can be used on slug guns or trap guns if a shooter needs to raise the comb or point of impact.
- It can be put on wood or synthetic stocks.
- It eliminates bruised cheeks that trap shooters sometimes get.
- It can be on hundreds of stocks and still work.

**FIELD RECOIL PAD SPACER KIT (C61866)**

Beretta Field Recoil Pad Spacer Kit, fits on all the FIELD stocks and short stocks for X-Trema Shotguns.



WHY DO OLYMPIC MEDALISTS, WORLD AND NATIONAL CHAMPIONS AND COMPETITIVE SHOOTERS ALL AROUND THE WORLD CHOOSE TO SHOOT BERETTA?

RECEIVER: The walls of a Beretta receiver are more than twice as thick as many of its competitors, (in fact it is also the platform for double rifles, which create much greater pressures than experienced in any shotgun). Using easily replaceable hinge pins and locking lugs, any receiver can be completely rebuilt allowing the gun to be refurbished for another lifetime of reliable service.

PROFILE: Thanks to the superior design of the receiver, a Beretta over-and-under has an incredibly solid feel. The dual-conical locking system provides a vaultlike lockup that —with its self-tightening design — stays tight over the life of the gun. Because the lugs are located high on the receiver, the lock-up is also significantly stronger than on ordinary guns. In addition, the location of the lugs allows for a low-profile receiver with the barrels sitting deeper than normal. This in turn aligns the sighting plane closer to the hands, aiding in the reduction of felt recoil and muzzle rise.

BARRELS: For more than five centuries, Beretta has made the best barrels in the world. Today, their over-and-under barrel starts life as a unique proprietary blend of steel, chromium and molybdenum. Forged in Northern Italy and France, all Beretta barrels are deep-hole drilled, cold-hammer forged, and chrome lined, allowing for more concentric tubes. The result: a thinner, lighter, more precise barrel wall. This superior barrel construction delivers better weight distribution and an optimum balance point just above the hinge pin, which gives it perfect swing characteristics.





DT11 SPORTING

HISTORY: Five hundred years of craftsmanship and tradition go into every shotgun Beretta builds. Nowhere is this more evident than in their celebrated over-and-unders, shotguns many consider the strongest and most reliable in the world. A Beretta over-and-under can rightly be considered an heirloom and inspires a fierce and loyal following. One faithful shooter has more than 700,000 documented rounds fired through his 687 EELL Sporting; both gun and shooter are still going strong.



OVER/UNDER	DT11	24-25
	692	26-27
	682 FAMILY	28-29
	SV10 PREVAILS	30-31
	686-687 FAMILY	32-33
SEMI-AUTO	A400 XCEL	34-35
PROSHOP		36-37

A400 XCEL



OPTIMA-BORE® and OPTIMA-CHOKE®: All Beretta competition shotguns feature back-bored barrels, which greatly reduce felt recoil. The Optima-Choke® HP competition choke tubes are longer and slimmer, with an internal profile formed to enhance the concentration and distribution of the shot pattern. The bottom line is increased comfort, less fatigue and more broken targets.

DT 11 The champions' choice.



STEELIUM PRO

The DT11 shotguns are treated as Premium Grade shotguns during all phases of production. A meticulous focus on detail and the fitting of all components, both primary (receiver, barrel, fore-end iron) and secondary (trigger group, top lever) makes each shotgun unique. This attention to detail gives the shooter a shotgun that has been personally tested and perfected by the master gunsmith of the world's oldest firearms manufacturer. The select high-quality walnut woods are hand-finished according to the shooter's preference (oil, Tru Oil[®], wax finishing), while the stock and fore-end can be fitted to customer's measurement. The pistol grip and the fore-end are hand-checked to ensure a solid grip and to complement the overall design of the shotgun. Personal fit, feel and finish combine for a uniquely tailored shotgunning experience—the DT11 is designed for the serious competitor.

	DT 11 SPORTING	DT 11 TRAP	DT 11 SKEET	DT 11 INTL TRAP
ACTION	New (3mm Wide Receiver)	New (3mm Wide Receiver)	New (3mm Wide Receiver)	New (3mm Wide Receiver)
GAUGE	12	12	12	12
CHAMBER	2¾" & 3"	2¾" & 3"	2¾" & 3"	2¾"
WOOD FINISH	Hand Rubbed Oil, Tru-Oil or Wax Finish	Hand Rubbed Oil, Tru-Oil or Wax Finish	Hand Rubbed Oil, Tru-Oil or Wax Finish	Hand Rubbed Oil, Tru-Oil or Wax Finish
STOCK/FORE-END	High Grade Select Walnut Hand Checkered	High Grade Select Walnut Hand Checkered	High Grade Select Walnut Hand Checkered	High Grade Select Walnut Hand Checkered
STOCK DROP – COMB	1½"	B-FAST Adjustable Comb	B-FAST Adjustable Comb	1 1/3"
STOCK DROP – HEEL	2⅝"	B-FAST Adjustable Comb	B-FAST Adjustable Comb	1¾"
BUTT PLATE	Microcore	Microcore	Microcore	Microcore
SAFETY	Manual	Manual	Manual	Manual
TRIGGER	Adjustable Drop-Out	Adjustable Drop-Out	Adjustable Drop-Out	Adjustable Drop-Out
FORE-END	Schnabel	Round	Beavertail	Round
RIB TYPE	8mm to 10mm Tapered	1" Adjustable to 1 1/5"	8mm to 10mm Tapered	10mm to 10mm Parallel
SIGHT	Mid Bead with Bradley Style Front Bead	Mid Bead with Bradley Style Front Bead	Bradley Style Front Bead	Bradley Style Front Bead
BARREL	Steelium Pro	Steelium Pro	Steelium Pro	Steelium Pro

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	* CHOKE
JDTIPI0	19674-9	DT 11 SPORTING	12	30"	OCHPe
JDTIPI2	19675-6	DT 11 SPORTING	12	32"	OCHPe
JDTIPI2L	19821-7	DT 11 SPORTING (LH)	12	32"	OCHPe
JDTIBI0	60466-4	DT 11 SPORTING (B-FAST)	12	30"	OCHPe
JDTIBI2	60467-1	DT 11 SPORTING (B-FAST)	12	32"	OCHPe
JDTIBI2L	60468-8	DT 11 SPORTING (LH/B-FAST)	12	32"	OCHPe
JDTITI2	60469-5	DT 11 TRAP	12	32"	OCHP
JDTIUI1	60470-1	DT 11 TRAP COMBO	12	32"/34"	OCHP
JDTIUI1L	60471-8	DT 11 TRAP COMBO (LH)	12	32"/34"	OCHP
JDTIKI0	60472-5	DT 11 SKEET	12	30"	OCHPe
JDTIKI0L	60473-2	DT 11 SKEET (LH)	12	30"	OCHPe
JDTINI0	60474-9	DT 11 INTERNATIONAL TRAP	12	30"	FIXED IM/F
JDTINI2	60475-6	DT 11 INTERNATIONAL TRAP	12	32"	FIXED IM/F


W I D E
R E C E I V E R



DT 11

*OCHPe = (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C), Skeet (SK)

DT11 SPORTING



DT11 SKEET

Special finishing on the fences, finely engraved by hand, reduces glare while shooting.



DT11 TRAP

WHEN THE GEOMETRY MAKES A DIFFERENCE NEW BERETTA STEELIUM PRO BARRELS.

No one has dedicated as much care and experience in the selection of barrel steel as Beretta. Steelium barrels result from a production process that transforms the special tri-alloy steel into an exceptional barrel. The deep drilling, cold hammer forging and special vacuum distension causes the steel to acquire the ideal characteristics, thereby offering the best ballistic performance. Steelium Pro takes the standard Steelium barrel one step further by lengthening the forcing cone (480mm total length) and improving bore dimensions to reduce recoil and muzzle rise. The result: improved pattern performance that allows the DT11 to achieve superior target crushing, shot after shot.

A NEW LOOK

The receiver, slender and elegant, though robust, is embellished by the contrast between the mat parts (side walls) and the ribbon borders that adorn the mirror polished surface. The Beretta logo stands out in blue color.

STABILITY WHILE SWINGING

The increase of the receiver side wall thickness adds weight and increased balance

- Developed according to the requirements of the world's best shooters, the top lever enhances the grip, reduces the stress and provides comfort of use for left-handed shooters.
- The shape of the safety/selector switch has been redesigned for better grip and operation
- Newly designed bridges are internally hollowed, while the side ribs are windowed to improve barrel balance and help dissipate the heat generated with constant shooting.



- 1 NEW TOP RIB WITH HOLLOWED BRIDGES
- 2 JEWELLED SATIN FINISH
- 3 NO-GLARE FINISH
- 4 NEW ERGONOMIC TOP LEVER
- 5 NEW SAFETY SELECTOR SWITCH
- 6 NEW MAT-GLOSSY CONTRAST
- 7 NEW NICKEL-BASED FINISH WITH WRITINGS AND DETAILS IN BLUE

692




EXCLUSIVE BERETTA STEELIUM PLUS BARRELS

Beretta has always been one of the best barrel manufacturer in the world, with more than 500.000 barrels produced per year. Every customer purchasing a Steelium barrel has always been sure to get the best barrel ever made by Beretta.

Inspired by the Steelium Pro barrel of the DT11 and thanks to a conical profile 5.5 times longer than the 682 Gold, the new Steelium Plus barrels give outstanding pattern quality and precision, improved recoil reduction and reduced muzzle raise. The much longer forcing cone is the key to the improvement in the barrel's overall performance. At the beginning of the Steelium era, all the competition barrels had a similar profile (conical part ~ 65mm on a 76cm barrel). With the development of the new Beretta 692, Steelium Plus defined a new standard for the competition barrels, lengthening the forcing cone to 360mm (76cm barrel).



Now Beretta completes the segmentation of Steelium, giving to the 692 a dedicated barrel: the Steelium Plus.



- Less Muzzle Raise
- Higher Precision
- Better Pattern
- Faster target acquisition on second shot
- More probability to hit the target

WIDER RECEIVER

A competition over and under should have as much weight as possible in the receiver area, to provide higher stability before and after each shot. Better stability, more precision during handling and better balance, the new 692 features a 1.3mm wider receiver (with respect to the 682 Gold); thus allowing better handling and control. The width of the receiver can significantly improve stability and ease of handling.



- Improved balance
- More stability before and after the shot
- Better Shouldering
- Faster target acquisition

41.6mm Wide Receiver

692	
ACTION	New (41.6mm Wide Receiver)
GAUGE	12
CHAMBER	3"
WOOD FINISH	Hand Rubbed Oil
STOCK/FORE-END	Select Walnut
STOCK DROP – COMB	1 1/2"
STOCK DROP – HEEL	2.36"
BUTT PLATE	Microcore
SAFETY	Manual
TRIGGER	Single Selective (Adjustable)
FORE-END	Schnabel
RIB TYPE	8mm to 10mm Tapered
SIGHT	Mid Bead with Bradley Style Front Bead
BARREL	Steelium Plus



692 SPORTING

REPLACEABLE LOCKING SHOULDERS



NEW OPENING LEVER



BERETTA B-FAST SYSTEM


Acronym of "Beretta Fast Adjustment System Technology", B-FAST is a system combining modular adjusting devices specifically designed for Beretta shotguns. B-Fast Balance - It is a brand new solution that allows to adjust the balance of the shotgun in a very simple way. The system allows to customize the balance by mounting additional steel wads into the stock. The system is extremely effective: the weight wads are placed as far as possible from the hinge pins, allowing the maximum balance correction for every unit of weight added to the stock.

- Allows control of the shotgun balance with the lowest overall weight increase
- Easy to use
- Balance adjustment with the minimum impact possible on shouldering



B-FAST Comb - Adjustable stock comb in height, drop and cast.

ADJUSTABLE TRIGGER





682 GOLD E TRAP BOTTOM SINGLE

Beretta is proud to introduce the 682 Gold E Trap bottom single version to further complete the 682 E family of products. Designed specifically for the American Trap market. The bottom single features a fully adjustable rib. The bottom single version only (non-combo) will be available solely with the 34-inch barrel with adjustable rib. Two combo versions will also be available: a 34-inch adjustable bottom single with a 30-inch over/under, and a 34-inch adjustable bottom single barrel with 32-inch over/under. All models will be equipped with a factory adjustable comb with Memory System, and the same adjustable trigger shoe that is standard on the 682 Gold E Trap family.

The 682 E family has been established as a premier firearm in competition shooting, building on a tradition of durability, reliability, and performance. With the elliptical graphic on the low profile receiver, and nickel-alloy steel for strength and durability, this family is the perfect blend between technology and style, heritage and innovation.


FULLY ADJUSTABLE RIB

The 682 Gold E Trap Bottom Single's fully adjustable rib allows the shooter to change the point of impact, making the gun truly customizable to suit the individual shooter's needs.



ADJUSTABLE TRIGGER

The single trigger is adjustable for length of pull.



ADJUSTABLE STOCK WITH MEMORY SYSTEM

The adjusting device is made of carbon reinforced technopolymer guaranteeing robustness and durability.

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J682E40	80165-0	Gold E, Skeet, Adj. Stock	12	28"	OBSK
J682E42	80166-7	Gold E, Skeet, Adj. Stock	12	30"	OBSK
J682E32	80164-3	Gold E, Trap, Combo Top Single	12	32"/34"	OBTR
J682E20	80941-9	Gold E, Trap, Bottom Single Combo	12	30"/34"	OBTR
J682E22	81940-2	Gold E, Trap, Bottom Single Combo	12	32"/34"	OBTR

*OBSK = Modified (M), Improved Modified (IM), Improved Cylinder (IC), Skeet (SK), Skeet (SK) *OBSP = Modified (M), Improved Modified (IM), Improved (IC), Cylinder (C), Skeet (SK)

*OBTR = Full (F), Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC)

682 GOLD E TRAP BOTTOM SINGLE COMBO



682 GOLD E TRAP TOP SINGLE



682 GOLD E SKEET



682 GOLD E SKEET

The 682 Gold E skeet features special skeet stock with rounded rubber recoil pad, beavertail fore-end, tapered top rib with white front sight, It also features a non-selective adjustable single trigger and Optima-Bore® barrels that reduce felt recoil and Optimachoke® tubes ensuring consistent shot distribution and the adjustable stock with Memory System. Gold E Skeet can also be fitted with Extended Optimachoke® tubes.

	GOLD E TRAP	GOLD E SKEET
ACTION	Low Profile, Improved Box Lock	Low Profile, Improved Box Lock
GAUGE	12	12
CHAMBER	3"	3"
WOOD FINISH	Gloss	Gloss
STOCK/FORE-END	Select Walnut – Checkered, Beavertail	Select Walnut – Checkered, Beavertail
STOCK DROP – COMB	1.5"	1.5"
STOCK DROP – HEEL	2.28"	2.36"
RECOIL PAD	Fitted Rubber Pad	Fitted Rubber Pad
SAFETY	Manual	Manual
TRIGGER	Single Selective with Selector Lock, Adjustable Length of Pull	Single Selective with Adjustable Length of Pull
RIB TYPE	PROGRESSIVE $\frac{3}{8}$ " X $\frac{5}{16}$ "	PROGRESSIVE $\frac{3}{8}$ " X $\frac{5}{16}$ "
SIGHT	White Front Bead with Steel Mid-Bead	White Front Bead with Steel Mid-Bead
WEIGHT	8.8 Lbs. (average)	7.5 Lbs. (average)
CARRY CASE	Yes	Yes

SV10 PREVAIL



TRIGGER GUARD AND TRIGGER PLATE:

The Prevail trigger is formed from solid, lightweight titanium, making it incredibly reliable in use. The strong trigger guard, machined from a single piece of steel, elegantly blends into the trigger plate via two rounded reinforcement ridges, form and function combined for the best of both worlds.

SV10 PREVAIL I

ACTION	Low Profile, Improved Box Lock
GAUGE	12
CHAMBER	3"
WOOD FINISH	Xtra-Grain
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.37"-Sporting & 1.5"-Trap
STOCK DROP – HEEL	2.16"-Sporting & 2.28"-Trap
RECOIL PAD	Fitted Rubber Pad
SAFETY	Manual
TRIGGER	Single Selective
FORE-END	Semi-Beavertail
RIB TYPE	$\frac{3}{8}'' \times \frac{5}{16}''$
SIGHT	White Front Bead with Steel Mid-Bead
WEIGHT (AVERAGE)	7.8 Lbs.
CARRY CASE	Yes

ADJUSTABLE EJECTION/EXTRACTION:

the prevail has the new patented extraction system that allows the selection between automatic ejection or simple mechanical extraction of the fired shells by a simple turn of a screw.



RECEIVER: Machined from a solid steel alloy billet, hardened and tempered, the Prevail's over-and-under receiver provides a low and elegant profile that allows for the redirection of the recoil inline to the shooter's shoulder. This reduces the felt recoil and eases shouldering. The high-strength alloy receiver is treated with an exclusive, nickel-based protective finish that increases its durability and resistance to corrosion. The Prevail is available in two distinct engraving patterns: a technical motif and a classic game scene, both with a durable nickel finish.



CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	* CHOKE
JV28R10	07243-7	SV10 PREVAIL III SPORTING with Game Scene	12	30"	OBSP-HP
JV28R12	07244-9	SV10 PREVAIL III SPORTING with Game Scene	12	32"	OBSP-HP
JV28T10	07245-6	SV10 PREVAIL III SPORTING KO with Game Scene	12	30"	OBSP-HP
JV28T12	07246-3	SV10 PREVAIL III SPORTING KO with Game Scene	12	32"	OBSP-HP

*OBHP/OBHPe = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

SV10 PREVAIL I SPORTING



SV10 Prevail: for the most modern and technology-driven competition shooters, a new generation of Beretta shotgun is born. SV10 Prevail is a shotgun integrating the newest and best performing innovations in each component. Kick-Off®, extraction/ejection selection system, easy-removable trigger group, Optima-Bore® HP barrels and many other features make SV10 Prevail a complete shotgun, designed for the highest challenges.

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	* CHOKE
JV2IEI0	19666-4	SV10 PREVAIL I SPORTING SCROLL	12	30"	OBHPe
JV2IEI2	19667-1	SV10 PREVAIL I SPORTING SCROLL	12	32"	OBHPe
JV2IFI0	19668-8	SV10 PREVAIL I SPORTING KO SCROLL	12	30"	OBHPe
JV2IFI2	19669-5	SV10 PREVAIL I SPORTING KO SCROLL	12	32"	OBHPe
JV2IJI0	19670-1	SV10 PREVAIL I TRAP	12	30"	OBHPe
JV2IJI2	19671-8	SV10 PREVAIL I TRAP	12	32"	OBHPe
JV2IKI0	19672-5	SV10 PREVAIL I TRAP KO	12	30"	OBHPe
JV2IKI2	19673-2	SV10 PREVAIL I TRAP KO	12	32"	OBHPe

*OBHP/OBHPe = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

SV10 PREVAIL I TRAP



SV10 PREVAIL III SPORTING



QUICK TAKEDOWN STOCK: The profile Q-Stock features an exclusive attachment system to the receiver, patented by Beretta, which allows its disassembly in just a few seconds—for replacement, special work or access to the trigger mechanism—without having to remove the recoil pad. This new Q-Stock design no longer requires the traditional internal through-bolt because it attaches directly to the receiver, increasing the solidity of the receiver-stock assembly. The result is a lockup that is constant over time, which also contributes to extending the life of the shotgun. Disassembly is executed by inserting the special key through the grip cap, which features an elegant and functional hinged cover plate. (Available on Prevail III Only!)




SV10 PREVAIL III	
ACTION	Low Profile, Improved Box Lock
GAUGE	12
CHAMBER	3"
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.5"
STOCK DROP – HEEL	2.36"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Manual
TRIGGER	Single Selective
FORE-END	Semi-Beavertail
RIB TYPE	$\frac{3}{8}$ " x $\frac{5}{16}$ "
SIGHT	White Front Bead with Steel Mid-Bead
WEIGHT (AVERAGE)	7.9 Lbs. (With K/O)
CARRY CASE	Yes



687 SILVER PIGEON III SPORTING

At the core of the 687 Silver Pigeon III Sporting is our legendary 687-series receiver. This low-profile, positive-locking, low-maintenance action ensures that your off-hand stays as close as possible to the bore-axis; in this manner, whatever you point to is exactly where the shot goes. The receiver is embellished with a scroll and game scene designed by our most experienced Master Engravers in Gardone, Italy. The way this pattern is executed on the receiver makes it virtually as striking as if it had been hand-engraved, but without the price tag to match.



687 EELL DIAMOND PIGEON SPORTING

One of the most elegant, finely balanced and responsive double barrel shotguns in the world, the 687 EELL Diamond Pigeon 12 gauge is the epitome of luxury and performance for the competitive shooter. Beretta's extensive hand-chased engraving and highly figured select walnut set this shotgun apart from all others. Just like the field version in every luxurious detail with the added benefit of a wider rib for better target acquisition.



Like a beautiful painting on canvas, the EELL Diamond Pigeon's sideplates are exquisitely engraved. Sporting models available in game scene and floral scene. Engravings are subject to change, depending on production dates.

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE*
J6869A0	16922-4	686 Silver Pigeon I, Sporting	12	30"	OBS
J6869A2	16923-1	686 Silver Pigeon I, Sporting	12	32"	OBS
J6874A0	81375-2	687 Silver Pigeon III, Sporting	12	30"	OBSP
J6874A2	81376-9	687 Silver Pigeon III, Sporting	12	32"	OBSP
J687EA0	30569-1	687 EELL Diamond Pigeon, Sporting, GS	12	30"	OBF
J687EA2	30570-1	687 EELL Diamond Pigeon, Sporting, GS	12	32"	OBF
J687980	81108-6	687 EELL Diamond Pigeon, Sporting, GS	20	30"	MCF
J687985	81109-3	687 EELL Diamond Pigeon, Sporting, GS	28	30"	MCF

*OBS = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

*OBSP = Modified (M), Improved Modified (IM), Improved (IC), Cylinder (C), Skeet (SK)

*OBF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder

SILVER PIGEON I



686 SILVER PIGEON I

The Silver Pigeon I marks the dividing line between Beretta's more economical double guns and the highly decorated luxury models. While popularly priced, it offers the aesthetics and materials of the premium over-unders. The frame has extensive, but refined, floral and scroll decoration that will make this shotgun a source of pride for years to come.

It has the same dual-conical locking mechanism that lets Beretta over-unders stand up to years of constant shooting and to be passed on from generation to generation. Placing the locks between the barrels allows a low frame profile that gives Beretta over-unders an unmatched lively feel and natural pointability.

SILVER PIGEON III



DIAMOND PIGEON



686 SILVER PIGEON I

ACTION	Low Profile, Improved Box Lock
GAUGE	12
CHAMBER	3"
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK DROP – COMB	1.43"
STOCK DROP – HEEL	2.26"
RECOIL PAD	Fitted Rubber Pad
SAFETY	Manual
TRIGGER	Single Selective
FORE-END	Schnabel
RIB TYPE	Tapered $\frac{3}{8}$ " x $\frac{5}{16}$ "
SIGHT	White Front Bead Steel Mid-Bead
WEIGHT (AVERAGE)	7.8 Lbs. (12 ga.)
CARRY CASE	Yes

687 SILVER PIGEON III

687 EELL DIAMOND PIGEON SPORTING

ACTION	Low Profile, Improved Box Lock	Low Profile, Improved Box Lock
GAUGE	12	12, 20, 28
CHAMBER	3"	3" (2 $\frac{3}{4}$ " on 28 gauge) 28 gauge features a Scaled Receiver
WOOD FINISH	Oil	Oil
STOCK/FORE-END	Select Walnut – Checkered, Schnabel	Highly Select Walnut – Checkered, Schnabel
STOCK DROP – COMB	1.5"	1.5"
STOCK DROP – HEEL	2.36"	2.36"
RECOIL PAD	Fitted Rubber Pad	Fitted Rubber Pad
SAFETY	Manual	Manual
TRIGGER	Single Selective	Single Selective
FORE-END	Schnabel	Schnabel
RIB TYPE	Tapered $\frac{3}{8}$ " x $\frac{5}{16}$ "	$\frac{5}{16}$ " x $\frac{5}{16}$ "
SIGHT	Metal Front Bead & Mid Bead	White Front Bead Steel Mid-Bead
WEIGHT (AVERAGE)	7.8 Lbs. (12 ga.)	7.8 Lbs. (12 ga.)
CARRY CASE	Yes	Yes


A 400 Xcel

THE BLUE RECEIVER IS ONLY A WARNING:
WHEN YOUR OPPONENTS SEE IT, THEY'LL ALREADY KNOW WHO THE WINNER IS.



MICRO CORE: A further step forward in performance - soft, light and able to slide during shouldering Micro-Core is an innovative recoil pad developed by Beretta thanks to its experience matured over decades on the competition fields around the world.

Thanks to the open cell technopolymer, softer, lighter and more slippery than rubber, micro-core expands gradually and instantly, increasing its surface area on the shoulder and giving the shotgun secure and precise support.



BALANCE CAP: Utilizing up to three interchangeable weights, the balance cap system allows the shooter to achieve that perfect point where the shotgun becomes but an extension of them. A blue anodized finish on the 2.5 ounce cap (included) protects the system from the elements allowing the shooter to compete anytime anywhere. Optional balance caps in 5 and 7.5 ounce.

STEEL PERFORMANCE: The special Optima-Bore® HP geometry was conceived to offer the best performance, even with steel shot.

The shot pattern remains perfect and uniform in every type of hunt, complemented by the use of the Optima-Choke® HP choke tubes.



GUN POD: A digital display allows you to always have everything under control. This revolutionary system provides a digital readout of the ambient air temperature, the cartridge pressure of the round fired and the overall number of rounds fired through the shotgun.



A400 XCEL

A400 XCEL



A400 Xcel Parallel Target



Your competitors will tremble in fear after catching a glimpse of the tell-tale blue receiver as you step to the line with the A400 Xcel Sporting from Beretta. This technologically advanced competition shotgun features the innovative Blink operating system, recoil-dissipating Kick-Off®, Micro-Core pad, and the very best cold-hammer forged barrels in the world featuring the Optima-Bore® HP. Two unique features on the A400 Xcel greet the competition shooter—the pioneering Gun Pod system and the blue Balance Cap.

**HIGH SPEED MECHANICS:**

Reliable speed and unequalled performance.

Blink is the new “engine” of the A400 Xcel, the fruit of the integration of the new Beretta gas system, the rotating bolt head lock-up and a new feeding system.

The new gas system features an innovative piston with metallic scraper band that doubles as a gasket for clean and efficient operation.

A400 XCEL	
ACTION	Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston
GAUGE	12
CHAMBER	3"
WOOD FINISH	Oil
STOCK/FORE-END	Select Walnut – Checkered
STOCK	Adjustable Shim System
RECOIL PAD	Micro-Core Pad
SAFETY	Crossbolt ergonomics for a better grip
TRIGGER	Chrome-Plated
LENGTH OF PULL	14.5" (14.25" with Kick-Off) with 0.75" pad
CHECKERING	New checkering with Beretta logo
RECEIVER	Blue Toned Aluminum-alloyed receiver
FORE-END	Checkering with Beretta Logo
RIB TYPE	Tapered $\frac{3}{8}$ " X $\frac{5}{16}$ "
SIGHT	White Front, Steel Mid-Bead
WEIGHT (AVERAGE)	7.7 Lbs. (With K/O)
CARRY CASE	Yes

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	* CHOKE
J40CJ18	16939-2	A400 Xcel Sporting	12	28"	OBHPe
J40CJ10	16940-8	A400 Xcel Sporting	12	30"	OBHPe
J40CK18	16941-5	A400 Xcel Sporting, KO	12	28"	OBHPe
J40CK10	16942-2	A400 Xcel Sporting, KO	12	30"	OBHPe
J40CK12	16943-9	A400 Xcel Sporting, KO	12	32"	OBHPe
J40CM10	16944-6	A400 Xcel Sporting, Gun Pod	12	30"	OBHe
J40CQ10	19680-0	A400 Xcel Par Target KO Standard Length	12	30"	OBHPe
J40CQ12	19681-7	A400 Xcel Par Target KO Standard Length	12	32"	OBHPe
J40CP18	19682-4	A400 Xcel Par Target KO Reduced Length	12	28"	OBHPe
J40CP10	19683-1	A400 Xcel Par Target KO Reduced Length	12	30"	OBHPe

*OBHPe (Extended) – Modified (M), Improved Modified (IM), Improved Cylinder (IC)

CHOKES



These Optima-Choke tubes are available in internal and external versions for 12 gauge shotguns. They are longer and slimmer than conventional Mobilchoke tubes. Thanks to the elongated cone they minimize pellet deformation and improve shot patterns. The various versions are fully interchangeable on 12 gauge guns with Optima-Bore barrels. These choke tubes are for 12 gauge shotguns with the Optima-Choke system only.

OPTIMA-CHOKE*

Code	Gauge	Constriction	Type
E62128	12	F	1" Extended
E62134	12	LF	1" Extended
E62129	12	IM	1" Extended
E62130	12	M	1" Extended
E62135	12	LM	1" Extended
E62131	12	IC	1" Extended
E62136	12	SK USA	1" Extended
E62132	12	C	1" Extended
E62133	12	SK EU	1" Extended

These chokes are for 12 gauge shotguns only. This new competition choke fits Optima-Choke Competition 12 gauge shotgun barrels. Features carefully designed ports to counteract the perceived feel of recoil.

The tube length extends 25mm past the muzzle to provide easy installation and removal without specific tools. Each choke tube is color coded with a durable metal alloy band for quick identification of the constriction during competition.

OPTIMA-CHOKE*

Code	Gauge	Constriction	Type
JCOCEI3	12	F	1" Extended
JCOCE03	12	LF	1" Extended
JCOCEI4	12	IM	1" Extended
JCOCEI5	12	M	1" Extended
JCOCE05	12	LM	1" Extended
JCOCEI6	12	IC	1" Extended
JCOCEI7U	12	SK USA	1" Extended
JCOCEI8	12	CL	1" Extended
JCOCEI7	12	SK	1" Extended



MOBILCHOKE*

Code	Gauge	Constriction	Type
JCMEVI3	12	F	1" Extended
JCMEV03	12	LF	1" Extended
JCMEVI4	12	IM	1" Extended
JCMEVI5	12	M	1" Extended
JCMEV05	12	LM	1" Extended
JCMEVI6	12	IC	1" Extended
JCMEVI7	12	SK USA	1" Extended
JCMEVI8	12	CL	1" Extended

These Competition chokes can be used on all Mobilchoke barrels. Made of high quality steel, they have great stress resistance due to heat treatments. They are subjected to a special coating that guarantees high protection from corrosion. They are extended by 25mm-0.98" and their external shape has been studied in order to guarantee installation and de-installation without specific tools. The end of the choke is identified by a colored alloy stripe for fast and easy indication of the constriction.

MOBILCHOKE*

Code	Gauge	Constriction	Type
C61686	20	F	1" Extended
C61687	20	IM	1" Extended
C61688	20	M	1" Extended
C61689	20	IC	1" Extended
C61690	20	SK USA	1" Extended
C61691	20	CL	1" Extended

OPTIMA-CHOKE*

Code	Gauge	Constriction	Type
C62139	12	F	1" Extended
C62140	12	IM	1" Extended
C62141	12	M	1" Extended
C62142	12	IC	1" Extended
C62143	12	CL	1" Extended
C62144	12	SK	1" Extended

Beretta Optima-Choke HP tubes stand up to the heat of competition. Manufactured from high strength steel and finished in a nickel-alloy coating, these chokes guarantee significant corrosion resistance and have the ability to withstand the rigors of steel shot. Optima-Choke HP tubes are fully interchangeable on all Beretta barrels that are threaded for Optima-Choke HP.



ACCESSORIES

BERETTA MICRO-CORE FIELD RECOIL PAD

SOFT, LIGHT AND FITTABLE! A further step forward in performance. Soft, light and able to slide during shouldering. MICRO CORE is an innovative recoil pad developed by Beretta thanks to its experience matured over decades on competition fields around the world. The open cell technopolymer is softer, lighter and more comfortable. MICRO CORE expands gradually and instantly, increasing its surface area on the shoulder and giving the shotgun secure and precise support.

Code	Application	Thickness
E73021	Skeet/Sporting	.51"
E73022	Skeet	.91"
E73023	Skeet	.71"
E73024	Trap	.51"
E73025	Trap	.91"
E73026	Trap	.71"



GEL-TEK CHEEK PROTECTOR 3MM. 12" (E00378)

GEL-TEK CHEEK PROTECTOR 6MM, .24" (E00489)

Beretta has an exclusive on this item and it is so unique! Features and Benefits:

- The pad can be moved from gun to gun and put back into the package for use later.
- It can be used on slug guns or trap guns if a shooter needs to raise the comb or point of impact.
- It can be put on wood or synthetic stocks.
- It eliminates the bruised cheeks that trap shooters sometimes get.
- It is opaque in color so you can still see the stock thru it.
- It can be on hundreds of stocks and still works.

HUNTING AND COMPETITION SEVEN PIECE SIGHT SET (7 PCS) (E00192)

Hunting and Competition Seven-Piece Front Sight Kit for Beretta Shotguns.

This kit includes the following sights:



Style	Height	Diameter	Width
Round metal	0.07"	0.06"	N/A
Round metal	0.10"	0.10"	N/A
Bradley White Color	0.10"	0.13"	N/A
Bradley White Color	0.10"	0.11"	N/A
"Light" Red Color	0.10"	0.15"	0.47"
"Light" Red Color	0.10"	0.14"	0.49"
"Light" Red Color	0.10"	0.11"	0.31"



sako
FINLAND

SAKO TODAY: Sako has come a long way since our humble beginning. Today, our design department is fully computerized and all steel parts are manufactured using the latest state-of-the-art CNC machining. Some things however, have not changed: we inspect barrels by human eye, and we shoot every rifle manually with proof rounds for functionality and for accuracy. All of our rifles comply with C.I.P & SAAMI requirements.

At the turn of the Millenium, Sako became an honored member of the Beretta Group. This gave Sako resources for even better product development and market response.

The Sako 85 model was developed using the vast experience gained modernizing the bolt action rifle. Further, the A7 was developed to give hunters the opportunity to purchase an entry level, first class Sako rifle. We also developed the Sako Quad, the world's first rimfire bolt action rifle, with interchangeable barrels in four different rimfire calibers, for small game hunters and varminters.

In the military and law-enforcement world, Sako Ltd. has become a respected rifle manufacturer. Our TRG 22/42 and Tikka TAC are in active service duty around the world. Tikka rifles are made by Sako Ltd. in Finland and have many hunting friends as well.

Today our line of Sako 85 rifles has added an important sixth action size. Beginning with the Safari 90 Year Anniversary rifles, we will offer a .450 Rigby caliber. Accuracy, reliability and performance in honest working rifles are our product principles—all valuable tools for real hunters!



SAKO FINNLIGHT



Sako 85 rifles share demanding design principles, adhering to both tradition and innovation, allowing riflemen to choose a model to perfectly fit different preferences and needs. The Sako 85 range offers different stock styles and barrel options combined with a comprehensive caliber selection. When you buy a Sako, you get a thoroughly tested quality rifle. Each rifle is shot at the factory to make sure it shoots as a Sako should.



RIFLES

SAKO 85	BAVARIAN	40
	KODIAK	41
	GREY WOLF	41
	CLASSIC	41
	FINNLIGHT	42
	VARMINT	43
	ACCESSORIES	44-45
SAKO TRG	22 BLACK/TAN/GREEN	46-47
	42 TAN	48-49
	42 TAN FOLDING STOCK	49
	ACCESSORIES	48-49
TIKKA	T3 LITE	50-51
	T3 LITE STAINLESS	50-51
	T3 HUNTER	52-53
	T3 TACTICAL	52-53

TIKKA HUNTER



sako 85



• 5 SHOT MOA GUARANTEED ON ALL SAKO RIFLES



SAKO 85 BAVARIAN

The Sako 85 Bavarian is a masterpiece, steeped in the tradition of old Bavaria, combining high-grade walnut stock in traditional European style with the superior performance and technology of the Sako 85 series. Under its stylish exterior design are new modern features and attention to detail, which enhance the experience of owning and shooting one of the world's most popular and respected rifles.



SAKO 85 KODIAK

The Sako 85 Kodiak is designed with a true hunter in mind. The straight, weatherproof stock is made of grey laminated hardwood and reinforced with two cross-bolts. The short, free-floating, semi-heavy barrel features adjustable open sights and a band type front swivel. All metal parts are made of stainless steel or are specially coated to ensure excellent wear and corrosion resistance.



SAKO 85 GREY WOLF

A natural-born hunter, the Sako 85 Grey Wolf features the same all-stainless barreled action as its cousin, the Sako 85 Finnlight, combined with an attractive, natural-feel, ultra-tough checkered grey laminated stock. The stainless barreled action and warp-free stock make this rifle perfect for hunting in extreme conditions while retaining the traditional warm look and feel of the wood stock.

CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRS1W34	01128-8	SAKO 85 Kodiak	.338 Win Mag	21 1/4"	10"
JRS1W37	01129-5	SAKO 85 Kodiak	.375 H&H	21 1/4"	11"
JRS2C18	81760-6	SAKO 85 Grey Wolf	.270 WIN	22 7/16"	10"
JRS2C20	81761-3	SAKO 85 Grey Wolf	.30-06 SPRG	22 7/16"	11"
JRS2C31	82008-8	SAKO 85 Grey Wolf	.300 WIN MAG	24 3/8"	11"
JRS2C40	81763-7	SAKO 85 Grey Wolf	.270 WSM	24 3/8"	10"
JRS2C41	81764-4	SAKO 85 Grey Wolf	.300 WSM	24 3/8"	11"
JRS2C70	82007-1	SAKO 85 Grey Wolf	7mm REM MAG	24 3/8"	9.5"



SAKO 85 CLASSIC

The Sako 85 Classic model continues to offer traditional Sako features: the straight and classic walnut stock, with rosewood fore-end tip and pistol grip cap, and oil finish; a strong, extended recoil lug screwed on the fore-end; an integral tapered scope mount rail on the top of the receiver; and a totally free-floating barrel. This classical look and feel enhances the experience of owning one of the world's most respected rifles.

CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRSBV16	06927-2	SAKO 85 Bavarian, Set Trigger	.308 Win	22 ⁷ / ₁₆ "	11"
JRSBV18	06928-9	SAKO 85 Bavarian, Set Trigger	.270 Win	22 ⁷ / ₁₆ "	10"
JRSBV20	06929-6	SAKO 85 Bavarian, Set Trigger	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRSBV31	06930-2	SAKO 85 Bavarian, Set Trigger	.300 Win Mag	24 ³ / ₈ "	11"
JRSBV40	06931-9	SAKO 85 Bavarian, Set Trigger	.270 WSM	24 ³ / ₈ "	10"
JRSBV41	06932-6	SAKO 85 Bavarian, Set Trigger	.300 WSM	24 ³ / ₈ "	11"
JRSBV51	06933-3	SAKO 85 Bavarian, Set Trigger	6.5x55 Swede	22 ⁷ / ₁₆ "	8"
JRSBV52	06934-0	SAKO 85 Bavarian, Set Trigger	7mm-08 Rem	22 ⁷ / ₁₆ "	9.5"
JRSBV70	06935-7	SAKO 85 Bavarian, Set Trigger	7mm Rem Mag	24 ³ / ₈ "	9.5"
JRSCL16	06937-1	SAKO 85 Classic	.308 Rem	22 ⁷ / ₁₆ "	11"
JRSCL17	06938-8	SAKO 85 Classic	.25-06 Rem	22 ⁷ / ₁₆ "	10"
JRSCL18	06939-5	SAKO 85 Classic	.270 Win	22 ⁷ / ₁₆ "	10"
JRSCL20	06940-1	SAKO 85 Classic	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRSCL31	06942-5	SAKO 85 Classic	.300 Win Mag	24 ³ / ₈ "	11"
JRSCL34	06944-9	SAKO 85 Classic	.338 Win Mag	24 ³ / ₈ "	10"
JRSCL37	06946-3	SAKO 85 Classic	.375 H&H	24 ³ / ₈ "	11"
JRSCL40	06947-0	SAKO 85 Classic	.270 WSM	24 ³ / ₈ "	10"
JRSCL41	06948-7	SAKO 85 Classic	.300 WSM	24 ³ / ₈ "	11"
JRSCL70	06956-2	SAKO 85 Classic	7mm Rem Mag	24 ³ / ₈ "	9.5"



BARREL: All Sako 85 models have free-floating barrels manufactured by Sako specialists. Barrel blanks are drilled, honed, cold-hammer forged and finished, and finally individually inspected by a complex, highly refined, optical fine-tuning instrument: the human eye. Twist rate is chosen for each caliber to optimize accuracy and bullet performance. The Sako 85 barrels, blued or stainless, have a non-reflecting, satin-like surface. The Sako 85 stainless steel barrels are made from stainless steel with increased chromium content for better weather resistance and durability.



EXTRACTOR & EJECTION: Sako rifles feature our famous extractor claw made of a very durable, heat-treated special steel. When the bolt brings the case back, it is ejected out of the rifle by the active mechanical ejector fork. The ejector is in the rear bridge bottom, not in the bolt face. Bolt is one-piece construction for superior strength and durability.



STOCKS: The ergonomics of the Sako 85 Walnut stock have been optimized to guarantee the best shooting posture. The excellent balance and smooth bolt operation of Sako rifles make for phenomenal straight, accurate, fast shooting.

SIGHTS: Most of the Sako 85 models come with no sights, however the Sako 85 Kodiak, Classic, Safari and the Bavarian rifles are offered with optional adjustable iron sights. The front bead is adjustable in elevation and the rear blade in windage.



sako 85



SAKO 85 FINNLIGHT

Synthetic-stocked rifles frequently weigh less than their wood counterparts and, therefore, recoil slightly more. The innovative FinSoft recoil pad system absorbs and dissipates recoil forces away from the cheek, in more than one direction. Left-handed shooters can convert the stock with an accessory cheekpiece (not included).



• 5 SHOT MOA GUARANTEED ON ALL SAKO RIFLES

Sako requires that every rifle must fire a 1-inch, 5-shot group from 100 yards before it leaves the factory.



CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	RATE OF TWIST
JRSFL14	06915-9	Sako 85 Finnlight ST	.22-250 REM	22 ⁷ / ₁₆ "	14"
JRSFL15	06916-6	Sako 85 Finnlight ST	.243 WIN	20 ⁷ / ₈ "	10"
JRSFL16	06917-3	Sako 85 Finnlight ST	.308 WIN	20 ⁷ / ₈ "	11"
JRSFL17	06918-0	Sako 85 Finnlight ST	.25-06 REM	22 ⁷ / ₁₆ "	10"
JRSFL18	06919-7	Sako 85 Finnlight ST	.270 WIN	22 ⁷ / ₁₆ "	10"
JRSFL20	06920-3	Sako 85 Finnlight ST	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRSFL31	16921-0	Sako 85 Finnlight ST	.300 WIN MAG	24 ³ / ₈ "	11"
JRSFL40	06922-7	Sako 85 Finnlight ST	.270 WSM	24 ³ / ₈ "	10"
JRSFL41	06923-4	Sako 85 Finnlight ST	.300 WSM	24 ³ / ₈ "	11"
JRSFL51	06925-8	Sako 85 Finnlight ST	6.5x55 SWEDE	24 ³ / ₈ "	8"
JRSFL52	06924-1	Sako 85 Finnlight ST	7mm-08 REM	20 ⁷ / ₈ "	9.5"
JRSFL70	06926-5	Sako 85 Finnlight ST	7mm REM MAG	24 ³ / ₈ "	9.5"
JRSIG12	82029-3	Sako 85 Varmint, Set Trigger	.223 REM	23 ⁵ / ₈ "	8"
JRSIG14	82031-6	Sako 85 Varmint, Set Trigger	.22-250 REM	23 ⁵ / ₈ "	14"
JRSIG15	82032-3	Sako 85 Varmint, Set Trigger	.243 REM	23 ⁵ / ₈ "	10"
JRSIG16	82033-0	Sako 85 Varmint, Set Trigger	.308 WIN	23 ⁵ / ₈ "	11"
JRSIG22	82030-9	Sako 85 Varmint, Set Trigger	.204 RUGER	23 ⁵ / ₈ "	12"



SAKO 85 FINNLIGHT

When weather is at its worst, determined hunters know there's no substitute for the combination of a stainless steel barreled action and a synthetic stock. No matter how long a downpour drenches these rifles, they'll be ready. Available in 12 calibers ranging from .22 to .250 Win Mag. in four action lengths, there's a Finnlight for almost any game, anywhere, anytime. As with all of our stainless rifles, the Finnlight's inner parts are also stainless.



STOCK: Reinforced black polymer stock with soft gray patterned grip surfaces. Soft touch surface treatment.



SAKO 85 VARMINT (LAMINATED STAINLESS)

Because our customers live the Beretta lifestyle so passionately, they are a rich source of information and feedback on our products. Customers suggested we offer a single set trigger as standard in our Varmint line, as well as the .204 Ruger caliber. We've done just that, updating our Varmint line to include a set trigger and the new calibers. The way this single set trigger works is simple. If used normally, it functions like a standard Sako trigger, adjustable for weight and pull from 2 to 4 pounds. But after you cock the bolt, you can push the trigger forward (instead of pulling it), thus "setting" it for an amazingly light 7.5-ounce pull, making it ideal for target and precision varmint shooting.



PISTOL GRIP: The pronounced pistol grip means better hand position and precision.

SAKO 85 FINNLIGHT		SAKO 85 VARMINT	
ACTION	3-Lug Bolt Action, Controlled Round Feed	3-Lug Bolt Action, Controlled Round Feed	
CALIBER OFFERINGS	12 Calibers (see chart to left)	5 Calibers (See chart to left)	
STOCK	Synthetic w/Overmolded Grips, Black	Laminated Brown	
BARREL FINISH	Stainless Steel	Stainless Steel	
RECOIL PAD	Rubber	Rubber	
SAFETY	Two-Position Safety with Seperate Bolt-Release Button	Two-Position Safety with Seperate Bolt-Release Button	
TRIGGER	Single-Stage, Adustable from 2.2 lbs. to 4 lbs.	Single Set, Adustable from 2.2 lbs. to 4 lbs.	
MAGAZINE	S/M 5-Round Magazine, SM/L LOP 4-Round Magazine	XS 6-Round Magazine, S LOP 5-Round Magazine	
SIGHT	Integral Tapered Scopemount Dovetails	Integral Tapered Scopemount Dovetails	

sako Accessories



SI30R924*
SI30R961*
SI30R929*
SI30R964*



SI300924*
SI300961*
SI300925*
SI300929*
SI300964*
SI300930*
SI30R923*
SI30R928*
SI300923*
SI300928*

*Bases are sold separately.

SAKO RINGS

Model	Product Code	Diameter	Ring Type	Mount Height	Scope Outer Max. Diameter
Sako 85 Sako 75 TRG-S TRG-21 TRG-22 TRG-41 TRG-4I	SI30R923	1"	X-Low	Xtra-Low Stainless 28.5 mm	63 mm
	SI30R928	30 mm	X-Low	Xtra-Low Stainless 30.5 mm	75 mm
	SI300923	1"	X-Low	Xtra-Low 28.5 mm	63 mm
	SI300928	30 mm	X-Low	Xtra-Low 30.5 mm	67 mm
	SI300924	1"	1" LO	Low 30.5 mm	63 mm
	SI300961	1"	1" ME	Medium 35.5 mm	73 mm
	SI300925	1"	1" HI	High 40.5 mm	83 mm
	SI300929	30 mm	30 mm LO	Low 32.5 mm	67 mm
	SI300964	30 mm	30 mm ME	Medium 36.5 mm	75 mm
	SI300930	30 mm	30 mm HI	High 40.5 mm	83 mm
	SI30R924	1"	1" LO S/S	Low 30.5 mm	63 mm
	SI30R961	1"	1" ME S/S	Medium 35.5 mm	73 mm
	SI30R929	30 mm	30 mm LO S/S	Low 32.5 mm	67 mm
	SI30R964	30 mm	30 mm ME S/S	Medium 36.5 mm	75 mm

QUICK MOUNTS

Model	Product Code	Color	Tube Diameter	Mount Height	Scope Outer Max Diameter
Sako 85 Sako 75	SI900902	Black	25.4/26 mm	Low 30.5 mm	55 / 63 mm
Sako III-V Sako L61R Sako L69I Sako M995 Sako TRG-S	SI900913	Black	25.4/26 mm	Med 35.5 mm	65 / 73 mm
	SI900912	Black	30 mm	Low 32.5 mm	59 / 67 mm
	SI900916	Black	30 mm	Med 36.5	67 / 75 mm

The innovative new design has all the advantages of Sako Optilock scope mounts joined to new practical quick-acting levers. Levers are adjustable, making the removal and remounting of the scope precise and easy. Levers can be adjusted to the desired position.

RING MOUNTS

Model	Product Code	Color	Tube Diameter	Mount Height	Scope Outer Max Diameter
Sako 85 / Sako 75	SI701900	Black	26 mm/1"	27 mm Low	48 / 56 mm
TRG-S	SI701904	Black	30 mm	29 mm Low	52 / 60 mm
Finnfire	SI802912	Black	26 mm/1"	27 mm Low	48 / 56 mm

Optilock ring mounts are precisely machined out of solid steel to ensure perfect mating with our integral receiver tapered scope mount rails and optimal scope alignment. Optilock ring mounts come packed in pairs all tools for assembly included in the box. Ring mounts are available in two diameters and available also made of stainless steel.

Sako 85 Blue

SAKO BASES

Product Code	Model	Color	Action	Version
SI700956	Sako 85 & 75, L461/ L69I, S49I M59I	Blue	I-III Short	Standard
SI700957		Blue	IV-V Long	Standard
SI700958		Blue	IV-V Long	Extended
SI70R956		Stainless Steel	I-III Short	Standard
SI70R957		Stainless Steel	IV-V Long	Standard
SI70R958		Stainless Steel	IV-V Long	Extended

SI70R956*
SI70R957*
SI70R958*

SI700956*
SI700957*
SI700958*



*Rings are sold separately.

SAKO 85 MAGAZINES - BLUED

Product Code	Magazine Type	Action	Caliber	Capacity
S5A60385	A	S	22-250	6
S5A60382	B	SM	.270 WSM, 7mm WSM, .300 WSM	4
S5A60384	C	S	.22-250 Rem, .243 Win, .260 Rem, 7mm-08 Rem, .308 Win, .338 Federal	5
S5A60386	D	M	.25-06 Rem, (6.5x55 SE), .270 Win, (7x64), .30-06 Sprg, (9.3x62), (9.3x66 Sako)	5
S5A60387	E	M	370	4
S5A60389	F	L	7mm Rem Mag, .300 Win Mag, .338 Win Mag, .375 H&H	4
S5A60388	G	M	6.5	4



SAKO 85 MAGAZINES - STAINLESS

Product Code	Magazine Type	Action	Caliber	Capacity
S5AR0381	A	XS	.204 Ruger, .223 Rem	6
S5AR0384	B	S	.22-250 Rem, .243 Win, .260 Rem, 7mm-08 Rem, .308 Win, .338 Federal	5
S5AR0382	C	SM	.270 WSM, 7mm WSM, .300 WSM	4
S5AR0386	D	M	.25-06 Rem, (6.5x55 SE), .270 Win, (7x64), .30-06 Sprg, (9.3x62), (9.3x66 Sako)	5
S5AR0388	F	M	6.5	4
S5AR0389	G	L	7mm Rem Mag, .300 Win Mag, .338 Win Mag, .375 H&H	4

SAKO A7 MAGAZINES

Product Code	Magazine Type	Caliber	Capacity
S5C60382	A	Magazine S Action .270 WSM, .300 WSM	3
S5C60384	B	Magazine S Action .308 Win, 7mm-08 Win, .243 Win, .338 Federal	3
S5C60385	C	Magazine S Action .22-250 Rem.	3
S5C60386	D	Magazine M Action .30-06, .25-09, .270 Win.	3
S5C60387	E	Magazine M Action .300 Win. Mag	3
S5C60389	F	Magazine M Action 7mm Rem. Mag	3



sako TRG



STOCK: Rear stock has adjustments for cheekpiece and butt plate to allow for shooter's personal preferences.

ACCESSORIES: Optional TRG accessories include a highly effective three-chamber muzzle brake, scope/sight mounting systems, innovative clip-on bipod, extra magazines, emergency iron sights, mirage strap, Picatinny rail, auxiliary iron sights, sling and swivels, cleaning kit, transportation case, as well as spacers for cheek piece and butt plate. The folding stock is also available as an accessory and it fits all Sako TRG models.




TRG 22 TECHNICAL DATA

Caliber	Stock	Barrel	Magazine Capacity
.308 Win	OD Green Composite	Target Grade Black Phosphate Cold-hammer Forged Alloy	10
	Black Composite		
	Desert Tan Composite		

CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRSW116	12809-2	TRG 22, Black, Picatinny Rail	.308 Win	26"	11"
JRSW316	30509-7	TRG 22, Black, Picatinny Rail	.308 Win	20"	11"
JRSW716	12810-8	TRG 22, Green, Picatinny Rail	.308 Win	26"	11"
JRSW516	56014-4	TRG 22, Green, Picatinny Rail	.308 Win	20"	11"
JRSW616	30510-3	TRG 22, Green, Folding Stock, Picatinny Rail	.308 Win	20"	11"
JRSM716	00086-2	TRG 22, Desert Tan, Picatinny Rail	.308 Win	20"	11"
JRSM816	11067-7	TRG 22, Desert Tan, Folding Stock, Picatinny Rail	.308 Win	20"	11"

SAKO TRG 22 BLACK



The Sako TRG is a detailed study of the needs of a marksman. It is designed for one job and one job only: to hit the target. The result is a total accuracy concept designed 100% by Sako, a member of the Beretta family. The globally acclaimed Sako TRG is available in two models, the TRG 22 and TRG 42.

SAKO TRG 22 GREEN



The TRG 22, in .308 Win caliber will impress even the most discriminating marksman with its "straight out of the box" accuracy. Sometimes you need to reach out a lot further, and that is where the TRG 42 comes in. With all the features and versatility of the TRG 22, but chambered for the potent .300 Win Mag and the even more powerful .338 Lapua Mag, the TRG 42 is the rifle to reach for when ranges stretch a quarter-mile and more.



The Sako TRG-22/42 is designed to accomplish a single-minded mission: to hit the target, whatever it takes. It is the result of Sako innovation, giving you performance that surpasses the highest demands for accuracy, reliability and versatility.

Optional scope, muzzle break and bipod not included.



sako TRG



SAKO TRG 42 GREEN



Sako TRG 22/42 Muzzle Brake (S5740412)
Screw-on flash eliminator/muzzle brake. Asymmetrical construction minimizes sand/dust puffing when shooting.

Sako TRG Integrated Tactical Rail System Accessory Rail (S150W808)

Aluminum construction – attachment platform for the Sako TRG22/42 weapon system. Made up of three MILSTD-1913 Picatinny rails, attaches around the rifle barrel. Installing this system allows the use of different tactical accessories. Standard Picatinny or Weaver mounts can be used. All mounting screws and sling swivel attachment included.



Sako TRG 22/42 Bipod (S5740495)

This bipod lets the rifle “hang” below the hinge-point offering very steady shooting position even with large and heavy scopes on the rifle.

Sako Tactical Shooting Sling (209521)

40mm Black Nylon, Mil-Std Hooks, Adjustable length, Max extension 44”.



CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRSM844	11084-4	TRG 42, Desert Tan, Folding Stock, Picatinny Rail	.338 LM	20"	10"
JRSW744	30507-3	TRG 42, Green, Picatinny Rail	.338 LM	27"	10"
JRSW644	30508-0	TRG 42, Green, Folding Stock, Picatinny Rail	.338 LM	20"	10"
JRSW344	30511-0	TRG 42, Black, Picatinny Rail	.338 LM	27"	10"

SAKO TRG 42 TAN



SAKO TRG 42 TAN FOLDING STOCK

**Sako TRG 22/42 Emergency Front Sight (S5740321)**

Steel construction. Adjusts for windage and elevation. Adjusting tool and all mounting screws included. Note: This sight will only fit the Sako TRG 22/42 rifles with the phosphatized finish. The barrel on the phosphatized models is machined with a groove to allow for the fitting of the Emergency Front Sight.

Sako TRG 22/42 Emergency Rear Sight (S5740311)

Steel construction. Two position, folding peep aperture. Features recoil stop and mirage strap attachment capabilities. Note: This sight will only fit the Sako TRG 22/42 rifles.



ACCURACY: Sako TRG 22 shown with Sako 308 Win. Racehead cartridges. We guarantee first class accuracy with Sako cartridges.

The free-floating, target grade barrels, made specially for the TRG, are cold-hammer forged. The muzzle is threaded for an optional muzzle brake or suppressor. A rigid action formed from cold-hammered special alloyed steel features 3 locking lugs and a bolt-lift angle of 60° for a fast bolt throw. Integral 17mm parallel scope mounting rails with recoil stop slots are machined into the receiver.

The two-stage trigger is adjustable for weight from 2 to 5 Lbs. (1 to 2.5 kg) of pull. It is also adjustable in length and horizontal or vertical pitch. The entire trigger assembly, including the trigger guard, can be removed from the rifle without disassembling any other part of the

rifle. The safety catch, which is silent in operation, is located inside the trigger guard. The safety locks the trigger mechanism and locks the bolt in a closed position with the firing pin blocked.

The stock, available in matte black, desert tan or olive drab (OD) green, is designed for both right- or left-handed shooters. The buttplate is adjustable for length of pull and angle through the use of spacers and is infinitely adjustable in height and pitch. The cheekpiece is also fully adjustable, making the Sako TRG an individualized rifle. An optional folding stock is also available for the TRG.

TRG 42 TECHNICAL DATA

Caliber	Stock	Barrel	Magazine Capacity
.338 LM	OD Green Composite	Target Grade Black Phosphate Cold-hammer Forged Alloy	5
	Black Composite		
	Desert Tan Composite		



3 SHOT MOA GUARANTEED ON ALL TIKKA RIFLES

Every rifle is tested at the factory and guaranteed to put 3-shots in a 1-inch group at 100 yards.



TIKKA T3 LITE STAINLESS

Synthetic stocks are the choice of hunters who must face tough weather conditions. With its stainless steel finish, the Tikka T3 Lite Stainless offers even better resistance to the elements. The lightweight, injection-molded stock is a godsend to hunters who spend long days in the mountains, as is its guaranteed accuracy. With a Giugiaro-designed stock, this rifle's harmonious and functional layout is both handsome and fast-handling. Left-hand models available, see index.

CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRTB312	81159-8	T3 Lite Stainless	.223 Rem	22 ⁷ / ₁₆ "	8"
JRTB314	81160-4	T3 Lite Stainless	.22-250 Rem	22 ⁷ / ₁₆ "	14"
JRTB315	81161-1	T3 Lite Stainless	.243 Win	22 ⁷ / ₁₆ "	10"
JRTB316	81162-8	T3 Lite Stainless	.308 Win	22 ⁷ / ₁₆ "	11"
JRTB317	81163-5	T3 Lite Stainless	.25-06 Rem	22 ⁷ / ₁₆ "	10"
JRTB318	81164-2	T3 Lite Stainless	.270 Win	22 ⁷ / ₁₆ "	10"
JRTB320	81165-9	T3 Lite Stainless	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRTB331	81169-7	T3 Lite Stainless	.300 Win Mag	24 ³ / ₈ "	11"
JRTB340	81166-6	T3 Lite Stainless	.270 WSM	24 ³ / ₈ "	10"
JRTB341	81167-3	T3 Lite Stainless	.300 WSM	24 ³ / ₈ "	11"
JRTB352	81279-3	T3 Lite Stainless	7mm-08 Rem	22 ⁷ / ₁₆ "	9.5"
JRTB370	81168-0	T3 Lite Stainless	7mm Rem Mag	24 ³ / ₈ "	9.5"
JRTB412	81903-7	T3 Lite Stainless, LH	.223 Rem	22 ⁷ / ₁₆ "	8"
JRTB414	81904-4	T3 Lite Stainless, LH	.22-250 Rem	22 ⁷ / ₁₆ "	14"
JRTB415	81905-1	T3 Lite Stainless, LH	.243 Win	22 ⁷ / ₁₆ "	10"
JRTB416	81906-8	T3 Lite Stainless, LH	.308 Win	22 ⁷ / ₁₆ "	11"
JRTB418	81907-5	T3 Lite Stainless, LH	.270 Win	22 ⁷ / ₁₆ "	10"
JRTB420	81908-2	T3 Lite Stainless, LH	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRTB431	81909-9	T3 Lite Stainless, LH	.300 Win Mag	24 ³ / ₈ "	11"
JRTB440	81910-5	T3 Lite Stainless, LH	.270 WSM	24 ³ / ₈ "	10"
JRTB441	81911-2	T3 Lite Stainless, LH	.300 WSM	24 ³ / ₈ "	11"
JRTB470	81912-9	T3 Lite Stainless, LH	7mm Rem Mag	24 ³ / ₈ "	9.5"



A short bolt-lift angle of 70 degrees combined with a bolt throw to match the cartridge length means quick and smooth bolt cycling.



The ridged Tikka receiver is topped off with integral rails for use with Optilock mounts. This action is also drilled and tapped for use with conventional bases.

SOUL & BODY

COMBINING PERFORMANCE WITH VALUE



TIKKA T3 LITE

Inspired by the strengths of the mighty game animal, the Tikka T3 Lite is perfect for the hunter who chases his quarry in dense woods or from a tree stand, or for the rancher who likes to keep a versatile rifle handy. Just as accurate as its full-size brothers, this synthetic features a quick-handling 19-inch cold-hammer-forged and free-floated barrel. Durable fiber-glass-reinforced polymer stock with a straight comb and ambidextrous palm-swell. Left-hand models available, see index.

TIKKA T3: REDEFINING YOUR EXPECTATIONS OF A RIFLE: The principle behind Tikka rifles is bold: with modern technology, there is no excuse for not delivering hunters the features they desire most in a rifle at a modest price. So the Sako engineers in Riihimäki, Finland and the Italian designers at Giugiaro went to work; the result is truly the finest production rifle available to hunters. Most importantly, each rifle leaves Finland only after grouping three shots under one-inch at 100 yds, making them an industry benchmark for out-of-the-box accuracy. Capitalizing on Sako's legendary gunmaking traditions, Tikka combines modern technology with time-honored craftsmanship to meet the requirements of modern hunters. Tikka by Sako -redefine your expectations of a rifle.

TIKKA T3 LITE		TIKKA T3 LITE STAINLESS	
ACTION	Bolt Action with Two Locking Lugs, Plunger Ejector	Bolt Action with Two Locking Lugs, Plunger Ejector	
CALIBER	14 Calibers, see Tikka Rifles Chart	RH 15 Calibers, LH 10 Calibers, See Tikka Rifles Chart	
STOCK	Synthetic	Synthetic	
FINISH	Blued (Carbon Steel)	Stainless Steel	
RECOIL PAD	Rubber, Black	Rubber, Black	
SAFETY	Two-Position Safety	Two-Position Safety	
TRIGGER	Single-Stage, Adjustable from 2 lbs. to 4 lbs.	Single-Stage, Adjustable from 2 lbs. to 4 lbs.	
MAGAZINE	Flush, Detachable, See Tikka Firearms Index	Flush, Detachable, See Tikka Firearms Index	
SIGHT	Integral dovetail scope rail and taper for weaver-type scope	Integral dovetail scope rail and taper for weaver-type scope	

CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRTE312	81147-5	T3 Lite	.223 Rem	22 ⁷ / ₁₆ "	8"
JRTE314	81148-2	T3 Lite	.22-250 Rem	22 ⁷ / ₁₆ "	14"
JRTE315	81149-9	T3 Lite	.243 Win	22 ⁷ / ₁₆ "	10"
JRTE316	81150-5	T3 Lite	.308 Win	22 ⁷ / ₁₆ "	11"
JRTE317	81151-2	T3 Lite	.25-06 Rem	22 ⁷ / ₁₆ "	10"
JRTE318	81152-9	T3 Lite	.270 Win	22 ⁷ / ₁₆ "	10"
JRTE320	81153-6	T3 Lite	.30-06 SPRG	22 ⁷ / ₁₆ "	11"
JRTE331	81157-4	T3 Lite	.300 Win Mag	24 ³ / ₈ "	11"
JRTE340	81154-3	T3 Lite	.270 WSM	24 ³ / ₈ "	10"
JRTE341	81155-0	T3 Lite	.300 WSM	24 ³ / ₈ "	11"
JRTE352	81278-6	T3 Lite	7mm-08 Rem	22 ⁷ / ₁₆ "	9.5"
JRTE370	81156-7	T3 Lite	7mm Rem Mag	24 ³ / ₈ "	9.5"



CAT CODE	UPC CODE	MODEL	CALIBER	BARREL	RATE OF TWIST
JRTA315	81136-9	T3 Hunter	.243 Win	22 ⁷ / ₁₆ "	10"
JRTA316	81137-6	T3 Hunter	.308 Win	22 ⁷ / ₁₆ "	11"
JRTA318	81139-0	T3 Hunter	.270 Win	22 ⁷ / ₁₆ "	10"
JRTA320	81141-3	T3 Hunter	.30-06 SPRG.	22 ⁷ / ₁₆ "	11"
JRTA370	81144-4	T3 Hunter	7mm Rem Mag	24 ³ / ₈ "	11"
JRTA331	81145-1	T3 Hunter	.300 Win Mag	24 ³ / ₈ "	11"
JRTM112	81402-5	T3 Tactical	.223 Rem	20"	8"
JRTM116	81403-2	T3 Tactical	.308 Win	20"	11"

SOUL & BODY

COMBINING PERFORMANCE WITH VALUE



TIKKA T3 HUNTER

The Tikka T3 Hunter features a glass-smooth action, a crisp, adjustable trigger, free floated match-grade hammer-forged barrel and a perfect mating between stock and metal. No Tikka T3 is even put on the shipping dock unless it groups 3 shots within 1 inch or less at 100 yards. Besides this fabulous performance, the T3 Hunter features a blend of Giugiaro distinctive checkering with the classic elegance of wood. Left-hand models available, see index.



TIKKA T3 TACTICAL

When it comes to accuracy, the T3 TAC is in a class of its own. A CrMo Steel, free-floating match grade barrel is surface manganese-phosphated for lasting protection against the elements. The barrel features a protected threaded muzzle which allows for the attachment of an optional Sako muzzle brake or sound suppressor. The modern bolt has two opposing locking lugs in front and an efficient extractor claw and spring loaded ejector plunger for automatic case ejection. Tikka rifles are world famous for their slick and fast bolt throw; emphasized with a black Teflon® coating and two-way safety, locking both handle and trigger. Tikka TAC is equipped with a Picatinny rail on top of the receiver which allows for the use of any US Mil. Std 1913 compatible mount. Optilock Weaver bases and rings are recommended for secure and precise scope mounting. Detachable magazines are in-line, straight feeding polymer units that are silent, durable and non-oxidizing in field conditions. The stock is comprised of fiberglass-reinforced co-polymer polypropylene and features an ambidextrous palm swell as well as an adjustable cheek piece.

	TIKKA T3 HUNTER	TIKKA T3 TACTICAL
ACTION	Bolt Action with Two Locking Lugs, Plunger Ejector	Bolt Action with Two Locking Lugs, Plunger Ejector
CALIBER	6 Calibers	2 Calibers
STOCK	Walnut	Synthetic with Adjustable Cheek Piece
FINISH	Blued	Blued
RECOIL PAD	Rubber, Black	Rubber, Black
SAFETY	Two-Position Safety	Two-Position Safety
TRIGGER	Single-Stage, Adjustable from 2 lbs. to 4 lbs.	Single-Stage, Adjustable from 2 lbs. to 4 lbs.
MAGAZINE	Flush, Detachable	Flush, Detachable
SIGHT	Integral dovetail scope rail and taper for weaver-type scope	Picatinny rail for scope mount





Beretta started development of its first, semi-automatic combat pistol over 100 years ago. Shortly after that pistol's introduction in 1915, it was adopted for military use. Ever since, Beretta has been designing and manufacturing pistols for use in combat around the world. Every feature that is part of a Beretta pistol, or tactical long gun, is designed with the worst case scenario in mind. Each pistol and tactical long gun shipped from Beretta carries with it 100 years of experience and feedback from the battlefield. Driving that experience and feedback is over 500 years of metallurgical research, manufacturing expertise, and a family passion for firearms that goes back 15 generations. Each generation of the Beretta family passes its knowledge and experience to the next to ensure that the valuable lessons learned in the field are put to the best possible use for product development and improvement. Never settle for an inferior product. Beretta's pistols are backed by 15 generations of skill, a century of battlefield feedback, 25 years of service with the U.S. Armed Forces, and will perform every time, everywhere.

BERETTA PISTOLS & TACTICAL PRODUCTS



PISTOLS & OTHER TACTICAL PRODUCTS

BU9 NANO	NANO	56-57
PX4	FULL SIZE TYPE F	58
	INOX	59
	SD	60
	.45	61
	COMPACT	62
	SUB-COMPACT	63
	ACCESSORIES	64-65
90 SERIES	92 COMPACT RAIL	66
	92FS/INOX	67
	M9	68
	M9A1	69
	92A1 & 96A1	70
	ACCESSORIES	71
SMALL FRAME	21A BOBCAT	72
	3032 TOMCAT	73
U22 NEOS	NEOS PISTOLS	74
	NEOS CARBINE KIT	75
CX4	CX4	76-77
	ACCESSORIES	78



BERETTA
500 YEARS. ONE PASSION.

Nano

The ultimate evolution of the micro compact carry pistol.



EXTENDED MAGAZINE:

- NOW SHIPPING WITH
1 FLUSH MAGAZINE
1 EXTENDED MAGAZINE
- 2 MORE ROUNDS OF PREVENTION
- 1 EXTRA INCH OF GRIP SURFACE



Serialized
Modular Chassis



User-Adjustable
Sights



Nano Specifications

Overall Length	5.63"
Overall Height	4.17"
Overall Width	.90"
Barrel Length	3.07"
Sight Radius	4.92"
Sights	3-Dot Low Profile
Frame Chassis	Stainless Steel Insert
Grip Frame	Technopolymer
Slide Material	4140
Slide Finish	Pronox
Weight Unloaded	17.67 oz

BU9 NANO

The Beretta Nano is the ultimate evolution of the micro compact carry pistol. Utilizing a removable, serialized sub-chassis the Nano pistol can be easily modified with replaceable grip frames and is simple to disassemble and maintain. Ease of use and concealment were key drivers in the development of the Nano. The Nano's extremely low profile, snag free design makes it easy to carry and draw from concealment. To accommodate right or left-handed use, the Nano's magazine release button can be easily reversed. The light, durable, frame employs modern thermoplastic technology through the use of fiberglass reinforced technopolymer. The Nano's sights are user adjustable with a 1.3mm hexwrench and your fingers. This allows anyone to adjust their sights without the assistance of a gunsmith. Modular structure, ergonomics and ease of use make the Beretta Nano the ideal firearm for concealed carry.

CAT CODE	UPC CODE	MODEL	CALIBER	ACTION	ROUNDS
JMN9S15	18954-3	BU9 Nano	9 mm	Dbl/Sngl	6+1 Rounds

Nano Accessories



Laser Sight by
LaserMax
CF-NANO



Trijicon Night Sights
EU00038



Nano Pouch
EU00035



Laser Sight by
Crimson Trace
LG-483



Hybrid Holster
GI03-INCI-RH



ABS Belt Holster
GI03CNPKRH



Extended (8 Rd) Magazine
Conversion Kit
JK8RDEXT



FDE Grip Frame
UD5A1261



Ranger Green Grip Frame
UD5A1259



Black Grip Frame
UD5A0910



Rosa Grip Frame
UD5A1261

MODEL	CAT CODE	UPC CODE	CALIBER	OVERALL LENGTH	OVERALL HEIGHT	BARREL LENGTH	GRIP WIDTH	SIGHT RADIUS	WEIGHT UNLOADED	MAGAZINE CAPACITY
Beretta FDE Frame	SPEC0556A	082442604527	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Ranger Green Frame	SPEC0555A	082442604596	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Rosa Frame	SPEC0557A	082442604602	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Black Frame	JMN9S15	082442189543	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds



Px4 Storm



Small, medium and large magazine catch buttons available for Px4 models

3-Dot Sight System

Automatic Firing Pin Block

Commander-Style Hammer

Picatinny Rail

Reversible Magazine Release

Ambidextrous Safety (Type F)

Interchangeable Backstraps

Drop-Free Magazine



PX4 FULL SIZE

TYPE F

The Px4 represents the culmination of a century of experience building, testing, and refining pistols for military use worldwide. This NATO certified pistol is currently in use by military and law enforcement groups around the globe in every environment imaginable. Designed to meet the most stringent military standards, the Px4 has been reported to fire well over 150,000 rounds in commercial ranges with zero parts breakage. The light, yet durable frame employs a highly refined technopolymer reinforced fiberglass to deliver unparalleled strength and wear properties. The steel used in creating the Px4 is proprietary to Beretta and was developed to exceed the most impossible standards. The Px4's slide is machined from solid bar stock to ensure precision and performance. Utilizing a cold-hammer forged, rotary-barrel design, the Px4's action is one of the strongest available. The rotary barrel dissipates recoil energy in a unique fashion that decreases perceived recoil for the shooter allowing for faster sight recovery and follow up shots.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 Type F Full Size	JXF9F21	81819-1	9mm	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	17 Rounds
Px4 Type F Full Size	JXF9F20	81728-6	9mm	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	10 Rounds
Px4 Type F Full Size	JXF4F21	81820-7	.40 S&W	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	14 Rounds
Px4 Type F Full Size	JXF4F20	81729-3	.40 S&W	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	10 Rounds

Px4 Storm



PX4 INOX

Utilizing all of the features and strengths of the NATO certified, battle hardened Px4, the Px4 Inox brings a new style and look to the Px4 family. Machined from bar stock, the Px4 Inox's stainless steel slide is bead blasted to a soft, satin finish to ensure a non-reflective surface. Paired with the highly refined techno-polymer reinforced fiberglass frame, the Px4 Inox is ready for hard use in any environment. Like all Px4's in the family, the Px4 Inox has three interchangeable backstraps, a magazine release that can be easily changed for right- or left-handed use, and an in-line feeding system that offers unparalleled reliability in the worst conditions imaginable.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 Type F Full Size INOX	JXF9F5I	15796-2	9mm	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	17 Rounds
Px4 Type F Full Size INOX	JXF9F50	16453-3	9mm	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	10 Rounds
Px4 Type F Full Size INOX	JXF4F5I	17295-8	.40 S&W	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	14 Rounds
Px4 Type F Full Size INOX	JXF4F50	17289-7	.40 S&W	Dbl/Sngl	7.6"	5.5"	4.0"	5.8"	1.4"	1.2"	27.7 oz	10 Rounds

Px4 Storm



Special duty tactical case includes:

- 2 additional 10 rd magazines
- 2 additional back straps
- 2 additional mag catch buttons
- Flush hammer-spring cap
- Cleaning kit
- Lubricant oil



PX4 SD

When the US SOCOM sent out a request for a new pistol, Beretta answered the call with distinction. Not just a spray painted version of a production pistol, the Px4 SD was built from the ground up to exceed the demanding requirements of SOCOM. Only the slide and frame were used from the original Px4 .45 to create the Px4 SD. Virtually every internal component was specifically designed, produced, and specially treated to create a pistol that is unrivaled in performance in the most impossible conditions imaginable. Many claim they can pass the venerable "Over the Beach Test," but Beretta has proven it in military trials. Sand, salt, mud and just about anything else you can throw at the Px4 SD are merely shrugged off. When the impossible is expected, the Px4 SD is, without question, the companion to have at hand.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 .45 Special Duty Type F Full Size 3 Magazines	JXF5F45	81976-1	.45 ACP	Dbl/Sngl	8.2"	5.7"	4.6"	5.9"	1.4"	1.2"	28.6 oz	9 / 10 Rounds



Px4 Storm



Rotary locking system allows radial dissipation of recoil energy effectively reducing muzzle flip and felt recoil



PX4 .45

The Px4 .45 is the result of a platform created to develop the ultimate .45 to meet the strict specifications of SOCOM's Joint Combat Pistol request. Utilizing a cold-hammer forged barrel for precision and a slide machined from bar stock made of Beretta's proprietary steel blend, the Px4 .45 represents the ultimate marriage of strength, power and performance. The 9 and 10 round magazines were specifically developed to operate despite sand, fouling and the elements. Beretta's battle proven Bruniton™ finish will ensure the Px4 .45 stays protected, regardless of the environment. If you need to play in the sand, crawl through mud, or go for a 3-mile swim, the Px4 .45 is ready.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 .45 Type F Full Size	JXF5F25	81975-4	.45 ACP	Db/ Sngl	7.6"	5.5"	4.0"	5.9"	1.4"	1.2"	28.2 oz	9 / 10 Rounds

Px4 Storm

Patented retractable lanyard loop

Ambidextrous slide lock

3-Dot Sight System

Non-Reflective,
Black Brunton™

Automatic Firing Pin Block

Commander-Style Hammer

Picatinny Rail

Ambidextrous Slide Lock

Reversible Magazine Release

Ambidextrous Safety

Interchangeable Backstraps

Drop-Free Magazine

PX4 COMPACT

With the introduction of the Px4 Compact pistol, Beretta has completed the Px4 Family. Heralded by many as the ultimate in balance and proportion, the Compact is equally suited for concealed carry, in a duty holster, plainclothes operations, home defense or a day at the range. Though it is completely concealable, the Compact offers a full grip for most shooters. The Compact offers full 16 round capacity (15+1 in 9mm), an accessory rail, ambidextrous slide stop, new integral and retractable lanyard loop, and a cold hammer forged barrel for ultimate precision. The Compact also houses the Px4 family's rotary barrel system. This system allows for in-line feeding for unparalleled reliability. The rotary barrel system leads to radial dissipation of recoil energy resulting in a significant reduction in felt recoil and fast follow-up shots.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 Type F Compact	JXC9F2I	I5428-2	9mm	Dbl/Sngl	6.8"	5.0"	3.2"	5.2"	1.4"	1.2"	27.3 oz	15 Rounds
Px4 Type F Compact	JXC9F20	I5366-7	9mm	Dbl/Sngl	6.8"	5.0"	3.2"	5.2"	1.4"	1.2"	27.3 oz	10 Rounds
Px4 Type F Compact	JXC4F2I	I5473-2	.40 S&W	Dbl/Sngl	6.8"	5.0"	3.2"	5.2"	1.4"	1.2"	27.3 oz	12 Rounds
Px4 Type F Compact	JXC4F20	I5468-8	.40 S&W	Dbl/Sngl	6.8"	5.0"	3.2"	5.2"	1.4"	1.2"	27.3 oz	10 Rounds



Px4 Sub-Compact comes with three interchangeable backstraps designed to customize the pistol for the shooter

Px4 Storm



SnapGrip® extension ensures maximum grip area for larger hands



PX4 SUB-COMPACT

The Px4 Sub-Compact is a lot of pistol in a little package. It delivers all of the modularity of its bigger brothers in a sub-compact frame. Shooters still have the ability to change out three different backstraps, mount lights and lasers on the accessory rail, switch the magazine catch from left to right, and carry up to 14 rounds (13+1 in 9mm). The Sub-Compact's Snap-Grip® allows shooters with larger hands to gain a full grip when shooting. When not in use, the Snap-Grip® can be resnapped, making the entire package smaller for concealed carry. When you don't want to lose big gun performance, but need to carry concealed, the Px4 Sub-Compact will exceed your expectations.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 Type F Sub-Compact	JXS9F21	81973-0	9mm	Dbl/Sngl	6.2"	4.8"	3.0"	4.5"	1.4"	1.2"	26.1 oz	13 Rounds
Px4 Type F Sub-Compact	JXS4F20	81974-7	.40 S&W	Dbl/Sngl	6.2"	4.8"	3.0"	4.5"	1.4"	1.2"	26.1 oz	10 Rounds

Accessories

Sight Adjustment Tool

Product Code	Description	Models
UD6A0027	Sight Adjustment Tool	PX4 Storm and 8000 Series
ZPS92FTOOL	Sight Adjustment Tool	92/96 Series



PX4 Storm Rear Sight Kit (4 PCS) (E00339)

Beretta PX4 Storm Rear Sight Kit (4 PCS)

Height: 0.267" (6.8 mm) – 0.279" (7.1 mm) – 0.303 (7.7 mm) – 0.314" (8 mm)



PX4 Series, Adjustable Rear Sight & Front Sight (E00457)

Adjustable Rear Sight & Front Sight for PX4 series.

Three white dot system.

Adjustment key included.

Fits on: PX4 Full Size, Compact, Sub-Compact, Special Duty.



PX4 Series Magazine Pad Extended & Spring 9 mm (E00345)

Magazine Pad Extension and spring, increasing the capacity of the 17 round magazine (9mm) to 20 rounds.

PX4 Series Magazine Pad Extended & Spring .40 S&W (E00344)

Magazine Pad Extension plus spring, increase the capacity of the 14 round magazine (.40 S&W) to 17 rounds.




PX4 Storm Floor-plate with Steel Insert (C75489)

PX4 Storm Floor-plate with steel insert



PX4 Sub-Compact Snap Grip

Original SnapGrip® for PX4 Sub Compact Storm Magazines. The SnapGrip® extension ensures maximum grip area for larger hands, fits on all the Px4 sub-compact, perfect improvement for Sub-Compact.



PX4 Magazine Release Kit (3pcs) High, Medium, & Low (E00343)

PX4 Magazine Release kit (3pcs) High, Medium, and Low.



Magazines

Product Code	Description	Caliber	Capacity	Finish	Packaging
JM4PX920	Beretta Factory Px4 Storm Magazine	9mm	20	Black	Yes
JM4PX917	Beretta Factory Px4 Storm Magazine	9mm	17	Black	Yes
JM4PX915	Beretta Factory Px4 Storm Magazine	9mm	15	Black	Yes
JM4PX910	Px4 Storm Magazine	9mm	10	Black	Yes
JM4PX4010	Px4 Storm Magazine	.40 S&W	10	Black	Yes
JM4PX4017	Beretta Factory Px4 Storm Magazine	.40 S&W	17	Black	Yes
JM4PX4014	Beretta Factory Px4 Storm Magazine	.40 S&W	14	Black	Yes
I383438	Beretta Factory Px4 Storm Magazine (bulk pack)	9mm	17	Black	Yes
C89132	Px4 Storm Magazine (bulk pack)	.40 S&W	14	Black	Yes
JMPX4S9E	Px4 Storm Sub-Compact Magazine SNAP GRIP	9mm	13	Black	Yes
JMPX4S9F	Px4 Storm Sub-Compact Magazine Standard	9mm	13	Black	Yes
UD8A027I	Px4 Storm Sub-Compact Magazine (Bulk Pack)	9mm	13	Black	Yes
JMPX4510	Px4 Storm SD Magazine Heavy Duty	.45ACP	10	Chromed	Yes
JMPX459	Px4 Storm SD .45ACP Magazine 9 Rds Standard	.45ACP	9	Black	Yes



Product Code	Description	Caliber	Capacity	Finish	Packaging
JM88400	PX4 Compact 9mm Factory Magazine 15RD	9mm	15	Black	Yes
JM88510	PX4 Compact 9mm Factory Magazine 10RD	9mm	10	Black	Yes
JM88404	PX4 Compact .40S&W Factory Magazine 12RD	.40 S&W	12	Black	Yes
JMPX4S4E	Px4 Storm Sub-Compact .40S&W Magazine 10RD SNAP GRIP	.40 S&W	10	Black	Yes
JMPX4S4F	Px4 Storm Sub-Compact .40S&W Magazine 10RD	.40 S&W	10	Black	Yes
C89134	Beretta Px4 Storm .40 S&W Magazine 10RD	.40 S&W	10	Black	Yes
C89133	Beretta Factory Px4 Storm 9mm Magazine 10RD	9mm	10	Black	Yes



90 SERIES



92 COMPACT RAIL

Designated "M9" by the U.S. Armed Forces, known simply as the 92 around the globe, the NATO certified Beretta 92FS is one of the most iconic battle pistols in the world. With outstanding accuracy and unparalleled reliability, the time tested and battle proven 92FS is THE World Defender. Introducing a new member of the 92 family, the 92 Compact Rail. Taking some of the best features of the 92/M9 family, the new 92 Compact Rail is a formidable companion for those requiring a smaller package. All of the strengths of the 92 in a smaller package for off-duty carry, plainclothes work, or everyday concealment.

Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
92 Compact Rail	J90C9F20	30690-2	9mm	7.75"	5.25"	4.25"	5.75"	1.5"	31.6 oz	13 Rounds
92 Compact Rail	J90C9F21	30691-9	9mm	7.75"	5.25"	4.25"	5.75"	1.5"	31.6 oz	10 Rounds

90 SERIES



92FS also available in INOX finish.

92FS

Designated the "M9" by the U.S. Armed Forces and NATO Certified, the 92FS is one of the most iconic battle pistols in the world. After a quarter century of service with the U.S. Armed Forces, a recently renewed contract, and continued use by allied forces worldwide, the 92FS is still going strong. Time tested and battle proven, the 92FS is THE World Defender. It delivers outstanding accuracy and reliability in the most unforgiving conditions. Its open slide design and optimal chamber feed angle allow for reliable feeding with a wide variety of ammunition styles and weights regardless of the environment. Pistols tested for the military must shoot a 10-shot group at 50 meters measuring three inches or less; most shoot well under that and commercial pistols are held to the same quality standards. The 92FS has an ambidextrous safety/decocker that allows for extremely safe operation and positive manipulation with either hand. The magazine release can easily be reversed for right- or left-handed use. The rear sight is designed to provide a front projection so that, in an emergency, the user may rack the slide single-handedly by pushing the rear sight against the edge of a table, door, or even a rigid gun belt. Beretta's proprietary Bruniton™ coating offers superior corrosion resistance with an attractive black finish.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Un-loaded	Magazine Capacity
92 FS	J92F300M	81550-3	9mm	DbI/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	15 Rounds
92 FS	J92F300	02930-6	9mm	DbI/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	10 Rounds
92 FS INOX (US)	JS92F500	81822-1	9mm	DbI/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	15 Rounds
92 FS INOX (US)	JS92F510	81873-3	9mm	DbI/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	10 Rounds

90 SERIES



"Dot-and-post" sight system

Distinctive military style markings on various components closely replicate those of the U.S. Armed Forces M9 pistols.

Unique M9-prefixed serial number (M9-xxxxxx) sets this configuration apart from the other 92 series pistols.

M9

From the jungle heat of Panama to the savage sandstorms of Iraq, U. S. Armed Forces have counted on the M9 as their official sidearm for over a quarter century. The commercial M9 pistol is the closest thing to the military M9 that a civilian may legally own. Functionally, this M9 is identical, in every regard, to the military M9. The combat trigger guard, finish, sights and operating system that every U.S. soldier, sailor, airman, and marine rely upon in battle. Like its military counterpart, the commercial M9 not only meets or exceeds all U.S. Military testing guidelines, it totally rewrites them. The commercial M9 delivers the same accuracy, reliability, and performance that defends our nation's defenders. The average reliability of all M9 pistols tested at Beretta U.S.A. is 17,500 rounds without a single stoppage. During one test of twelve pistols fired at Beretta U.S.A. under Army supervision, Beretta-made M9 pistols shot 168,000 rounds without a single malfunction.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
M9	J92M9A0M	81637-1	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	15 Rounds
M9	J92M9A0	81683-8	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	10 Rounds



M9A1

The United States Marine Corps came to Beretta and asked for a modification to their M9 pistols. They wanted an accessory rail to attach tactical lighting devices and laser aiming devices as they head into the darkest corners of the world. In 2006, the M9A1 was born. The M9A1 sports aggressive checkering on the frontstrap and backstrap, a mil-spec picatinny rail, and specially designed, PVD coated, sand resistant magazines.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
M9A1	JS92M9A1M	81719-4	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.9 oz	15 Rounds
M9A1	JS92M9A1	81678-4	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.9 oz	10 Rounds

90 SERIES



92A1 & 96A1


The latest addition to the 90 Series Family, the 92A1/96A1 is the ultimate evolution of the 92FS. The frame of the A1's have an integral MIL-STD 1913 rail for attachment of tactical lights and laser aiming devices. 9mm magazines have an increased capacity of 17 rounds and are completely interchangeable with other 9mm, 90 Series pistols. The new, removable front sight allows the user to easily replace damaged sights or to install tritium night sights or other accessory sights. The new captive, single-piece recoil spring assembly simplifies the assembly and disassembly process and minimizes the possibility of spring loss. The A1's also feature a new, internal frame buffer that increases service life by reducing stress on the receiver. The 96A1 brings a .40 caliber 90 Series pistol back to the family for those shooters that desire a big bore.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Un-loaded	Magazine Capacity
92A1	J9A9F10	11108-7	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	34.4 oz	17 Rounds
92A1	J9A9F11	11109-4	9mm	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	34.4 oz	10 Rounds
96A1	J9A4F10	11110-0	.40 S&W	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	34.4 oz	12 Rounds
96A1	J9A4F11	11111-7	.40 S&W	Dbl/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	34.4 oz	10 Rounds


Accessories

Beretta 92/96 Locking Block Kit (LE9201)

The perfect kit to keep your Model 92/96 in perfect working condition after years of faithful use! This kit includes the following components: Recoil Spring (A), Beretta 3rd Generation Locking Block (B), 3rd Generation Locking Block Plunger (C) and a Locking Block Pin (D). Items B and C must be used together. Fits the following model firearms: Beretta 92-92S-92F-92FS-96-Billennium-Vertec-Centurion. The 3rd Generation Locking Block Components are the latest improvements in Beretta's Model 92/96 locking system.



Model	Product Code	Description
Beretta Solid Steel Recoil Spring Guide & Recoil Spring "Gold Finish"	E00189	Replaces factory Recoil Rod and Spring. Fits all Beretta 90 series pistols. Steel Recoil Rod and Titanium Nitride coated recoil spring. Nitride coating reduces friction and fights corrosion. It does not fit the 92A1, 96A1, and the 90-Two.



Overize Steel Magazine Release Button (C86992)

Overize Magazine Release Button 92/96 Series SS (UD8A0203)

Replaces smaller factory Magazine Release. Does not include bushings MSR and spring. Requires re-use of your bushings and spring.



Beretta 92 / 96 / 98 Elite II Hammer (UD5A0584)

The perfect part to give your Model 92/96/98 an aggressive look! This skeletonized hammer is Beretta factory original and not only looks cool but can improve cycle time because of the lighter weight.

Product Code	Description	Caliber	Capacity	Finish	Packaging
JM909P17	Beretta Factory 90-TWO Magazine	9mm	17	Blue	Yes
JM904P12	Beretta Factory 90-TWO Magazine	.40 S&W	12	Blue	Yes
JM92HCB	Beretta Factory 92FS Magazine	9mm	15	Black	Yes
C86021	Beretta Factory 92FS Magazine	9mm	15	Black	No
JM80399HC	Beretta Factory 96 Magazine	.40 S&W	11	Black	Yes
C86006	Beretta Factory 96 Magazine	.40 S&W	11	Black	No
JM9A115	M9A1 – 92FS Magazine Sand Resistant	9mm	15	Special PVD-Dark Grey	Yes
JM96	Beretta Factory 96 Magazine	.40 S&W	10	Blue	Yes
JM92F	Beretta Factory 92FS Magazine	9mm	10	Black	Yes
JM86751HC	Beretta Factory Billenium / 92FS Magazine	9mm	15	Nickel	Yes
1385979/1	Beretta Factory 92FS Magazine	9mm	20	Black	Yes
JM9022PK	Beretta Factory 92FS Practice Kit Magazine	.22LR	10	Black	Yes
C89282	Beretta Factory 92FS & CX4 Magazine	9mm	30	Black	Yes



E00219



JG92FSR2



JG92FSP



E5C199



JG92FSW

Product Code	Description	Finish
E00219	92 Series Wood Grips	Walnut
JG92FSR2	92 Series Rubber Grips	Rubber
JG92FSP	Beretta 92FS / 96 Series Original Grips	Plastic
E5C199	Beretta 92-Two Thin Unit Grip	Plastic
JG92FSW	Beretta 92 Series Wood Grips	Palnut



SMALL FRAME



Frame mounted safety



Recessed magazine release

Single-stack magazine

21A BOBCAT

The direct descendent of one of our oldest pocket pistols (the 950), the 21 Bobcat continues a legacy of refined concealed carry pistols. Bobcat pistols are distinguished in the market by their practicality and simplicity of design. In fact, an earlier model of the .25 ACP was the first concealed carry pistol of a certain fictional renowned, gentleman secret agent. The tip-up barrel design provides direct chamber access to allow simple loading and clearing without slide retraction. Slim and precisely engineered to fit comfortably in the shooter's hand, the 21 Bobcat pistols are an ideal choice for concealed carry.

Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Un-loaded	Magazine Capacity
Model 21 Bobcat	J212104	05539-8	.22 LR	4.9"	3.7"	2.4"	3.5"	1.1"	11.8 oz	7 Rounds
Model 21 Bobcat	J215104	06099-6	.25 Auto	4.9"	3.7"	2.4"	3.5"	1.1"	11.8 oz	7 Rounds
Model 21 Bobcat INOX	J212500	18874-4	.22 LR	4.9"	3.7"	2.4"	3.5"	1.1"	11.8 oz	7 Rounds

SMALL FRAME

Tip-up barrel design allows user to load chamber without slide retraction

Tip-Up Barrel

Frame-Mounted Safety



Low-profile "express-style" rear sight

Tip-Up Barrel Release Latch

Contoured Tang

Fixed Low-Profile Sights



Recessed Magazine Release



Single-stack magazine
Part # JM32P

3032 TOMCAT


Concealability, reliability, and quality are the defining features of the Tomcat making it a perfect choice for a defensive pocket pistol. Produced in the same factory used to manufacture the M9 pistol for the U.S. Armed Forces, the American made Tomcat is sure to perform in a moment of need. The Tomcat's slide is machined from solid bar stock while its frame is machined from forged, aerospace grade aluminum. Featuring Beretta's unique tip-up barrel design, the user has direct chamber access to load and unload the pistol without the need of slide retraction. The external, frame-mounted thumb-safety provides an additional level of security while carrying in a pocket.

Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
3032 Tomcat	J320115	11107-0	.32 ACP	4.9"	3.7"	2.4"	3.3"	1.1"	14.5 oz	7 Rounds
3032 Tomcat INOX	J320500	18881-2	.32	4.9"	3.7"	3.8"	3.3"	1.1"	14.5 oz	7 Rounds



NEOS CARBINE KIT

- Convert your NEOS pistol into a light and compact carbine
- Kit includes barrel and stock assemblies and multi-purpose tool
- Aluminum Weaver™-style top rail allows mounting of optics
- Rubber, slip resistant buttpad
- TRUGLO™ orange, fiber optic front sight and fully adjustable rear aperture sight
- Uses pistol's magazine, slide and receiver assembly
- Approved for sale in California



Weaver Accessory Rail

Tool-Free Disassembly Wheel

Ambidextrous Safety

Adjustable Target Sights



TRUGLO™ Fiber-Optic Front Sight

Weaver™ Accessory Rail

Adjustable Target Sights

Base pistol not included

Tool-Free Disassembly Wheel

Ambidextrous Safety

Skeletonized Buttstock

Carbine Kit

NEOS 4.5 / NEOS 6

Designed and manufactured in Beretta's U.S.A. facility, the NEOS is a modular, semi-automatic, .22 LR pistol is ideal for small game hunting, target shooting, or informal plinking. Though designed for ease of use by entry-level shooters, the NEOS will deliver for even the most skilled shooter. Constructed of five core assemblies, which are easily disassembled without tools, the NEOS is offered in the classic Beretta blue or Inox finishes. The ergonomically designed grip is made of fiberglass reinforced, techno-polymer with anti-slip finish and has optional colored or rubber inlay grips. The pistol's cutting edge, modular design allows for personalization and the flexibility to be adapted to multiple shooting disciplines.



Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
U22 Neos 4.5	JU2S45B	80757-7	.22 LR	8.8"	5.2"	4.5"	7.4"	1.5"	31.7 oz	10 Rounds
U22 Neos 4.5 INOX	JU2S45X	80759-1	.22 LR	8.8"	5.2"	4.5"	7.4"	1.5"	31.7 oz	10 Rounds
U22 Neos 6	JU2S60B	80758-4	.22 LR	10.3"	5.2"	6"	8.9"	1.5"	36.2 oz	10 Rounds
U22 Neos 6 INOX	JU2S60X	80760-7	.22 LR	10.3"	5.2"	6"	8.9"	1.5"	36.2 oz	10 Rounds

Cx4



ADJUSTABLE
FRONT SIGHT


CHROME LINED
BARREL



CX4

The innovative Cx4 pistol-caliber carbine is accurate, soft-shooting and easy to handle. With controls that are similar to a modern combat pistol, you don't have to be a seasoned rifle shooter to feel competent with the Cx4. However, the cold-hammer forged barrel delivers precision that even the most experienced expert will appreciate. In use by multiple law enforcement agencies across the U.S., the Cx4 has street-proven reliability that ensures performance on demand. Featuring a full-length aluminum top rail for mounting optical and red dot sights and a retractable Picatinny rail that extends from the fore-end allows the user to mount tactical lighting devices. Additional rails can be mounted on the left, right and bottom providing ample opportunity for customizing.

This light and compact carbine boasts the unique features of easily reversible ejection/extraction, safety and magazine button, all without tools. Length-of-pull can also be adjusted with the addition or removal of ½" spacers (one included). Completely adaptable the Px4 accept any full-size Beretta Px4 or 90 Series magazines.



Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
Cx4 (92 Series Mag)	JX49220M	81991-4	9mm	29.7"	7.5	16.6"	12.9"	2.5"	5.75 Lbs.	15 Rounds
Cx4 (Px4 Series Mag)	JX4P415	81669-2	.40 S&W	29.7"	7.5	16.6"	12.9"	2.5"	5.75 Lbs.	14 Rounds
Cx4 (Cougar Mag)	JX48520	81990-7	.45 ACP	29.7"	7.5	16.6"	12.9"	2.5"	5.75 Lbs.	8 Rounds



Cx4 Accessories

Beretta CX4 Storm Folding Grip, 4 Position (EU00025)

Beretta CX4 Storm 4 Position Folding Steady Grip. The 4-Position Folding Steady Grip Locks at horizontal, vertical, 45° & 135° positions. Beretta Trident Logo. Improved performance during rapid fire. Easy to fit & secure. Fits Picatinny / Weaver Rail. Light-weight Molded from reinforced polymer composite. Length in vertical position: 4.5 inches/11.5cm. No gunsmithing required.



CX4 Adjustable Bipod w/ Picatinny Rail (EU00012)

Beretta Trident logo on leg release buttons on Beretta CX4 version. Versatile bipod, mounts onto a Picatinny rail in seconds. Legs can be attached/detached with two swift movements. The 3" Picatinny Rail allows the addition of a foregrip without taking up more space on the handguard. New recessed design allows legs to be mounted higher, giving a lower and more stable center of gravity. Comfortable rubber covers legs allowing a non-slip grip.

- Quick release push button leg extension
- Legs manufactured from stainless steel
- Legs numbered for reference
- No external springs
- Strong lightweight design
- Redesigned feet provide increased stability



Beretta Cx4 Storm Barrel Shroud 9mm .40S&W .45ACP (EU00029)

Patented Design. – 100% Made in the USA! – The main body is made of 6061-T6 aircraft grade aluminum. – Precision CNC machined from billet. – Lettering is indexable/adjustable in position. Fits on all the Cx4 models. – Weight: 8.2 ounces! – Mil. Spec. acid etched (anti-glare) – Mil. Spec. anodized to give the unit a semi flat finish. – Professionally laser engraved. NOTE: These do NOT suppress sound in any way and are 100% legal for the regular civilian to own in all 50 US States.



Beretta CX4 Storm Vertical Grip Long (EU00004)

The Beretta CX4 Bi Function Vertical Grip is designed for mounting onto a standard Picatinny or Weaver rail system.

- Allows natural "Fighting Stance" hold on your Cx4 Storm.
- Waterproof compartment for batteries.
- Molded from reinforced plastic composite.
- Super light weight
- Color: Black.



Beretta CX4 Vertical/Folding Grip (EU00006)

The Beretta CX4 Vertical/Folding Grip is designed for mounting onto a standard Picatinny or Weaver rail system. Allows natural "Fighting Stance" hold on your Cx4 Storm. Molded from reinforced plastic composite. Super light weight. Color: Black.


Long Aluminum CX4 Storm Picatinny Side Rail (EU00007)

Retractable forward accessory rail extends out from the fore-end, allowing quick mounting of tactical light or laser unit.



Beretta CX4 Top Picatinny Rail (E00268)

The Beretta CX4 Picatinny Top Rail is designed of Aluminum and finished with Black Anodizing. Comes with three mounting screws and two nutplates. Ideal for scopes, lights, lasers, grips etc. Super light weight. Color: Black



CX4 Storm Cocking Handle (C79898)

Beretta CX4 Cocking Handle. It's reversible, and it can be installed on both sides simultaneously.



Beretta Factory 92FS & CX4 Magazine 9mm 30 Rds (C89282)

92 FS - 9mm series and CX4 Storm 9mm with 92 magazine adapter - Capacity: 30 - carbon steel made, glossy blue finishing - counter hole indicators (4-8-12-16-20-30) - plastic magazine plate, plastic magazine sleeve

Beretta CX4 Bottom and Side Accessory Rail Kit (E00270)

The Beretta CX4 Bottom and Side Accessory Rail Kit is designed of Black Polymer and comes with four mounting screws. Used with the side rail provided with the CX4 Storm carbine, this kit finishes out the two side rail positions and adds the bottom rail for a vertical grip. Allows for attachment of any Weaver Mount Assembly. Ideal for Scopes, Lights, Lasers, Grips Etc. Super Light Weight Color: Black



**BERETTA PROUDLY SUPPORTS THE FOLLOWING
CONSERVATION AND SHOOTING ORGANIZATIONS:**



Connect with us:
[Facebook.com/BerettaUSA](https://www.facebook.com/BerettaUSA)
[Twitter @Beretta_USA](https://twitter.com/Beretta_USA)
[Youtube.com/BerettaCommunity](https://www.youtube.com/BerettaCommunity)



Beretta U.S.A. Corp.
17601 Beretta Drive
Accokeek, MD 20607

UQAN 2406 (01/13)

 **BERETTA**
500 YEARS. ONE PASSION.