

# 2014 PRODUCT GUIDE



BERETTA

500 YEARS. ONE PASSION.






# THE WORLD OF BERETTA



Gardone Val Trompia (Italy) - View of the facade of the "Villa Beretta," Once the main living quarters of the Beretta Family

A world of passion and authenticity. Beretta was born in 1526, during the height of the Italian Renaissance. Our oldest surviving company document shows how the Republic of Venice trusted us to build gun-barrels for the defense of that magnificent city. We were making history then, and have been making history for the last half-millennium by serving our customers with enthusiasm, integrity, and by being innovative without losing sight of our Italian heritage.

Since its inception, our company has been owned and operated by the Beretta family with a continuity that makes us unique in history. As you turn the pages, you will experience the flavors and textures of our tradition ~ a tradition that we are proud to share with you.



**BERETTA PROUDLY SUPPORTS THESE  
CONSERVATION AND SHOOTING ORGANIZATIONS:**





**ARX100**

**ARX100**

See page 58



**486 PARALLELO**

See page 10



**692 Sporting**

See page 24



**PICO**

**Pico**

See page 64

| Table of Contents    | Page |
|----------------------|------|
| Field Grade Shotguns | 4    |
| Competition Shotguns | 20   |
| Rifles               | 32   |
| Tactical Products    | 52   |





At Beretta, we think of shotguns as works of art. They must not only be perfectly suited for their purpose in the field, but they must be authentic, beautiful and a joy to own. Therefore, Beretta shotguns continue to be the real thing for hunters who seek a thrill every time they open their gun-case, no matter if hunting season is still months away.

Just like any well-crafted work of art, Beretta shotguns are always innovative: our passion for seeking new things is equally strong in the field and the engineering lab. But at Beretta, innovation never comes at the expense of tradition. This is why our firearms retain a timeless appeal even while incorporating the latest technology.

We design our art to fit different hunters' tastes and budgets. Whether you seek a reliable semiautomatic shotgun to reach high-flying geese in the misty October marshes, or whether you prefer the classic feel of a hand-engraved over-and-under for upland quail, there is a Beretta shotgun that is right for you.







A400 Xtreme



## FIELD

|                     |               |       |
|---------------------|---------------|-------|
| <b>OVER/UNDER</b>   | 686 Series    | 6     |
|                     | 687 Series    | 6-9   |
| <b>Side by Side</b> | 486 Parallelo | 10-11 |
| <b>SEMI-AUTO</b>    | A400 FAMILY   | 12-17 |
|                     | A300 FAMILY   | 18-19 |
| <b>Chokes</b>       |               | 19    |



Silver Pigeon I



# Silver Pigeon



| SILVER PIGEON I          |   |
|--------------------------|---|
| <b>ACTION</b>            | Low Profile, Improved Box Lock  |
| <b>GAUGE</b>             | 12, 20, 28, .410  |
| <b>CHAMBER</b>           | 3" (2¾" on 28 gauge)  |
| <b>WOOD FINISH</b>       | Oil   |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered   |
| <b>STOCK DROP – COMB</b> | 1.43"   |
| <b>STOCK DROP – HEEL</b> | 2.26"   |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad   |
| <b>SAFETY</b>            | Automatic   |
| <b>TRIGGER</b>           | Single Selective  |
| <b>FORE-END</b>          | Field Combos feature Schnabel<br>Single Field feature Semi-Beavertail |
| <b>RIB TYPE</b>          | Flat ¼" x ¼"  |
| <b>SIGHT</b>             | Metal Bead  |
| <b>WEIGHT (AVERAGE)</b>  | 6.8 Lbs. (12 ga.)   |
| <b>CARRY CASE</b>        | Yes   |



## SILVER PIGEON III

There's no need to sacrifice style for function with this attractively priced member of the Silver Pigeon family. The distinctive Silver Pigeon III has all the features of the S and II, but with more extensive engraving, including game scenes, on the frame. Available in a trim and racy 28-gauge made on its own properly scaled frame, this finely crafted shotgun with natural pointability is up to any hunting challenge.



MobilChoke see page 22.

| 687 SILVER PIGEON III |          |                       |       |        |        |
|-----------------------|----------|-----------------------|-------|--------|--------|
| CAT CODE              | UPC CODE | MODEL                 | GAUGE | BARREL | CHOKE* |
| J687IG6               | 81351-6  | 687 SILVER PIGEON III | 12    | 26"    | MCF    |
| J687IG8               | 81352-3  | 687 SILVER PIGEON III | 12    | 28"    | MCF    |
| J687IJ6               | 81355-4  | 687 SILVER PIGEON III | 20    | 26"    | MCF    |
| J687IJ8               | 81356-1  | 687 SILVER PIGEON III | 20    | 28"    | MCF    |
| J687IK6               | 81357-8  | 687 SILVER PIGEON III | 28    | 26"    | MCF    |
| J687IK8               | 81358-5  | 687 SILVER PIGEON III | 28    | 28"    | MCF    |

\*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)



## 686 SILVER PIGEON I

### 686 SILVER PIGEON I

The Silver Pigeon I marks the dividing line between Beretta's more economical double guns and the highly decorated luxury models. While popularly priced, it offers the aesthetics and materials of the premium over-unders. The receiver has extensive, but refined, floral and scroll decoration that will make this shotgun a source of pride for years to come. Beretta's 28 and .410 gauge shotguns are built on scaled receivers resulting in a smaller overall profile and a reduction in weight.

| 686 SILVER PIGEON I |          |                           |         |        |        |
|---------------------|----------|---------------------------|---------|--------|--------|
| CAT CODE            | UPC CODE | MODEL                     | GAUGE   | BARREL | CHOKE* |
| J6863J6             | 14702-4  | 686 SILVER PIGEON I       | 12      | 26"    | MCF    |
| J6863J8             | 14704-8  | 686 SILVER PIGEON I       | 12      | 28"    | MCF    |
| J6863J0             | 14705-5  | 686 SILVER PIGEON I       | 12      | 30"    | MCF    |
| J6863K6             | 16931-6  | 686 SILVER PIGEON I       | 20      | 26"    | MCF    |
| J6863K8             | 16932-3  | 686 SILVER PIGEON I       | 20      | 28"    | MCF    |
| J6863K0             | 16933-0  | 686 SILVER PIGEON I       | 20      | 30"    | MCF    |
| J6863M6             | 18102-8  | 686 SILVER PIGEON I       | 28      | 26"    | MCF    |
| J6863M8             | 18138-7  | 686 SILVER PIGEON I       | 28      | 28"    | MCF    |
| J6863M0             | 18139-4  | 686 SILVER PIGEON I       | 28      | 30"    | MCF    |
| J6863N6             | 18140-0  | 686 SILVER PIGEON I       | .410    | 26"    | MCF    |
| J6863N8             | 18141-7  | 686 SILVER PIGEON I       | .410    | 28"    | MCF    |
| J6863P8             | 18157-8  | 686 SILVER PIGEON I COMBO | 20/28   | 28"    | MCF    |
| J6863R8             | 18917-8  | 686 SILVER PIGEON I COMBO | 28/.410 | 28"    | MCF    |

\*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)

## 687 SILVER PIGEON III



| SILVER PIGEON III        |                                |
|--------------------------|--------------------------------|
| <b>ACTION</b>            | Low Profile, Improved Box Lock |
| <b>GAUGE</b>             | 12, 20, 28                     |
| <b>CHAMBER</b>           | 3" (2¾" on 28 gauge)           |
| <b>WOOD FINISH</b>       | Oil                            |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered      |
| <b>STOCK DROP – COMB</b> | 1.5"                           |
| <b>STOCK DROP – HEEL</b> | 2.36"                          |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad              |
| <b>SAFETY</b>            | Automatic                      |
| <b>TRIGGER</b>           | Single Selective               |
| <b>FORE-END</b>          | Schnabel                       |
| <b>RIB TYPE</b>          | Flat ¼" x ¼"                   |
| <b>SIGHT</b>             | Metal Bead                     |
| <b>WEIGHT (AVERAGE)</b>  | 6.8 Lbs. (12 ga.)              |
| <b>CARRY CASE</b>        | Yes                            |



# 687 SILVER PIGEON



## 687 SILVER PIGEON V

The pinnacle of the Silver Pigeon line, this prestigious over-under is stocked in richly figured, oil-finished walnut and detailed with gold game bird inlays and a Beretta gold medallion underneath. The receiver is treated with Beretta's proprietary process that imparts a classic color-case finish that ensures metallurgical integrity and a distortion-free part. A joy to own and shoot, thanks to Beretta's superior mechanical refinement and innovative technology, the Silver Pigeon V will last for generations.

| 687 SILVER PIGEON V |          |                                     |       |        |        |
|---------------------|----------|-------------------------------------|-------|--------|--------|
| CAT CODE            | UPC CODE | MODEL                               | GAUGE | BARREL | CHOKE* |
| J687IN6             | 81364-6  | 687 SILVER PIGEON V                 | 12    | 26"    | MCF    |
| J67IN8              | 81365-3  | 687 SILVER PIGEON V                 | 12    | 28"    | MCF    |
| J687IQ6             | 81366-0  | 687 SILVER PIGEON V                 | 20    | 26"    | MCF    |
| J687IQ8             | 81367-7  | 687 SILVER PIGEON V                 | 20    | 28"    | MCF    |
| J687IQ8S            | 81580-0  | 687 SILVER PIGEON V (ENGLISH STOCK) | 20    | 28"    | MCF    |
| J687IR6             | 81368-4  | 687 SILVER PIGEON V                 | 28    | 26"    | MCF    |
| J687IR8             | 81369-1  | 687 SILVER PIGEON V                 | 28    | 28"    | MCF    |
| J687IR8S            | 81577-0  | 687 SILVER PIGEON V (ENGLISH STOCK) | 28    | 28"    | MCF    |
| J687IS8             | 81578-7  | 687 SILVER PIGEON V                 | .410  | 28"    | MCF    |
| J687IS8S            | 81579-4  | 687 SILVER PIGEON V (ENGLISH STOCK) | .410  | 28"    | MCF    |

\*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)



MobilChoke see page 22.

| SILVER PIGEON V          |  |
|--------------------------|--|
| <b>ACTION</b>            | Low Profile, Improved Box Lock                     |
| <b>GAUGE</b>             | 12, 20, 2, .410<br>28 ga. feature Scaled Receivers |
| <b>CHAMBER</b>           | 3" (2¾" on 28 gauge)                               |
| <b>WOOD FINISH</b>       | Oil  |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered                          |
| <b>STOCK DROP – COMB</b> | 1.5"   |
| <b>STOCK DROP – HEEL</b> | 2.36"  |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad                                  |
| <b>SAFETY</b>            | Automatic  |
| <b>TRIGGER</b>           | Single Selective                                   |
| <b>FORE-END</b>          | Fluted Beavertail                                  |
| <b>RIB TYPE</b>          | Flat ¼" x ¼"                                       |
| <b>SIGHT</b>             | Metal Bead   |
| <b>WEIGHT (AVERAGE)</b>  | 6.8 Lbs. (12 ga.)                                  |
| <b>CARRY CASE</b>        | Yes  |



**687 SILVER PIGEON V****687 EELL DIAMOND PIGEON****687 EELL DIAMOND PIGEON**

In Italian, EL stands for extra lusso (extra luxury). The EELL designation takes that quality to an even higher level. This is an over-under with the feel and allure of a classic game gun for the discriminating sportsman who appreciates all the finer points of a well-made shotgun. The patented locking system creates a particularly slim receiver, making it one of the most elegant, finely balanced and responsive shotguns in the world. The extensive hand-chased engraving, combined with the highly figured oil-finished walnut, makes a classic statement of your good taste.

| 687 EELL DIAMOND PIGEON |          |                               |       |        |        |
|-------------------------|----------|-------------------------------|-------|--------|--------|
| CAT CODE                | UPC CODE | MODEL                         | GAUGE | BARREL | CHOKE* |
| J687EJ6                 | 30571-4  | 687 EELL DIAMOND PIGEON       | 12    | 26"    | MCF    |
| J687EJ8                 | 30572-1  | 687 EELL DIAMOND PIGEON       | 12    | 28"    | MCF    |
| J687EK6                 | 30573-8  | 687 EELL DIAMOND PIGEON       | 20    | 26"    | MCF    |
| J687EK8                 | 30574-5  | 687 EELL DIAMOND PIGEON       | 20    | 28"    | MCF    |
| J687385                 | 18805-8  | 687 EELL DIAMOND PIGEON COMBO | 20/28 | 28"    | MCF    |
| J687EM8                 | 30632-2  | 687 EELL DIAMOND PIGEON       | 28    | 28"    | MCF    |
| J687390                 | 81014-0  | 687 EELL DIAMOND PIGEON       | .410  | 26"    | MCF    |
| J687395                 | 81015-7  | 687 EELL DIAMOND PIGEON       | .410  | 28"    | MCF    |

\*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)



The rich hand-chased engraving extends to the trigger plate and trigger guard.

| 687 EELL DIAMOND PIGEON  |   |
|--------------------------|---|
| <b>ACTION</b>            | Low Profile, Improved Box Lock                      |
| <b>GAUGE</b>             | 12, 20, 28, .410<br>28 ga. features Scaled Receiver |
| <b>CHAMBER</b>           | 3" (2¾" on 28 gauge)                                |
| <b>WOOD FINISH</b>       | Oil   |
| <b>STOCK/FORE-END</b>    | Highly Select Walnut – Checkered                    |
| <b>STOCK DROP – COMB</b> | 1.5"  |
| <b>STOCK DROP – HEEL</b> | 2.36"   |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad                                   |
| <b>SAFETY</b>            | Automatic   |
| <b>TRIGGER</b>           | Single Selective                                    |
| <b>FORE-END</b>          | Beavertail  |
| <b>RIB TYPE</b>          | Flat ¼" x ¼"  |
| <b>SIGHT</b>             | Metal Bead  |
| <b>WEIGHT (AVERAGE)</b>  | 6.8 Lbs. (12 ga.)                                   |
| <b>CARRY CASE</b>        | Yes   |



# 486 Parallelo



## 486 PARALLELO

The side by side is back. Beretta introduces a brand new 12-gauge shotgun and our first round body action. Surprisingly light and easy handling, the 486 Parallelo brings together the classic elegance of a round body receiver and innovative technology for a more reliable, safer, and accurate shotgun. Beautifully designed with floral engraving on the receiver and premium matching wood on the stock and pad, the 486 Parallelo showcases Beretta's new Triblock Technology that eliminates the visible line between the monoblock and tube. This gives the shotgun the same feel and aesthetic as a demiblock barrel. An Optima choke allows the hunter to shoot every type of shell, including high performance ones. The redesigned trigger, with Beretta's first-ever leaf springs on a side by side, allows for even greater performance. Other enhancements include the new gravitational safety that locks the trigger in case it's dropped and the ability for the hunter to easily switch from automatic to manual extraction. A long time in coming, this is one side by side that was worth waiting for.

| 486 Parallelo |          |                             |       |        |            |
|---------------|----------|-----------------------------|-------|--------|------------|
| CAT CODE      | UPC CODE | MODEL                       | GAUGE | BARREL | CHOKE*     |
| J486P18       | 70495-1  | 486 PISTOL GRIP BEAVERTAIL  | 12    | 28"    | OBF-HP-486 |
| J486S18       | 81352-3  | 486 STRAIGHT STOCK SPLINTER | 12    | 28"    | OBF-HP-486 |
| J486F10       | 81355-4  | 486 PISTOL GRIP BEAVERTAIL  | 12    | 30"    | FIXED IC/M |

\* OBF-HP-486 = Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC), Cylinder (C)



## 486 PARALLELO

**TRIBLOCK  
BARREL**

Thanks to Beretta's new triblock technology, the barrel is stronger and free of visible welding lines.



| 486 PARALLELO         |  |
|-----------------------|--|
| <b>ACTION</b>         | Side by Side (Round Body)                |
| <b>GAUGE</b>          | 12                                       |
| <b>CHAMBER</b>        | 3"                                       |
| <b>WEIGHT</b>         | 7.2 Lbs.                                 |
| <b>WOOD FINISH</b>    | Hand Rubbed Oil                          |
| <b>STOCK/FORE-END</b> | Select Turkish Walnut                    |
| <b>BUTT PLATE</b>     | Wood                                     |
| <b>SAFETY</b>         | Automatic                                |
| <b>TRIGGER</b>        | Single Selective                         |
| <b>STOCK/FORE-END</b> | Pistol + Beavertail / English + Splinter |
| <b>STOCK DROP</b>     | 1.45"/2.3"                               |
| <b>RIB TYPE</b>       | 10x5.5 Conic                             |
| <b>SIGHT</b>          | Single Steel Bead                        |

A 400

**Xtreme***The forecast calls for Reign*

**BLINK** 4  in less than **1**  
One Second

**KICK-OFF<sup>3</sup>**

The only device in the world that acts on the second recoil peak.

Precise laboratory testing clearly demonstrated that recoil has two very distinct components: the explosion of the ammunition at the moment of firing (1st peak) and the impact of the bolt against the receiver at the end of its travel (2nd peak). Kick-Off<sup>3</sup> is a third hydraulic dampener that targets the 2nd recoil peak. In doing this, even the stress on the mechanical components is notably reduced, increasing the service life of the gun.


**//B-LOK**

Fast-locking in a 60° rotation, the new B-Lok forend cap provides a perfect lock in just a fraction of a second!

**KICK /// OFF<sup>M</sup>**

The world's most advanced recoil reduction, now MEGA! Kick-Off and Kick-Off<sup>3</sup> have revolutionized the world of recoil reduction, bringing the performance up to -70%. Now Kick-Off goes MEGA, giving hunters the maximum of comfort and control together. With Kick-Off MEGA, the gun recoils parallel to the cheek mount. These combined systems result in a substantial reduction in muzzle rise and less recoil, allowing for better follow-up shot control.

#### Out-of-the-box LOP options (Length of Pull)



Spacers see page 23.



# A400 XTREME REALTREE® MAX-4® CAMO



## A400 XTREME

Frigid rain, driving sleet, blinding snow and relentless salt spray—hardcore waterfowlers live to hunt in Xtreme conditions and so must their shotgun. Beretta's A400 Xtreme features Kick-Off MEGA's 70% recoil reduction, Blink's 36% faster cycling of any 12-gauge load, and Aqua Technology's exclusive corrosionproof barrier. These features combine to produce the Xtreme's never quit, show no mercy attitude that will reign in the most Xtreme conditions imaginable. Know No Limits—Go Xtreme.

**UNICO**



All 12 gauge loads in a single shotgun.



**BLACK SYNTHETIC**



**GORE™ OPTIFADE™ CONCEALMENT MARSH**



**AQUA  
TECHNOLOGY**

**STEELIUM**

Beretta makes the best barrels in the world. Starting with proprietary tri-alloy steel (Ni/Cr/Mo), the metal goes through a unique manufacturing process. Deep hole drilling, cold-hammer forging, and vacuum distension create the very best ballistic performance available.

## A400 XTREME

|                         |   |
|-------------------------|---|
| <b>ACTION</b>           | Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning Piston |
| <b>GAUGE</b>            | 12  |
| <b>CHAMBER</b>          | 3 1/2"  |
| <b>FINISH</b>           | Synthetic, Max-4 Camo, Gore Optifade Marsh  |
| <b>STOCK/FORE-END</b>   | Overmold Grips  |
| <b>STOCK</b>            | Adjustable Shim System  |
| <b>RECOIL PAD</b>       | Micro-Core Pad  |
| <b>SAFETY</b>           | Crossbolt with ergonomics for a better grip   |
| <b>TRIGGER</b>          | Chrome-Plated   |
| <b>RECEIVER</b>         | Aluminum Alloy  |
| <b>RIB TYPE</b>         | 1/4" x 1/4" Ventilated  |
| <b>SIGHT</b>            | Fiber Optic Bead  |
| <b>WEIGHT (AVERAGE)</b> | 7.8 Lbs.  |
| <b>CARRY CASE</b>       | Yes   |

**OPTIMA BORE  
HP**

The special Optima-Bore® HP geometry was conceived to offer the best performance even with steel shot. The shot pattern remains perfect and uniform in every type of hunting situation, complemented by the use of the Optima-Choke® HP choke tubes.

| CAT CODE | UPC CODE | MODEL                    | GAUGE | BARREL | CHOKE  |
|----------|----------|--------------------------|-------|--------|--------|
| J40XD16  | 18705-1  | A400 Xtreme Blk Syn, KO  | 12    | 26"    | OBF-HP |
| J40XD18  | 18724-2  | A400 Xtreme Blk Syn, KO  | 12    | 28"    | OBF-HP |
| J40XD10  | 18725-9  | A400 Xtreme Blk Syn, KO  | 12    | 30"    | OBF-HP |
| J40XF16  | 18736-5  | A400 Xtreme Max4, KO     | 12    | 26"    | OBF-HP |
| J40XF18  | 18748-8  | A400 Xtreme Max4 KO      | 12    | 28"    | OBF-HP |
| J40XF10  | 18789-1  | A400 Xtreme Max4, KO     | 12    | 30"    | OBF-HP |
| J40XM16  | 19819-4  | A400 Xtreme Optifade, KO | 12    | 26"    | OBF-HP |
| J40XM18  | 19820-0  | A400 Xtreme Optifade, KO | 12    | 28"    | OBF-HP |

\*OBF-HP – Full (F), Modified (M), Cylinder (C)

# A400 Xplor ACTION



## A400 XPLOR ACTION

The New Beretta A400 Xplor Action is much more than a semi-automatic that does everything well—it's the semi-automatic that does everything as well as a Beretta. In designing the new Beretta A400 Xplor Action our objective was to make the world's most versatile shotgun even better. We retained all the features that have made the A400 series such a success in a lightweight shotgun. The result? Enhanced pointability, balance and ease of swing. It's the semi-automatic you can use with absolute confidence regardless of game, target or season. The receiver also comes with scope mount grooves to accept optics and other aiming systems.

| A400 XPLOR ACTION       |  |
|-------------------------|--|
| <b>ACTION</b>           | Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning piston              |
| <b>GAUGE</b>            | 12, 20, 28   |
| <b>CHAMBER</b>          | 3"   |
| <b>STOCK FINISH</b>     | Xtra-Grain Technology with Oil Finish  |
| <b>STOCK/FORE-END</b>   | Select Walnut – Checkered  |
| <b>STOCK</b>            | Adjustable Shim System   |
| <b>RECOIL PAD</b>       | Micro-Core Pad   |
| <b>SAFETY</b>           | Crossbolt Ergonomics for a Better Grip   |
| <b>TRIGGER</b>          | Chrome-Plated  |
| <b>LENGTH OF PULL</b>   | 14.5" (14.25" with Kick-Off) with 0.75" pad  |
| <b>CHECKERING</b>       | New Checkering with Beretta logo   |
| <b>RECEIVER</b>         | Bronze Toned Aluminum-alloyed Receiver   |
| <b>FORE-END</b>         | Checkering with Beretta Logo   |
| <b>RIB TYPE</b>         | ¼" x ¼" Ventilated   |
| <b>SIGHT</b>            | Fiber Optic  |
| <b>WEIGHT (AVERAGE)</b> | 6.7 Lbs. w/o Kick-Off (12 ga.)<br>5.5 Lbs. w/o Kick-Off (20 ga.)<br>5.5 Lbs. w/o Kick-Off (28 ga.) |
| <b>CARRY CASE</b>       | Yes  |

## OPTIONAL GUN POD (SOLD SEPARATELY)



This digital display allows you to always have everything under control. This revolutionary system provides a digital readout of the ambient air temperature, the cartridge pressure of the round fired and the overall number of rounds fired through the shotgun.

Code E8A119 - Compatible with 12 Gauge A400 Action ONLY.



12 GAUGE WITH KICKOFF

**A400 XPLOR ACTION**

20 GAUGE

28 GAUGE

NEW  
2014

Fast field disassembly into  
only five components.



From the fore-end insert to the trigger guard and over to the kick-off interface, each component of the A400 Xplor has been conceived to optimize form, weight and functionality.

| CAT CODE | UPC CODE | MODEL           | GAUGE | BARREL | CHOKE* |
|----------|----------|-----------------|-------|--------|--------|
| J40AW16  | 270768-6 | XPLOR Action    | 12    | 26"    | OBF-HP |
| J40AK16  | 270769-3 | XPLOR Action KO | 12    | 26"    | OBF-HP |
| J40AW18  | 270770-9 | XPLOR Action    | 12    | 28"    | OBF-HP |
| J40AK18  | 270771-5 | XPLOR Action KO | 12    | 28"    | OBF-HP |
| J40AA26  | 58225-2  | XPLOR Action    | 20    | 26"    | OBF-HP |
| J40AA28  | 58226-9  | XPLOR Action    | 20    | 28"    | OBF-HP |
| J40AY26  | 58227-6  | XPLOR Action KO | 20    | 26"    | OBF-HP |
| J40AY28  | 58235-1  | XPLOR Action KO | 20    | 28"    | OBF-HP |
| J40AA86  | 70911-6  | XPLOR Action    | 28    | 26"    | OBF-HP |
| J40AA88  | 70910-9  | XPLOR Action    | 28    | 28"    | OBF-HP |

The finishing of the A400 Xplor Action's receiver is an absolute innovation in the world of hunting shotguns and represents the union between the protective characteristics of anodizing and the exclusive brown-bronze color that renders the A400 Xplor Action truly unique.

**KICK-OFF**
**Micro  
Core**

\*OBF-HP – Full (F), Modified (M), Cylinder (C)

A400  
**Xplor**  
UNICO

eXpect the uneXpected.




The A400 Xplor will shatter expectations of what a semi-automatic can be. Built on a compact receiver, the Xplor was conceived and designed to shoot any 12 gauge shell, from 2¾" to 3½" magnums with the weight and balance of a high performance 3" receiver. From quail and geese to doves and sporting clays, the Xplor can handle it all.

To create a shotgun this versatile and accurate took many different engineering firsts, and 500 years of Beretta knowledge, know-how, and expertise.



## KICK-OFF



## KICK-OFF<sup>3</sup>

Kick-Off<sup>3</sup> is the only recoil reduction system in the world that uses hydraulic dampeners very similar to those in automobile suspensions. All the other systems on the market are based on a the deformation of soft materials like rubber, polyurethane or polymer inserts. The difference? 70% less recoil than the nearest competitor.

A400 Xplor Unico is equipped with the best technological solutions in the world to increase performance, reliability and shooting comfort. Recoil almost reduced to zero, maximum muzzle rise reduction and perfect shouldering will be your best allies in guaranteeing a successful hunt every time.

| CAT CODE | UPC CODE | MODEL           | GAUGE | BARREL | CHOKE  |
|----------|----------|-----------------|-------|--------|--------|
| J40UA16  | 10418-8  | XPLOR Unico     | 12    | 26"    | OBF-HP |
| J40UA18  | 10419-5  | XPLOR Unico     | 12    | 28"    | OBF-HP |
| J40UY16  | 10416-4  | XPLOR Unico, KO | 12    | 26"    | OBF-HP |
| J40UY18  | 10417-1  | XPLOR Unico, KO | 12    | 28"    | OBF-HP |
| J40UY10  | 11366-1  | XPLOR Unico, KO | 12    | 30"    | OBF-HP |

\*OBF-HP – Full (F), Modified (M), Cylinder (C)



## A400 XPLOR UNICO



### 36% faster than any other shotgun.

The innovative Beretta gas operating system is 36% faster than any other operating system. Featuring a rotating bolt, new feeding system and a self-cleaning piston, the A400 Xplor possesses unmatched reliability, speed and performance.

The operating system of the A400 Xplor is a true jewel of engineering that distinguishes itself from all other systems on the market with its exceptional cycling speed. Being the fastest to shoot follow-up shots means increasing your chances of hitting the target. With an A400 Xplor anything is possible.


## UNICO

The versatility to shoot 2¾" to 3½" loads through a gun with the weight and balance previously found only on a high-performance competition shotgun.



Shot pattern remains perfect and uniform in every type of hunting situation.

Optima-Bore HP geometry was conceived to offer the best ballistic performance available even with steel shot. The shot pattern remains perfectly uniform whatever the shell size or load. Optima-Bore HP choke tubes further enhance the effect.



| A400 XPLOR UNICO |   |
|------------------|---|
| ACTION           | Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston |
| GAUGE            | 12  |
| CHAMBER          | 3½"   |
| STOCK FINISH     | Xtra-Grain Technology with Oil Finish   |
| STOCK/FORE-END   | Select Walnut – Checkered   |
| STOCK            | Adjustable Shim System  |
| RECOIL PAD       | Micro-Core Pad  |
| SAFETY           | Crossbolt ergonomics for a better grip  |
| TRIGGER          | Chrome-Plated   |
| LENGTH OF PULL   | 14.5" (14.25" with Kick-Off) with 0.75" pad   |
| CHECKERING       | New checkering with Beretta logo  |
| RECEIVER         | Green Toned Aluminum-alloyed receiver   |
| FORE-END         | Checkering with Beretta Logo  |
| RIB TYPE         | ¼" x ¼" Ventilated  |
| SIGHT            | Front Metal Bead  |
| WEIGHT (AVERAGE) | 7.1 Lbs. (12 ga.)   |
| CARRY CASE       | Yes   |

# A300 Outlander



Spacers for adjustable length-of-pull from 33.02cm (13") to 36.8cm (14½").



## A300 OUTLANDER

|                        |   |
|------------------------|---|
| <b>ACTION</b>          | Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston |
| <b>GAUGE</b>           | 12  |
| <b>CHAMBER</b>         | 3"  |
| <b>STOCK FINISH</b>    | Black Synthetic, Camo or Oiled Wood   |
| <b>STOCK</b>           | Adjustable Shim System  |
| <b>RECOIL PAD</b>      | Fitted Rubber Pad   |
| <b>SAFETY</b>          | Crossbolt with ergonomics for a better grip   |
| <b>TRIGGER</b>         | Chrome-Plated   |
| <b>RECEIVER</b>        | Aluminum Alloy  |
| <b>RIB TYPE</b>        | ¼" x ¼" Ventilated  |
| <b>SIGHT</b>           | Front Metal Bead  |
| <b>WEIGHT(AVERAGE)</b> | 7.6 Lbs.  |

## A300 OUTLANDER

The A300 Outlander is a reliable solution for shotgunners willing to step into the Beretta world of superior semi-auto performance at a price anyone can afford. Legendary Beretta performance and reliability with worry free operation—all hallmarks of Beretta's newest addition to the semi-auto lineup. Born of decades of technological advancement in the field of semi-auto shotguns, the A300 Outlander is guaranteed to perform.



Simplicity in design and operation. The A300 Outlander Camo only has four major components. This allows for easy assembly/disassembly.

| CAT CODE | UPC CODE | MODEL                          | GAUGE | BARREL | CHOKE |
|----------|----------|--------------------------------|-------|--------|-------|
| J30TT18  | 18940-6  | A300 Outlander Black Synthetic | 12    | 28"    | MC3   |
| J30TC18  | 18941-3  | A300 Outlander Camo            | 12    | 28"    | MC3   |
| J30TA18  | 18939-0  | A300 Outlander Wood            | 12    | 28"    | MC3   |

\*MC3-Full (F), Modified (M), Improved Cylinder (IC)







OILED WOOD



BLACK SYNTHETIC



MAX-4® CAMO

## CHOKES



### MOBILCHOKE

These choke tubes are factory OEM replacements for shotguns with the Mobilchoke system.

Beretta Mobilchoke tubes are available in two versions:

- Internal for 12, 20, 28, and .410 Gauge
- Extended length +25mm and +50mm for 12 Gauge

They have been designed to resist stress and ensure long durability. Treatments to which they have been subject protect them against corrosion.

| MobilChoke |       |              |       |
|------------|-------|--------------|-------|
| Code       | Gauge | Constriction | Type  |
| JCTUBE13   | 12    | F            | Flush |
| JCTUBE14   | 12    | IM           | Flush |
| JCTUBE15   | 12    | M            | Flush |
| JCTUBE16   | 12    | IC           | Flush |
| JCTUBE18   | 12    | CL           | Flush |
| JCTUBE17   | 12    | SK           | Flush |
| JCTUBE21   | 20    | F            | Flush |
| JCTUBE22   | 20    | IM           | Flush |
| JCTUBE23   | 20    | M            | Flush |
| JCTUBE24   | 20    | IC           | Flush |
| JCTUBE28   | 20    | CL           | Flush |
| JCTUBE27   | 20    | SK           | Flush |
| JCTUBE33   | 28    | F            | Flush |
| JCTUBE34   | 28    | IM           | Flush |
| JCTUBE35   | 28    | M            | Flush |
| JCTUBE36   | 28    | IC           | Flush |
| JCTUBE38   | 28    | CL           | Flush |
| JCTUBE37   | 28    | SK           | Flush |
| JCTUBE43   | .410  | F            | Flush |
| JCTUBE44   | .410  | IM           | Flush |
| JCTUBE45   | .410  | M            | Flush |
| JCTUBE46   | .410  | IC           | Flush |
| JCTUBE48   | .410  | CL           | Flush |
| JCTUBE47   | .410  | SK           | Flush |



### OPTIMACHOKE® HP

Beretta OptimaChoke® HP tubes stand up to the heat of competition. Manufactured from high strength steel and finished in a nickel-alloy coating, these chokes guarantee significant corrosion resistance and have the ability to withstand the rigors of steel shot. OptimaChoke® HP tubes are fully interchangeable on all Beretta barrels that are threaded for OptimaChoke® HP.

| OptimaChoke HP |       |              |       |
|----------------|-------|--------------|-------|
| Code           | Gauge | Constriction | Type  |
| C62070         | 12    | F            | Flush |
| C62071         | 12    | IM           | Flush |
| C62072         | 12    | M            | Flush |
| C62073         | 12    | IC           | Flush |
| C62074         | 12    | CL           | Flush |
| C61848         | 20    | F            | Flush |
| C61849         | 20    | IM           | Flush |
| C61850         | 20    | M            | Flush |
| C61851         | 20    | IC           | Flush |
| C61852         | 20    | C            | Flush |



| OptimaChoke Plus Flush    |       |              |               |
|---------------------------|-------|--------------|---------------|
| Code                      | Gauge | Constriction | Type          |
| JCOPN12                   | 12    | EF           | Flush         |
| JCOPN13                   | 12    | F            | Flush         |
| JCOPN03                   | 12    | LF           | Flush         |
| JCOPN14                   | 12    | IM           | Flush         |
| JCOPN15                   | 12    | M            | Flush         |
| JCOPN05                   | 12    | LM           | Flush         |
| JCOPN16                   | 12    | IC           | Flush         |
| JCOPN17                   | 12    | SK USA       | Flush         |
| JCOPN18                   | 12    | CL           | Flush         |
| OptimaChoke Plus Extended |       |              |               |
| C62178                    | 12    | F            | 3/4" extended |
| C62179                    | 12    | IM           | 3/4" extended |
| C62180                    | 12    | M            | 3/4" extended |
| C62181                    | 12    | IC           | 3/4" extended |
| C62182                    | 12    | CL           | 3/4" extended |
| C62183                    | 12    | SK           | 3/4" extended |

### OPTIMACHOKE® PLUS

OptimaChoke Plus® are the best in terms of performance, resistance and reliability. Thanks to an elongated cone, OptimaChoke Plus® guarantees an excellent shot pattern. The shape improves resistance to the pressure and speed created by 3.5" cartridges with steel shot. The special heat treatment assures a high level of durability.



## **WHY DO OLYMPIC MEDALISTS, WORLD AND NATIONAL CHAMPIONS AND COMPETITIVE SHOOTERS ALL AROUND THE WORLD CHOOSE TO SHOOT BERETTA?**

**RECEIVER:** The walls of a Beretta receiver are more than twice as thick as many of its competitors, (in fact it is also the platform for double rifles, which create much greater pressures than experienced in any shotgun). Using easily replaceable hinge pins and locking lugs, any receiver can be completely rebuilt allowing the gun to be refurbished for another lifetime of reliable service.

**PROFILE:** Thanks to the superior design of the receiver, a Beretta over-and-under has an incredibly solid feel. The dual-conical locking system provides a vaultlike lockup that — with its self-tightening design — stays tight over the life of the gun. Because the lugs are located high on the receiver, the lock-up is also significantly stronger than on ordinary guns. In addition, the location of the lugs allows for a low-profile receiver with the barrels sitting deeper than normal. This in turn aligns the sighting plane closer to the hands, aiding in the reduction of felt recoil and muzzle rise.

**BARRELS:** For more than five centuries, Beretta has made the best barrels in the world. Today, their over-and-under barrel starts life as a unique proprietary blend of steel, chromium and molybdenum. Forged in Northern Italy, Beretta barrels are deep-hole drilled, cold-hammer forged, and chrome lined, allowing for more concentric tubes. The result: a thinner, lighter, more precise barrel wall. This superior barrel construction delivers better weight distribution and an optimum balance point just above the hinge pin, which gives it perfect swing characteristics.







DT11 Sporting

**HISTORY:** Five hundred years of craftsmanship and tradition go into every shotgun Beretta builds. Nowhere is this more evident than in their celebrated over-and-unders, shotguns many consider the strongest and most reliable in the world. A Beretta over-and-under can rightly be considered an heirloom and inspires a fierce and loyal following. One faithful shooter has more than 700,000 documented rounds fired through his 687 EELL Sporting; both gun and shooter are still going strong.

|                   |               |       |
|-------------------|---------------|-------|
| <b>OVER/UNDER</b> | DT11          | 22-23 |
|                   | 692           | 24-25 |
|                   | Pigeon Series | 26-27 |
| <b>Semi-Auto</b>  | A400 XCEL     | 28-29 |
| <b>ProShop</b>    |               | 30-31 |



A400 Xcel

**OPTIMA-BORE® and OPTIMA-CHOKE®:** All Beretta competition shotguns feature back-bored barrels, which greatly reduce felt recoil. The Optima-Choke® HP competition choke tubes are longer and slimmer, with an internal profile formed to enhance the concentration and distribution of the shot pattern. The bottom line is increased comfort, less fatigue and more broken targets.

# DT 11 The champions' choice.



**STEELIUM PRO**

The DT11 shotguns are treated as Premium Grade shotguns during all phases of production. A meticulous focus on detail and the fitting of all components, both primary (receiver, barrel, fore-end iron) and secondary (trigger group, top lever) makes each shotgun unique. This attention to detail gives the shooter a shotgun that has been personally tested and perfected by the master gunsmith of the world's oldest firearms manufacturer. The select high-quality walnut woods are hand-finished according to the shooter's preference (oil, Tru Oil®, wax finishing), while the stock and fore-end can be fitted to customer's measurement. The pistol grip and the fore-end are hand-checked to ensure a solid grip and to complement the overall design of the shotgun. Personal fit, feel and finish combine for a uniquely tailored shotgunning experience—the DT11 is designed for the serious competitor.

|                          | DT 11 SPORTING                          | DT 11 TRAP                              | DT 11 SKEET                             | DT 11 INTL TRAP                         |
|--------------------------|---|---|---|---|
| <b>ACTION</b>            | New (3mm Wide Receiver)                 | New (3mm Wide Receiver)                 | New (3mm Wide Receiver)                 | New (3mm Wide Receiver)                 |
| <b>GAUGE</b>             | 12                                      | 12                                      | 12                                      | 12                                      |
| <b>CHAMBER</b>           | 2¾" & 3"                                | 2¾" & 3"                                | 2¾" & 3"                                | 2¾"                                     |
| <b>WOOD FINISH</b>       | Hand Rubbed Oil, Tru-Oil or Wax Finish  | Hand Rubbed Oil, Tru-Oil or Wax Finish  | Hand Rubbed Oil, Tru-Oil or Wax Finish  | Hand Rubbed Oil, Tru-Oil or Wax Finish  |
| <b>STOCK/FORE-END</b>    | High Grade Select Walnut Hand Checkered | High Grade Select Walnut Hand Checkered | High Grade Select Walnut Hand Checkered | High Grade Select Walnut Hand Checkered |
| <b>STOCK DROP – COMB</b> | 1½"                                     | B-FAST Adjustable Comb                  | B-FAST Adjustable Comb                  | 1 1/3"                                  |
| <b>STOCK DROP – HEEL</b> | 2¾"                                     | B-FAST Adjustable Comb                  | B-FAST Adjustable Comb                  | 1¾"                                     |
| <b>BUTT PLATE</b>        | Microcore                               | Microcore                               | Microcore                               | Microcore                               |
| <b>SAFETY</b>            | Manual                                  | Manual                                  | Manual                                  | Manual                                  |
| <b>TRIGGER</b>           | Adjustable Drop-Out                     | Adjustable Drop-Out                     | Adjustable Drop-Out                     | Adjustable Drop-Out                     |
| <b>FORE-END</b>          | Schnabel                                | Round                                   | Beavertail                              | Round                                   |
| <b>RIB TYPE</b>          | 8mm to 10mm Tapered                     | 1" Adjustable to 1 1/5"                 | 8mm to 10mm Tapered                     | 10mm to 10mm Parallel                   |
| <b>SIGHT</b>             | Mid Bead with Bradley Style Front Bead  | Mid Bead with Bradley Style Front Bead  | Bradley Style Front Bead                | Bradley Style Front Bead                |
| <b>BARREL</b>            | Steelium Pro                            | Steelium Pro                            | Steelium Pro                            | Steelium Pro                            |

| CAT CODE | UPC CODE | MODEL                      | GAUGE | BARREL  | * CHOKE    |
|----------|----------|----------------------------|-------|---------|------------|
| JDTIPI0  | 19674-9  | DT 11 SPORTING             | 12    | 30"     | OCHPe      |
| JDTIPI2  | 19675-6  | DT 11 SPORTING             | 12    | 32"     | OCHPe      |
| JDTIPI2L | 19821-7  | DT 11 SPORTING (LH)        | 12    | 32"     | OCHPe      |
| JDTIBI0  | 60466-4  | DT 11 SPORTING (B-FAST)    | 12    | 30"     | OCHPe      |
| JDTIBI2  | 60467-1  | DT 11 SPORTING (B-FAST)    | 12    | 32"     | OCHPe      |
| JDTIBI2L | 60468-8  | DT 11 SPORTING (LH/B-FAST) | 12    | 32"     | OCHPe      |
| JDTITI2  | 60469-5  | DT 11 TRAP                 | 12    | 32"     | OCHP       |
| JDTIU11  | 60470-1  | DT 11 TRAP COMBO           | 12    | 32"/34" | OCHP       |
| JDTIU11L | 60471-8  | DT 11 TRAP COMBO (LH)      | 12    | 32"/34" | OCHP       |
| JDTIKI0  | 60472-5  | DT 11 SKEET                | 12    | 30"     | OCHPe      |
| JDTIKI0L | 60473-2  | DT 11 SKEET (LH)           | 12    | 30"     | OCHPe      |
| JDTINI0  | 60474-9  | DT 11 INTERNATIONAL TRAP   | 12    | 30"     | FIXED IM/F |
| JDTINI2  | 60475-6  | DT 11 INTERNATIONAL TRAP   | 12    | 32"     | FIXED IM/F |

W I D E  
R E C E I V E R



**DT 11**

\*OCHPe = (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C), Skeet (SK)



**DT11 SPORTING****DT11 SKEET**

Special finishing on the fences, finely engraved by hand, reduces glare while shooting.

**DT11 TRAP****WHEN THE GEOMETRY MAKES a DIFFERENCE****NEW BERETTA STEELIUM PRO BARRELS.**

No one has dedicated as much care and experience in the selection of barrel steel as Beretta. Steelium barrels result from a production process that transforms the special tri-alloy steel into an exceptional barrel. The deep drilling, cold hammer forging and special vacuum distension causes the steel to acquire the ideal characteristics, thereby offering the best ballistic performance. Steelium Pro takes the standard Steelium barrel one step further by lengthening the forcing cone (480mm total length) and improving bore dimensions to reduce recoil and muzzle rise. The result: improved pattern performance that allows the DT11 to achieve superior target crushing, shot after shot.

**A NEW LOOK**

The receiver, slender and elegant, though robust, is embellished by the contrast between the mat parts (side walls) and the ribbon borders that adorn the mirror polished surface. The Beretta logo stands out in blue color.

**STABILITY WHILE SWINGING**

The increase of the receiver side wall thickness adds weight and increased balance

- Developed according to the requirements of the world's best shooters, the top lever enhances the grip, reduces the stress and provides comfort of use for left-handed shooters.
- The shape of the safety/selector switch has been redesigned for better grip and operation
- Newly designed bridges are internally hollowed, while the side ribs are windowed to improve barrel balance and help dissipate the heat generated with constant shooting.



- 1 NEW TOP RIB WITH HOLLOWED BRIDGES
- 2 JEWELLED SATIN FINISH
- 3 NO-GLARE FINISH
- 4 NEW ERGONOMIC TOP LEVER
- 5 NEW SAFETY SELECTOR SWITCH
- 6 NEW MAT-GLOSSY CONTRAST
- 7 NEW NICKEL-BASED FINISH WITH WRITINGS AND DETAILS IN BLUE

692



## 41.6mm Wide Receiver

- Improved balance
- More stability before and after the shot
- Better Shouldering
- Faster target acquisition

## EXCLUSIVE BERETTA STEELIUM PLUS BARRELS

Beretta has always been one of the best barrel manufacturer in the world, with more than 500.000 barrels produced per year. Every customer purchasing a Steelium barrel has always been sure to get the best barrel ever made by Beretta.


Inspired by the Steelium Pro barrel of the DT11 and thanks to a conical profile 5.5 times longer than the 682 Gold, the new Steelium Plus barrels give outstanding pattern quality and precision, improved recoil reduction and reduced muzzle raise. The much longer forcing cone is the key to the improvement in the barrel's overall performance. At the beginning of the Steelium era, all the competition barrels had a similar profile (conical part ~ 65mm on a 76cm barrel). With the development of the new Beretta 692, Steelium Plus defined a new standard for the competition barrels, lengthening the forcing cone to 360mm (76cm barrel).



Steelium Plus Barrel

## • Less Recoil

Now Beretta completes the segmentation of Steelium, giving to the 692 a dedicated barrel: the Steelium Plus.



- Less Muzzle Raise
- Higher Precision
- Better Pattern
- Faster target acquisition on second shot
- More probability to hit the target



Wider Receiver

## WIDER RECEIVER

A competition over and under should have as much weight as possible in the receiver area, to provide higher stability before and after each shot. Better stability, more precision during handling and better balance, the new 692 features a 1.3mm wider receiver (with respect to the 682 Gold); thus allowing better handling and control. The width of the receiver can significantly improve stability and ease of handling.

|                          | 692 SPORTING                           | 692 SKEET                              |
|--------------------------|--|--|
| <b>ACTION</b>            | New (41.6mm Wide Receiver)             | New (41.6mm Wide Receiver)             |
| <b>GAUGE</b>             | 12                                     | 12                                     |
| <b>CHAMBER</b>           | 3"                                     | 3"                                     |
| <b>WEIGHT (AVERAGE)</b>  | 7.8 Lbs.                               | 7.8 Lbs.                               |
| <b>WOOD FINISH</b>       | Hand Rubbed Oil                        | Hand Rubbed Oil                        |
| <b>STOCK/FORE-END</b>    | Select Walnut                          | Select Walnut, Adjustable Monte Carlo  |
| <b>STOCK DROP - COMB</b> | 1½"                                    | 1.625"                                 |
| <b>STOCK DROP - HEEL</b> | 2.36"                                  | 1.625"                                 |
| <b>BUTT PLATE</b>        | Microcore                              | Microcore                              |
| <b>SAFETY</b>            | Manual                                 | Manual                                 |
| <b>TRIGGER</b>           | Single Selective (Adjustable)          | Single Selective (Adjustable)          |
| <b>FORE-END</b>          | Schnabel                               | Rounded                                |
| <b>RIB TYPE</b>          | 8mm to 10mm Tapered                    | 8mm to 10mm Tapered                    |
| <b>SIGHT</b>             | Mid Bead with Bradley Style Front Bead | Mid Bead with Bradley Style Front Bead |
| <b>BARREL</b>            | Steelium Plus                          | Steelium Plus                          |





## 692 SPORTING



### REPLACEABLE LOCKING SHOULDERS



### NEW OPENING LEVER

### ADJUSTABLE EJECTION/ EXTRACTION



## BERETTA B-FAST SYSTEM

Acronym of "Beretta Fast Adjustment System Technology", B-FAST is a system combining modular adjusting devices specifically designed for Beretta shotguns. B-Fast Balance - It is a brand new solution that allows to adjust the balance of the shotgun in a very simple way. The system allows to customize the balance by mounting additional steel wads into the stock. The system is extremely effective: the weight wads are placed as far as possible from the hinge pins, allowing the maximum balance correction for every unit of weight added to the stock.


- Allows control of the shotgun balance with the lowest overall weight increase
- Easy to use
- Balance adjustment with the minimum impact possible on shouldering

### ADJUSTABLE TRIGGER



## B-FAST BALANCE SYSTEM

STANDARD ON ALL MODELS



## B-FAST COMB SELECT MODELS ONLY



The Beretta 692 is available with the optional new, fully adjustable stock B-Fast (Beretta Fast Adjustment System Technology). This device allows a complete drop and cast stock adjustment with extreme ease and quickness. The new adjustable comb is entirely made of a light alloy and features robust stainless steel supports, in order to deliver the maximum strength and durability.


| CAT CODE | MODEL                        | GAUGE | BARREL | * CHOKE |
|----------|------------------------------|-------|--------|---------|
| J692E10  | 692 Sporting                 | 12    | 30"    | OBSP-HP |
| J692E12  | 692 Sporting                 | 12    | 32"    | OBSP-HP |
| J692B10  | 692 Sporting VV/ B-Fast Comb | 12    | 30"    | OBSP-HP |
| J692L12  | 692 Sporting Left Handed     | 12    | 32"    | OBSP-HP |
| J692S18  | 692 Skeet                    | 12    | 28"    | OBSP-HP |
| J692M10  | 692 Skeet                    | 12    | 30"    | OBSP-HP |
| J692S10  | 692 Skeet Left Handed        | 12    | 30"    | OBSP-HP |

\* OCHPe = (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C), Skeet (SK)



### 687 SILVER PIGEON III SPORTING

At the core of the 687 Silver Pigeon III Sporting is our legendary 687-series receiver. This low-profile, positive-locking, low-maintenance action ensures that your off-hand stays as close as possible to the bore-axis; in this manner, whatever you point to is exactly where the shot goes. The receiver is embellished with a scroll and game scene designed by our most experienced Master Engravers in Gardone, Italy. The way this pattern is executed on the receiver makes it virtually as striking as if it had been hand-engraved, but without the price tag to match.



### 687 EELL DIAMOND PIGEON SPORTING

One of the most elegant, finely balanced and responsive double barrel shotguns in the world, the 687 EELL Diamond Pigeon 12 gauge is the epitome of luxury and performance for the competitive shooter. Beretta's extensive hand-chased engraving and highly figured select walnut set this shotgun apart from all others. Just like the field version in every luxurious detail with the added benefit of a wider rib for better target acquisition.



Like a beautiful painting on canvas, the EELL Diamond Pigeon's sideplates are exquisitely engraved with a floral scene. Engravings are subject to change.

| CAT CODE | UPC CODE | MODEL                             | GAUGE | BARREL | CHOKE* |
|----------|----------|-----------------------------------|-------|--------|--------|
| J6869H0  | 16922-4  | 686 Silver Pigeon I, Sporting     | 12    | 30"    | OBS    |
| J6869H2  | 16923-1  | 686 Silver Pigeon I, Sporting     | 12    | 32"    | OBS    |
| J6874A0  | 81375-2  | 687 Silver Pigeon III, Sporting   | 12    | 30"    | OBSP   |
| J6874A2  | 81376-9  | 687 Silver Pigeon III, Sporting   | 12    | 32"    | OBSP   |
| J687EA0  | 30569-1  | 687 EELL Diamond Pigeon, Sporting | 12    | 30"    | OBF    |
| J687EA2  | 30570-1  | 687 EELL Diamond Pigeon, Sporting | 12    | 32"    | OBF    |
| J687980  | 81108-6  | 687 EELL Diamond Pigeon, Sporting | 20    | 30"    | MCF    |
| J687985  | 81109-3  | 687 EELL Diamond Pigeon, Sporting | 28    | 30"    | MCF    |

\*OBS = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C) \*OBSP = Modified (M), Improved Modified (IM), Improved (IC), Cylinder (C), Skeet (SK)  
 \*OBF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C) \*MCF = Full (F), Modified (M), Improved Modified (IM), Improved Cylinder (IC), Cylinder (C)



## SILVER PIGEON I



### 686 SILVER PIGEON I

The Silver Pigeon I marks the dividing line between Beretta's more economical double guns and the highly decorated luxury models. While popularly priced, it offers the aesthetics and materials of the premium over-unders. The frame has extensive, but refined, floral and scroll decoration that will make this shotgun a source of pride for years to come.

It has the same dual-conical locking mechanism that lets Beretta over-unders stand up to years of constant shooting and to be passed on from generation to generation. Placing the locks between the barrels allows a low frame profile that gives Beretta over-unders an unmatched lively feel and natural pointability.

## SILVER PIGEON III



## DIAMOND PIGEON



### 686 SILVER PIGEON I

|                          |  |
|--------------------------|--|
| <b>ACTION</b>            | Low Profile, Improved Box Lock             |
| <b>GAUGE</b>             | 12   |
| <b>CHAMBER</b>           | 3"   |
| <b>WOOD FINISH</b>       | Oil  |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered                  |
| <b>STOCK DROP – COMB</b> | 1.43"                                      |
| <b>STOCK DROP – HEEL</b> | 2.26"                                      |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad                          |
| <b>SAFETY</b>            | Manual                                     |
| <b>TRIGGER</b>           | Single Selective                           |
| <b>FORE-END</b>          | Schnabel                                   |
| <b>RIB TYPE</b>          | Tapered $\frac{3}{8}$ " x $\frac{5}{16}$ " |
| <b>SIGHT</b>             | White Front Bead Steel Mid-Bead            |
| <b>WEIGHT (AVERAGE)</b>  | 7.8 Lbs. (12 ga.)                          |
| <b>CARRY CASE</b>        | Yes  |

### 687 SILVER PIGEON III

### 687 EELL DIAMOND PIGEON SPORTING

|                          |  |   |
|--------------------------|--|---|
| <b>ACTION</b>            | Low Profile, Improved Box Lock             | Low Profile, Improved Box Lock  |
| <b>GAUGE</b>             | 12   | 12, 20, 28  |
| <b>CHAMBER</b>           | 3"   | 3" (2 $\frac{3}{4}$ " on 28 gauge)<br>28 gauge features a Scaled Receiver |
| <b>WOOD FINISH</b>       | Oil  | Oil   |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered, Schnabel        | Highly Select Walnut – Checkered, Schnabel                                |
| <b>STOCK DROP – COMB</b> | 1.5"                                       | 1.5"  |
| <b>STOCK DROP – HEEL</b> | 2.36"                                      | 2.36"   |
| <b>RECOIL PAD</b>        | Fitted Rubber Pad                          | Fitted Rubber Pad   |
| <b>SAFETY</b>            | Manual                                     | Manual  |
| <b>TRIGGER</b>           | Single Selective                           | Single Selective  |
| <b>FORE-END</b>          | Schnabel                                   | Schnabel  |
| <b>RIB TYPE</b>          | Tapered $\frac{3}{8}$ " x $\frac{5}{16}$ " | $\frac{5}{16}$ " x $\frac{5}{16}$ "                                       |
| <b>SIGHT</b>             | White Front Bead & Mid Bead                | White Front Bead Steel Mid-Bead   |
| <b>WEIGHT (AVERAGE)</b>  | 7.8 Lbs. (12 ga.)                          | 7.8 Lbs. (12 ga.)   |
| <b>CARRY CASE</b>        | Yes  | Yes   |


# A400 Xcel

THE BLUE RECEIVER IS ONLY A WARNING: WHEN YOUR OPPONENTS SEE IT, THEY'LL ALREADY KNOW WHO THE WINNER IS.



**MICRO CORE:** A further step forward in performance - soft, light and able to slide during shouldering Micro-Core is an innovative recoil pad developed by Beretta thanks to its experience matured over decades on the competition fields around the world.

Thanks to the open cell technopolymer, softer, lighter and more slippery than rubber, micro-core expands gradually and instantly, increasing its surface area on the shoulder and giving the shotgun secure and precise support.



**BALANCE CAP:** Utilizing up to three interchangeable weights, the balance cap system allows the shooter to achieve that perfect point where the shotgun becomes but an extension of them. A blue anodized finish on the 2.5 ounce cap (included) protects the system from the elements allowing the shooter to compete anytime anywhere. Optional balance caps in 5 and 7.5 ounce.



**GUN POD:** A digital display allows you to always have everything under control. This revolutionary system provides a digital readout of the ambient air temperature, the cartridge pressure of the round fired and the overall number of rounds fired through the shotgun.

**STEEL PERFORMANCE:** The special Optima-Bore® HP geometry was conceived to offer the best performance, even with steel shot. The shot pattern remains perfect and uniform in every type of hunt, complemented by the use of the Optima-Choke® HP choke tubes.



**HIGH SPEED MECHANICS:** Blink is the new "engine" of the A400 Xcel, the fruit of the integration of the new Beretta gas system, the rotating bolt head lock-up and a new feeding system.






## A400 XCEL



A400 Xcel Parallel Target



Your competitors will tremble in fear after catching a glimpse of the tell-tale blue receiver as you step to the line with the A400 Xcel Sporting from Beretta. This technologically advanced competition shotgun features the innovative Blink operating system, recoil-dissipating Kick-Off®, Micro-Core pad, and the very best cold-hammer forged barrels in the world featuring the Optima-Bore® HP. Two unique features on the A400 Xcel greet the competition shooter—the pioneering Gun Pod system and the blue Balance Cap.

|                          | A400 XCEL   | A400 XCEL PARALLEL TARGET   |
|--------------------------|---|---|
| <b>ACTION</b>            | Semi-automatic Gas Operation W/ compensating exhaust valve and self cleaning piston | Semi-automatic Gas Operation W/ compensating exhaust valve and self cleaning piston |
| <b>GAUGE</b>             | 12  | 12  |
| <b>CHAMBER</b>           | 3"  | 3"  |
| <b>WOOD FINISH</b>       | Xtra-Grain Technology with Oil Finish   | Xtra-Grain Technology with Oil Finish   |
| <b>STOCK/FORE-END</b>    | Select Walnut – Checkered   | Select Walnut – Checkered   |
| <b>STOCK</b>             | Adjustable Shim System  | Parallel Monte Carlo with Adjustable Shim System                                    |
| <b>STOCK DROP – COMB</b> | 1.34"   | 1.5"  |
| <b>STOCK DROP – HEEL</b> | 2.36"   | 1.5"  |
| <b>RECOIL PAD</b>        | Micro-Core Pad  | Micro-Core Pad  |
| <b>SAFETY</b>            | Crossbolt ergonomics for a better grip  | Crossbolt ergonomics for a better grip  |
| <b>TRIGGER</b>           | Chrome-Plated   | Chrome-Plated   |
| <b>LENGTH OF PULL</b>    | 14.5" (14.25" with Kick-Off) with 0.75" pad (Reduced Length)                        | 14.5" (14.25" with Kick-Off) with 0.75" pad (Reduced Length)                        |
| <b>CHECKERING</b>        | New checkering with Beretta logo  | New checkering with Beretta logo  |
| <b>RECEIVER</b>          | Blue Toned Aluminum-alloyed receiver  | Blue Toned Aluminum-alloyed receiver  |
| <b>FORE-END</b>          | Checkering with Beretta Logo  | Checkering with Beretta Logo  |
| <b>RIB TYPE</b>          | Tapered $\frac{3}{8}$ " X $\frac{5}{16}$ "  | Stepped Tapered $\frac{3}{8}$ " X $\frac{5}{16}$ "                                  |
| <b>SIGHT</b>             | White Front, Steel Mid-Bead   | White Front, Steel Mid-Bead   |
| <b>WEIGHT (AVERAGE)</b>  | 7.7 Lbs. (With K/O)   | 7.7 Lbs. (With K/O)   |
| <b>CARRY CASE</b>        | Yes   | Yes   |

| CAT CODE | UPC CODE | MODEL                                   | GAUGE | BARREL | * CHOKE |
|----------|----------|---|-------|--------|---------|
| J40CJ18  | 16939-2  | A400 Xcel Sporting                      | 12    | 28"    | OBHPe   |
| J40CJ10  | 16940-8  | A400 Xcel Sporting                      | 12    | 30"    | OBHPe   |
| J40CK18  | 16941-5  | A400 Xcel Sporting, KO                  | 12    | 28"    | OBHPe   |
| J40CK10  | 16942-2  | A400 Xcel Sporting, KO                  | 12    | 30"    | OBHPe   |
| J40CK12  | 16943-9  | A400 Xcel Sporting, KO                  | 12    | 32"    | OBHPe   |
| J40CM10  | 16944-6  | A400 Xcel Sporting, Gun Pod             | 12    | 30"    | OBHPe   |
| J40CQ10  | 19680-0  | A400 Xcel Par Target KO Standard Length | 12    | 30"    | OBHPe   |
| J40CQ12  | 19681-7  | A400 Xcel Par Target KO Standard Length | 12    | 32"    | OBHPe   |
| J40CPI8  | 19682-4  | A400 Xcel Par Target KO Reduced Length  | 12    | 28"    | OBHPe   |
| J40CPI0  | 19683-1  | A400 Xcel Par Target KO Reduced Length  | 12    | 30"    | OBHPe   |

\*OBHPe (Extended) – Modified (M), Improved Modified (IM), Improved Cylinder (IC)

# CHOKES



These Optima-Choke tubes are available in internal and external versions for 12 gauge shotguns. They are longer and slimmer than conventional Mobilchoke tubes. Thanks to the elongated cone they minimize pellet deformation and improve shot patterns. The various versions are fully interchangeable on 12 gauge guns with Optima-Bore barrels. These choke tubes are for 12 gauge shotguns with the Optima-Choke system only.



Beretta Optima-Choke HP tubes stand up to the heat of competition. Manufactured from high strength steel and finished in a nickel-alloy coating, these chokes guarantee significant corrosion resistance and have the ability to withstand the rigors of steel shot. Optima-Choke HP tubes are fully interchangeable on all Beretta barrels that are threaded for Optima-Choke HP. The various versions are fully interchangeable on 12 gauge guns with Optima-Bore HP barrels. These choke tubes are for 12 gauge shotguns with the Optima-Choke HP system only.

## OPTIMA-CHOKE®

| Code   | Gauge | Constriction | Type        |
|--------|-------|--------------|-------------|
| E62128 | 12    | F            | 1" Extended |
| E62134 | 12    | LF           | 1" Extended |
| E62129 | 12    | IM           | 1" Extended |
| E62130 | 12    | M            | 1" Extended |
| E62135 | 12    | LM           | 1" Extended |
| E62131 | 12    | IC           | 1" Extended |
| E62136 | 12    | SK USA       | 1" Extended |
| E62132 | 12    | C            | 1" Extended |
| E62133 | 12    | SK EU        | 1" Extended |

## OPTIMA-CHOKE®

| Code     | Gauge | Constriction | Type        |
|----------|-------|--------------|-------------|
| JCOCEI3  | 12    | F            | 1" Extended |
| JCOCE03  | 12    | LF           | 1" Extended |
| JCOCEI4  | 12    | IM           | 1" Extended |
| JCOCEI5  | 12    | M            | 1" Extended |
| JCOCE05  | 12    | LM           | 1" Extended |
| JCOCEI6  | 12    | IC           | 1" Extended |
| JCOCEI7U | 12    | SK USA       | 1" Extended |
| JCOCEI8  | 12    | CL           | 1" Extended |
| JCOCEI7  | 12    | SK           | 1" Extended |

## MOBILCHOKE®

| Code    | Gauge | Constriction | Type        |
|---------|-------|--------------|-------------|
| JCMEV13 | 12    | F            | 1" Extended |
| JCMEV03 | 12    | LF           | 1" Extended |
| JCMEV14 | 12    | IM           | 1" Extended |
| JCMEV15 | 12    | M            | 1" Extended |
| JCMEV05 | 12    | LM           | 1" Extended |
| JCMEV16 | 12    | IC           | 1" Extended |
| JCMEV17 | 12    | SK USA       | 1" Extended |
| JCMEV18 | 12    | CL           | 1" Extended |

## MOBILCHOKE®

| Code   | Gauge | Constriction | Type        |
|--------|-------|--------------|-------------|
| C61686 | 20    | F            | 1" Extended |
| C61687 | 20    | IM           | 1" Extended |
| C61688 | 20    | M            | 1" Extended |
| C61689 | 20    | IC           | 1" Extended |
| C61690 | 20    | SK USA       | 1" Extended |
| C61691 | 20    | CL           | 1" Extended |

## OPTIMA-CHOKE® HP

| Code   | Gauge | Constriction | Type        |
|--------|-------|--------------|-------------|
| C62139 | 12    | F            | 1" Extended |
| C62140 | 12    | IM           | 1" Extended |
| C62141 | 12    | M            | 1" Extended |
| C62142 | 12    | IC           | 1" Extended |
| C62143 | 12    | CL           | 1" Extended |
| C62144 | 12    | SK           | 1" Extended |

These chokes are for 12 gauge shotguns only. This new competition choke fits Optima-Choke Competition 12 gauge shotgun barrels. Features carefully designed ports to counteract the perceived feel of recoil.

The tube length extends 25mm past the muzzle to provide easy installation and removal without specific tools. Each choke tube is color coded with a durable metal alloy band for quick identification of the constriction during competition.



These Competition chokes can be used on all Mobilchoke barrels. Made of high quality steel, they have great stress resistance due to heat treatments. They are subjected to a special coating that guarantees high protection from corrosion. They are extended by 25mm-0.98" and their external shape has been studied in order to guarantee installation and de-installation without specific tools. The end of the choke is identified by a colored alloy stripe for fast and easy indication of the constriction.





# ACCESSORIES

## BERETTA MICRO-CORE FIELD RECOIL PAD

SOFT, LIGHT AND FITTABLE! A further step forward in performance. Soft, light and able to slide during shouldering. MICRO CORE is an innovative recoil pad developed by Beretta thanks to its experience matured over decades on competition fields around the world. The open cell technopolymer is softer, lighter and more comfortable. MICRO CORE expands gradually and instantly, increasing its surface area on the shoulder and giving the shotgun secure and precise support.

| Code          | Application    | Thickness |
|---------------|----------------|-----------|
| <b>E73021</b> | Skeet/Sporting | .51"      |
| <b>E73022</b> | Skeet          | .91"      |
| <b>E73023</b> | Skeet          | .71"      |
| <b>E73024</b> | Trap           | .51"      |
| <b>E73025</b> | Trap           | .91"      |
| <b>E73026</b> | Trap           | .71"      |



## GEL-TEK CHEEK PROTECTOR 3MM, 12" (E00378)

## GEL-TEK CHEEK PROTECTOR 6MM, .24" (E00489)

Beretta has an exclusive on this item and it is so unique! Features and Benefits:

- The pad can be moved from gun to gun and put back into the package for use later.
- It can be used on slug guns or trap guns if a shooter needs to raise the comb or point of impact.
- It can be put on wood or synthetic stocks.
- It eliminates the bruised cheeks that trap shooters sometimes get.
- It is opaque in color so you can still see the stock thru it.
- It can be put on hundreds of stocks and will still work.

## HUNTING AND COMPETITION SEVEN PIECE SIGHT SET (7 PCS) (E00192)

Hunting and Competition Seven-Piece Front Sight Kit for Beretta Shotguns.

This kit includes the following sights:



| Style               | Height | Diameter | Width |
|---------------------|--------|----------|-------|
| Round metal         | 0.07"  | 0.06"    | N/A   |
| Round metal         | 0.10"  | 0.10"    | N/A   |
| Bradley White Color | 0.10"  | 0.13"    | N/A   |
| Bradley White Color | 0.10"  | 0.11"    | N/A   |
| "Light" Red Color   | 0.10"  | 0.15"    | 0.47" |
| "Light" Red Color   | 0.10"  | 0.14"    | 0.49" |
| "Light" Red Color   | 0.10"  | 0.11"    | 0.31" |



**sako**  
FINLAND

**SAKO TODAY:** Sako has come a long way since our humble beginning. Today, our design department is fully computerized and all steel parts are manufactured using the latest state-of-the-art CNC machining. Some things however, have not changed: we inspect barrels by human eye, and we shoot every rifle manually with proof rounds for functionality and for accuracy. All of our rifles comply with C.I.P & SAAMI requirements.

At the turn of the Millenium, Sako became an honored member of the Beretta Group. This gave Sako resources for even better product development and market response.

The Sako 85 model was developed using the vast experience gained modernizing the bolt action rifle. Further, the A7 was developed to give hunters the opportunity to purchase an entry level, first class Sako rifle. We also developed the Sako Quad, the world's first rimfire bolt action rifle, with interchangeable barrels in four different rimfire calibers, for small game hunters and varminters.

In the military and law-enforcement world, Sako Ltd. has become a respected rifle manufacturer. Our TRG 22/42 and Tikka TAC are in active service duty around the world. Tikka rifles are made by Sako Ltd. in Finland and have many hunting friends as well.

Today our line of Sako 85 rifles has added an important sixth action size. Beginning with the Safari 90 Year Anniversary rifles, we will offer a .450 Rigby caliber. Accuracy, reliability and performance in honest working rifles are our product principles—all valuable tools for real hunters!





Sako Finnlight



Sako 85 rifles share demanding design principles, adhering to both tradition and innovation, allowing riflemen to choose a model to perfectly fit different preferences and needs. The Sako 85 range offers different stock styles and barrel options combined with a comprehensive caliber selection. When you buy a Sako, you get a thoroughly tested quality rifle. Each rifle is shot at the factory to make sure it shoots as a Sako should.



## Rifles

|                |                 |       |
|----------------|-----------------|-------|
| <b>Sako 85</b> | Bavarian        | 34-35 |
|                | Kodiak          | 34-35 |
|                | grey wolf       | 34-35 |
|                | classic         | 34-35 |
|                | Finnlight       | 36-37 |
|                | Black Synthetic | 36-37 |
|                | Varmint         | 38-39 |
|                | Finfire II      | 38-39 |
|                | Accessories     | 40-41 |

|                 |                |       |
|-----------------|----------------|-------|
| <b>Sako TRG</b> | 22 Black/Green | 42-43 |
|                 | 42 Black/Green | 44-45 |
|                 | Accessories    | 44-45 |

|              |                    |       |
|--------------|--------------------|-------|
| <b>Tikka</b> | T3 Lite            | 46-47 |
|              | T3 Lite Stainless  | 46-47 |
|              | T3 Compact Lite    | 48-49 |
|              | T3 Lite Adjustable | 48-49 |
|              | T3 Hunter          | 50-51 |
|              | T3 Tactical        | 50-51 |

TIKKA HUNTER



# sako 85



• 5 SHOT MOA GUARANTEED ON ALL SAKO RIFLES



### SAKO 85 BAVARIAN

The Sako 85 Bavarian is a masterpiece, steeped in the tradition of old Bavaria, combining high-grade walnut stock in traditional European style with the superior performance and technology of the Sako 85 series. Under its stylish exterior design are new modern features and attention to detail, which enhance the experience of owning and shooting one of the world's most popular and respected rifles.



### SAKO 85 KODIAK

The Sako 85 Kodiak is designed with a true hunter in mind. The straight, weatherproof stock is made of grey laminated hardwood and reinforced with two cross-bolts. The short, free-floating, semi-heavy barrel features adjustable open sights and a band type front swivel. All metal parts are made of stainless steel or are specially coated to ensure excellent wear and corrosion resistance.



### SAKO 85 GREY WOLF

A natural-born hunter, the Sako 85 Grey Wolf features the same all-stainless barreled action as its cousin, the Sako 85 Finnlight, combined with an attractive, natural-feel, ultra-tough checkered grey laminated stock. The stainless barreled action and warp-free stock make this rifle perfect for hunting in extreme conditions while retaining the traditional warm look and feel of the wood stock.

| CAT CODE | UPC CODE | MODEL             | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|-------------------|--------------|-----------------------------------|---------------|
| JRS1W37  | 01129-5  | SAKO 85 Kodiak    | .375 H&H     | 21¼"                              | 11"           |
| JRS2C18  | 81760-6  | SAKO 85 Grey Wolf | .270 WIN     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRS2C20  | 81761-3  | SAKO 85 Grey Wolf | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRS2C31  | 82008-8  | SAKO 85 Grey Wolf | .300 WIN MAG | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRS2C40  | 81763-7  | SAKO 85 Grey Wolf | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRS2C41  | 81764-4  | SAKO 85 Grey Wolf | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRS2C70  | 82007-1  | SAKO 85 Grey Wolf | 7mm REM MAG  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |





### SAKO 85 CLASSIC

The Sako 85 Classic model continues to offer traditional Sako features: the straight and classic walnut stock, with rosewood fore-end tip and pistol grip cap, and oil finish; a strong, extended recoil lug screwed on the fore-end; an integral tapered scope mount rail on the top of the receiver; and a totally free-floating barrel. This classical look and feel enhances the experience of owning one of the world's most respected rifles.

| CAT CODE | UPC CODE | MODEL                         | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|-------------------------------|--------------|-----------------------------------|---------------|
| JRSBV16  | 06927-2  | SAKO 85 Bavarian, Set Trigger | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRSBV18  | 06928-9  | SAKO 85 Bavarian, Set Trigger | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRSBV20  | 06929-6  | SAKO 85 Bavarian, Set Trigger | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRSBV31  | 06930-2  | SAKO 85 Bavarian, Set Trigger | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSBV40  | 06931-9  | SAKO 85 Bavarian, Set Trigger | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRSBV41  | 06932-6  | SAKO 85 Bavarian, Set Trigger | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSBV51  | 06933-3  | SAKO 85 Bavarian, Set Trigger | 6.5x55 Swede | 22 <sup>7</sup> / <sub>16</sub> " | 8"            |
| JRSBV52  | 06934-0  | SAKO 85 Bavarian, Set Trigger | 7mm-08 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 9.5"          |
| JRSBV70  | 06935-7  | SAKO 85 Bavarian, Set Trigger | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |
| JRSCL16  | 06937-1  | SAKO 85 Classic               | .308 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRSCL17  | 06938-8  | SAKO 85 Classic               | .25-06 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRSCL18  | 06939-5  | SAKO 85 Classic               | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRSCL20  | 06940-1  | SAKO 85 Classic               | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRSCL31  | 06942-5  | SAKO 85 Classic               | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSCL34  | 06944-9  | SAKO 85 Classic               | .338 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRSCL37  | 06946-3  | SAKO 85 Classic               | .375 H&H     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSCL40  | 06947-0  | SAKO 85 Classic               | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRSCL41  | 06948-7  | SAKO 85 Classic               | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSCL70  | 06956-2  | SAKO 85 Classic               | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |



**BARREL:** All Sako 85 models have free-floating barrels manufactured by Sako specialists. Barrel blanks are drilled, honed, cold-hammer forged and finished, and finally individually inspected by a complex, highly refined, optical fine-tuning instrument: the human eye. Twist rate is chosen for each caliber to optimize accuracy and bullet performance. The Sako 85 barrels, blued or stainless, have a non-reflecting, satin-like surface. The Sako 85 stainless steel barrels are made from stainless steel with increased chromium content for better weather resistance and durability.



**EXTRACTOR & EJECTION:** Sako rifles feature our famous claw extractor made of a very durable, heat-treated special steel. When the bolt brings the case back, it is ejected out of the rifle by the active mechanical ejector fork. The ejector is in the rear bridge bottom, not in the bolt face. Bolt is one-piece construction for superior strength and durability.



**STOCKS:** The ergonomics of the Sako 85 Walnut stock have been optimized to guarantee the best shooting posture. The excellent balance and smooth bolt operation of Sako rifles make for phenomenal straight, accurate, fast shooting.

**SIGHTS:** Most of the Sako 85 models come with no sights, however the Sako 85 Kodiak, Safari and the Bavarian rifles are offered with optional adjustable iron sights. The front bead is adjustable in elevation and the rear blade in windage.



# sako 85



## SAKO 85 FINNLIGHT

Synthetic-stocked rifles frequently weigh less than their wood counterparts and, therefore, recoil slightly more. The innovative FinSoft recoil pad system absorbs and dissipates recoil forces away from the cheek, in more than one direction.



### • 5 SHOT MOA GUARANTEED ON ALL SAKO RIFLES

Sako requires that every rifle must fire a 1-inch, 5-shot group from 100 yards before it leaves the factory.



| CAT CODE | UPC CODE | MODEL                   | GAUGE        | BARREL                            | RATE OF TWIST |
|----------|----------|-------------------------|--------------|-----------------------------------|---------------|
| JRSFL14  | 06915-9  | Sako 85 Finnlight ST    | .22-250 REM  | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRSFL15  | 06916-6  | Sako 85 Finnlight ST    | .243 WIN     | 20 <sup>7</sup> / <sub>8</sub> "  | 10"           |
| JRSFL16  | 06917-3  | Sako 85 Finnlight ST    | .308 WIN     | 20 <sup>7</sup> / <sub>8</sub> "  | 11"           |
| JRSFL17  | 06918-0  | Sako 85 Finnlight ST    | .25-06 REM   | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRSFL18  | 06919-7  | Sako 85 Finnlight ST    | .270 WIN     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRSFL20  | 06920-3  | Sako 85 Finnlight ST    | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRSFL31  | 16921-0  | Sako 85 Finnlight ST    | .300 WIN MAG | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSFL40  | 06922-7  | Sako 85 Finnlight ST    | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRSFL41  | 06923-4  | Sako 85 Finnlight ST    | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRSFL51  | 06925-8  | Sako 85 Finnlight ST    | 6.5x55 SWEDE | 24 <sup>3</sup> / <sub>8</sub> "  | 8"            |
| JRSFL52  | 06924-1  | Sako 85 Finnlight ST    | 7mm-08 REM   | 20 <sup>7</sup> / <sub>8</sub> "  | 9.5"          |
| JRSFL70  | 06926-5  | Sako 85 Finnlight ST    | 7mm REM MAG  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |
| JRSIC16  | 72110-1  | Sako 85 Synthetic Black | .308 WIN     | 22.44"                            | 11"           |
| JRSIC18  | 72111-8  | Sako 85 Synthetic Black | .270 WIN     | 22.44"                            | 10"           |
| JRSIC20  | 72112-5  | Sako 85 Synthetic Black | .30-06 SPRG  | 22.44"                            | 11"           |
| JRSIC51  | 72113-2  | Sako 85 Synthetic Black | 6.5X55 SE    | 22.44"                            | 8"            |





### SAKO 85 FINNLIGHT

When weather is at its worst, determined hunters know there's no substitute for the combination of a stainless steel barreled action and a synthetic stock. No matter how long a downpour drenches these rifles, they'll be ready. Available in 12 calibers ranging from .22 to .250 Win Mag. in four action lengths, there's a Finnlight for almost any game, anywhere, anytime. As with all of our stainless rifles, the Finnlight's inner parts are also stainless.



**STOCK:** Reinforced black polymer stock with soft gray patterned grip surfaces. Soft touch surface treatment.



### SAKO 85 SYNTHETIC BLACK

Sako 85 Black Synthetic is a new darker take on an all-time favorite giving you trouble-free ownership and legendary Sako performance. Black grip areas against the black satin-like stock create a stunning profile. Matte blued barrel and trigger components complete the totally blacked out appearance.

| SAKO 85 FINNLIGHT        |   | SAKO 85 SYNTHETIC BLACK                               |
|--------------------------|---|---|
| <b>ACTION</b>            | 3-Lug Bolt Action, Controlled Round Feed              | 3-Lug Bolt Action, Controlled Round Feed              |
| <b>CALIBER OFFERINGS</b> | 12 Calibers (see chart to left)                       | 4 Calibers (see chart to left)                        |
| <b>STOCK</b>             | Synthetic w/Overmolded Grips, Black                   | Synthetic w/Overmolded Grips, Black                   |
| <b>BARREL FINISH</b>     | Stainless Steel                                       | Matte Blued   |
| <b>RECOIL PAD</b>        | Rubber  | Rubber  |
| <b>SAFETY</b>            | Two-Position Safety with Separate Bolt-Release Button | Two-Position Safety with Separate Bolt-Release Button |
| <b>TRIGGER</b>           | Single-Stage, Adjustable from 2.2 lbs. to 4 lbs.      | Single-Stage, Adjustable from 2.2 lbs. to 4 lbs.      |
| <b>MAGAZINE</b>          | S/M 5-Round Magazine, SM/L LOP 4-Round Magazine       | S/M 5-Round Magazine, SM/L LOP 4-Round Magazine       |
| <b>SIGHT</b>             | Integral Tapered Scopemount Dovetails                 | Integral Tapered Scopemount Dovetails                 |

# sako 85



| CAT CODE | UPC CODE | MODEL                        | GAUGE       | BARREL                           | RATE OF TWIST |
|----------|----------|------------------------------|-------------|----------------------------------|---------------|
| JRSIG12  | 82029-3  | Sako 85 Varmint, Set Trigger | .223 REM    | 23 <sup>5</sup> / <sub>8</sub> " | 10"           |
| JRSIG14  | 82031-6  | Sako 85 Varmint, Set Trigger | .22-250 REM | 23 <sup>5</sup> / <sub>8</sub> " | 14"           |
| JRSIG15  | 82032-3  | Sako 85 Varmint, Set Trigger | .243 REM    | 23 <sup>5</sup> / <sub>8</sub> " | 10"           |
| JRSIG16  | 82033-0  | Sako 85 Varmint, Set Trigger | .308 WIN    | 23 <sup>5</sup> / <sub>8</sub> " | 11"           |
| JRSIG22  | 82030-9  | Sako 85 Varmint, Set Trigger | .204 RUGER  | 23 <sup>5</sup> / <sub>8</sub> " | 12"           |
| JRSJ400  | 72114-9  | Sako 85 Finnfire II          | .22 LR      | 22"                              | 16"           |
| JRSJ409  | 72115-6  | Sako 85 Finnfire II          | .17 HMR     | 22"                              | 9"            |





### SAKO 85 VARMINT (LAMINATED STAINLESS)

Because our customers live the Beretta lifestyle so passionately, they are a rich source of information and feedback on our products. Customers suggested we offer a single set trigger as standard in our Varmint line, as well as the .204 Ruger caliber. We've done just that, updating our Varmint line to include a set trigger and the new calibers. The way this single set trigger works is simple. If used normally, it functions like a standard Sako trigger, adjustable for weight and pull from 2 to 4 pounds. But after you cock the bolt, you can push the trigger forward (instead of pulling it), thus "setting" it for an amazingly light 7.5-ounce pull, making it ideal for target and precision varmint shooting.



**PISTOL GRIP:** The pronounced pistol grip means better hand position and precision.



### • 5 SHOT MOA GUARANTEED ON ALL SAKO RIFLES

Sako requires that every rifle must fire a 1-inch, 5-shot group from 100 yards before it leaves the factory.



### SAKO 85 FINNFIRE II

In a fresh take on the classic Finnfire, the Finnfire II is a premium grade rimfire rifle featuring a classic Sako 85 style selected walnut stock perfectly fitted to the action. The match grade cold hammer-forged barrel is completely free floating to enhance the Finnfire II's legendary accuracy. The bolt has 2 locking lugs and the opening angle is only 50 degrees. Straight feeding magazines (for 5 or 10 shots). Trigger pull is adjustable from 2 to 4 lbs. Available in .22LR and .17 HMR.

|                          | SAKO 85 VARMINT                                       | SAKO 85 FINNFIREFINNFIRE II                      |
|--------------------------|---|--|
| <b>ACTION</b>            | 3-Lug Bolt Action, Controlled Round Feed              | 2-Lug Bolt Action                                |
| <b>CALIBER OFFERINGS</b> | 5 Calibers (See chart to left)                        | 2 Calibers (See chart to left)                   |
| <b>STOCK</b>             | Laminated Brown                                       | Walnut   |
| <b>BARREL FINISH</b>     | Stainless Steel                                       | Blued Metal                                      |
| <b>RECOIL PAD</b>        | Rubber  | Rubber   |
| <b>SAFETY</b>            | Two-Position Safety with Separate Bolt-Release Button | Two-Position Safety                              |
| <b>TRIGGER</b>           | Single Set, Adjustable from 2.2 lbs. to 4 lbs.        | Single Stage, Adjustable from 2.2 lbs. to 4 lbs. |
| <b>MAGAZINE</b>          | XS 6-Round Magazine, S LOP 5-Round Magazine           | 5-Round Magazine                                 |
| <b>SIGHT</b>             | Integral Tapered Scopemount Dovetails                 | Integral Tapered Scopemount Dovetails            |

# sako Accessories



SI30R924\*  
SI30R961\*  
SI30R929\*  
SI30R964\*



SI300924\*  
SI300961\*  
SI300925\*  
SI300929\*  
SI300964\*  
SI300930\*  
SI30R923\*  
SI30R928\*  
SI300923\*  
SI300928\*

\*Bases are sold separately.

## SAKO RINGS

| Model   | Product Code    | Diameter | Ring Type    | Mount Height               | Scope Outer Max. Diameter |
|---|-----------------|----------|--------------|----------------------------|---------------------------|
| Sako 85<br>Sako 75<br>TRG-S<br>TRG-21<br>TRG-22<br>TRG-41<br>TRG-41 | <b>SI30R923</b> | 1"       | X-Low        | Xtra-Low Stainless 28.5 mm | 63 mm                     |
|   | <b>SI30R928</b> | 30 mm    | X-Low        | Xtra-Low Stainless 30.5 mm | 75 mm                     |
|   | <b>SI300923</b> | 1"       | X-Low        | Xtra-Low 28.5 mm           | 63 mm                     |
|   | <b>SI300928</b> | 30 mm    | X-Low        | Xtra-Low 30.5 mm           | 67 mm                     |
|   | <b>SI300924</b> | 1"       | 1" LO        | Low 30.5 mm                | 63 mm                     |
|   | <b>SI300961</b> | 1"       | 1" ME        | Medium 35.5 mm             | 73 mm                     |
|   | <b>SI300925</b> | 1"       | 1" HI        | High 40.5 mm               | 83 mm                     |
|   | <b>SI300929</b> | 30 mm    | 30 mm LO     | Low 32.5 mm                | 67 mm                     |
|   | <b>SI300964</b> | 30 mm    | 30 mm ME     | Medium 36.5 mm             | 75 mm                     |
|   | <b>SI300930</b> | 30 mm    | 30 mm HI     | High 40.5 mm               | 83 mm                     |
|   | <b>SI30R924</b> | 1"       | 1" LO S/S    | Low 30.5 mm                | 63 mm                     |
|   | <b>SI30R961</b> | 1"       | 1" ME S/S    | Medium 35.5 mm             | 73 mm                     |
|   | <b>SI30R929</b> | 30 mm    | 30 mm LO S/S | Low 32.5 mm                | 67 mm                     |
|   | <b>SI30R964</b> | 30 mm    | 30 mm ME S/S | Medium 36.5 mm             | 75 mm                     |



*Sako 85 Blued*

## RING MOUNTS

| Model             | Product Code    | Color | Tube Diameter | Mount Height | Scope Outer Max Diameter |
|-------------------|-----------------|-------|---------------|--------------|--------------------------|
| Sako 85 / Sako 75 | <b>SI701900</b> | Black | 26 mm/1"      | 27 mm Low    | 48 / 56 mm               |
| TRG-S             | <b>SI701904</b> | Black | 30 mm         | 29 mm Low    | 52 / 60 mm               |
| Finnfire          | <b>SI802912</b> | Black | 26 mm/1"      | 27 mm Low    | 48 / 56 mm               |

Optilock ring mounts are precisely machined out of solid steel to ensure perfect mating with our integral receiver tapered scope mount rails for optimal scope alignment. Optilock ring mounts come packed in pairs. All tools for assembly are included in the box. Ring mounts are available in two diameters and are made of stainless steel.



SI70R956\*  
SI70R957\*  
SI70R958\*

## SAKO BASES

| Product Code    | Model                                  | Color           | Action      | Version  |
|-----------------|--|-----------------|-------------|----------|
| <b>SI700956</b> | Sako 85 & 75, L461/<br>L691, S491 M591 | Blued           | I-III Short | Standard |
| <b>SI700957</b> |  | Blued           | IV-V Long   | Standard |
| <b>SI700958</b> |  | Blued           | IV-V Long   | Extended |
| <b>SI70R956</b> |  | Stainless Steel | I-III Short | Standard |
| <b>SI70R957</b> |  | Stainless Steel | IV-V Long   | Standard |
| <b>SI70R958</b> |  | Stainless Steel | IV-V Long   | Extended |

SI700956\*  
SI700957\*  
SI700958\*



\*Rings are sold separately.



**SAKO 85 MAGAZINES - BLUED**

| Product Code    | Magazine Type | Action | Caliber   | Capacity |
|-----------------|---------------|--------|---|----------|
| <b>S5A60385</b> | A             | S      | 22-250  | 6        |
| <b>S5A60382</b> | B             | SM     | .270 WSM, 7mm WSM, .300 WSM   | 4        |
| <b>S5A60384</b> | C             | S      | .22-250 Rem, .243 Win, .260 Rem, 7mm-08 Rem, .308 Win, .338 Federal             | 5        |
| <b>S5A60386</b> | D             | M      | .25-06 Rem, (6.5x55 SE), .270 Win, (7x64), .30-06 Sprg, (9.3x62), (9.3x66 Sako) | 5        |
| <b>S5A60387</b> | E             | M      | 370   | 4        |
| <b>S5A60389</b> | F             | L      | 7mm Rem Mag, .300 Win Mag, .338 Win Mag, .375 H&H                               | 4        |
| <b>S5A60388</b> | G             | M      | 6.5   | 4        |

**SAKO 85 MAGAZINES - STAINLESS**

| Product Code    | Magazine Type | Action | Caliber   | Capacity |
|-----------------|---------------|--------|---|----------|
| <b>S5AR0381</b> | A             | XS     | .204 Ruger, .223 Rem  | 6        |
| <b>S5AR0384</b> | B             | S      | .22-250 Rem, .243 Win, .260 Rem, 7mm-08 Rem, .308 Win, .338 Federal             | 5        |
| <b>S5AR0382</b> | C             | SM     | .270 WSM, 7mm WSM, .300 WSM   | 4        |
| <b>S5AR0386</b> | D             | M      | .25-06 Rem, (6.5x55 SE), .270 Win, (7x64), .30-06 Sprg, (9.3x62), (9.3x66 Sako) | 5        |
| <b>S5AR0388</b> | F             | M      | 6.5   | 4        |
| <b>S5AR0389</b> | G             | L      | 7mm Rem Mag, .300 Win Mag, .338 Win Mag, .375 H&H                               | 4        |

**SAKO A7 MAGAZINES**

| Product Code    | Magazine Type | Caliber  | Capacity |
|-----------------|---------------|--|----------|
| <b>S5C60382</b> | A             | Magazine S Action .270 WSM, .300 WSM                           | 3        |
| <b>S5C60384</b> | B             | Magazine S Action .308 Win, 7mm-08 Win, .243 Win, .338 Federal | 3        |
| <b>S5C60385</b> | C             | Magazine S Action .22-250 Rem.                                 | 3        |
| <b>S5C60386</b> | D             | Magazine M Action .30-06, .25-09, .270 Win.                    | 3        |
| <b>S5C60387</b> | E             | Magazine M Action .300 Win. Mag                                | 3        |
| <b>S5C60389</b> | F             | Magazine M Action 7mm Rem. Mag                                 | 3        |



# sako TRG



**STOCK:** Rear stock has adjustments for cheekpiece and butt plate to allow for shooter's personal preferences.

**ACCESSORIES:** Optional TRG accessories include a highly effective three-chamber muzzle brake, scope/sight mounting systems, innovative clip-on bipod, extra magazines, emergency iron sights, mirage strap, Picatinny rail, auxiliary iron sights, sling and swivels, cleaning kit, transportation case, as well as spacers for cheek piece and butt plate. The folding stock is also available as an accessory and it fits all Sako TRG models.



## TRG 22 TECHNICAL DATA


| Caliber  | Stock                 | Barrel   | Magazine Capacity |
|----------|-----------------------|--|-------------------|
| .308 Win | OD Green Composite    | Target Grade Black Phosphate<br>Cold-hammer Forged Alloy | 10                |
|          | Black Composite       |  |                   |
|          | Desert Tan Composite* |  |                   |

\*Only available to Sako Select Dealers

| CAT CODE | UPC CODE | MODEL  | CALIBER  | BARREL | RATE OF TWIST |
|----------|----------|--|----------|--------|---------------|
| JRSW116  | 12809-2  | TRG 22, Black, Picatinny Rail                | .308 Win | 26"    | 11"           |
| JRSW316  | 30509-7  | TRG 22, Black, Picatinny Rail                | .308 Win | 20"    | 11"           |
| JRSW716  | 12810-8  | TRG 22, Green, Picatinny Rail                | .308 Win | 26"    | 11"           |
| JRSW516  | 56014-4  | TRG 22, Green, Picatinny Rail                | .308 Win | 20"    | 11"           |
| JRSW616  | 30510-3  | TRG 22, Green, Folding Stock, Picatinny Rail | .308 Win | 20"    | 11"           |



## SAKO TRG 22 BLACK



The Sako TRG is a detailed study of the needs of a marksman. It is designed for one job and one job only: to hit the target. The result is a total accuracy concept designed 100% by Sako, a member of the Beretta family. The globally acclaimed Sako TRG is available in two models, the TRG 22 and TRG 42.

## SAKO TRG 22 GREEN



The TRG 22, in .308 Win caliber will impress even the most discriminating marksman with its "straight out of the box" accuracy. Sometimes you need to reach out a lot further, and that is where the TRG 42 comes in. With all the features and versatility of the TRG 22, but chambered for the potent and the even more powerful .338 Lapua Mag, the TRG 42 is the rifle to reach for when ranges stretch a quarter-mile and more.



The Sako TRG-22/42 is designed to accomplish a single-minded mission: to hit the target, whatever it takes. It is the result of Sako innovation, giving you performance that surpasses the highest demands for accuracy, reliability and versatility.

Optional scope, muzzle break and bipod not included.

# sako TRG



### Sako TRG 22/42 Muzzle Brake (S5740412)

Screw-on flash eliminator/muzzle brake. Asymmetrical construction minimizes sand/dust puffing when shooting.

### Sako TRG Integrated Tactical Rail System Accessory Rail (S150W808)

Aluminum construction – attachment platform for the Sako TRG22/42 weapon system. Made up of three MILSTD-1913 Picatinny rails, attaches around the rifle barrel. Installing this system allows the use of different tactical accessories. Standard Picatinny or Weaver mounts can be used. All mounting screws and sling swivel attachment included.



### Sako TRG 22/42 Bipod (S5740495)

This bipod lets the rifle “hang” below the hinge-point offering very steady shooting position even with large and heavy scopes on the rifle.



### Sako Tactical Shooting Sling (209521)

40mm Black Nylon, Mil-Std Hooks, Adjustable length, Max extension 44".



| CAT CODE | UPC CODE | MODEL  | CALIBER | BARREL | RATE OF TWIST |
|----------|----------|--|---------|--------|---------------|
| JRSW744  | 30507-3  | TRG 42, Green, Picatinny Rail                | .338 LM | 27"    | 10"           |
| JRSW644  | 30508-0  | TRG 42, Green, Folding Stock, Picatinny Rail | .338 LM | 20"    | 10"           |
| JRSW344  | 30511-0  | TRG 42, Black, Picatinny Rail                | .338 LM | 27"    | 10"           |



## SAKO TRG 42 Green

**Sako TRG 22/42 Emergency Front Sight (S5740321)**

Steel construction. Adjusts for windage and elevation. Adjusting tool and all mounting screws included. Note: This sight will only fit the Sako TRG 22/42 rifles with the phosphatized finish. The barrel on the phosphatized models is machined with a groove to allow for the fitting of the Emergency Front Sight.

**Sako TRG 22/42 Emergency Rear Sight (S5740311)**

Steel construction. Two position, folding peep aperture. Features recoil stop and mirage strap attachment capabilities. Note: This sight will only fit the Sako TRG 22/42 rifles.



**ACCURACY:** Sako TRG 22 shown with Sako 308 Win. Racehead cartridges. We guarantee first class accuracy with Sako cartridges.

The free-floating, target grade barrels, made specially for the TRG, are cold-hammer forged. The muzzle is threaded for an optional muzzle brake or suppressor. A rigid action formed from cold-hammered special alloyed steel features 3 locking lugs and a bolt-lift angle of 60° for a fast bolt throw. Integral 17mm parallel scope mounting rails with recoil stop slots are machined into the receiver.

The two-stage trigger is adjustable for weight from 2 to 5 Lbs. (1 to 2.5 kg) of pull. It is also adjustable in length and horizontal or vertical pitch. The entire trigger assembly, including the trigger guard, can be removed from the rifle without disassembling any

other part of the rifle. The safety catch, which is silent in operation, is located inside the trigger guard. The safety locks the trigger mechanism and locks the bolt in a closed position with the firing pin blocked.

The stock, available in matte black, desert tan or olive drab (OD) green, is designed for both right- or left-handed shooters. The buttplate is adjustable for length of pull and angle through the use of spacers and is infinitely adjustable in height and pitch. The cheekpiece is also fully adjustable, making the Sako TRG an individualized rifle. An optional folding stock is also available for the TRG.

**TRG 42 TECHNICAL DATA**

| Caliber | Stock                 | Barrel   | Magazine Capacity |
|---------|-----------------------|--|-------------------|
| .338 LM | OD Green Composite    | Target Grade Black Phosphate<br>Cold-hammer Forged Alloy | 5                 |
|         | Black Composite       |  |                   |
|         | Desert Tan Composite* |  |                   |

\*Only available to Sako Select Dealers



• **3 SHOT MOA GUARANTEED ON ALL TIKKA RIFLES**

Every rifle is tested at the factory and guaranteed to put 3-shots in a 1-inch group at 100 yards.



| CAT CODE | UPC CODE | MODEL                 | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|-----------------------|--------------|-----------------------------------|---------------|
| JRTB312  | 81159-8  | T3 Lite Stainless     | .223 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB314  | 81160-4  | T3 Lite Stainless     | .22-250 Rem  | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTB315  | 81161-1  | T3 Lite Stainless     | .243 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB316  | 81162-8  | T3 Lite Stainless     | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTB317  | 81163-5  | T3 Lite Stainless     | .25-06 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB318  | 81164-2  | T3 Lite Stainless     | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB320  | 81165-9  | T3 Lite Stainless     | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTB331  | 81169-7  | T3 Lite Stainless     | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTB340  | 81166-6  | T3 Lite Stainless     | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRTB341  | 81167-3  | T3 Lite Stainless     | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTB352  | 81279-3  | T3 Lite Stainless     | 7mm-08 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 9.5"          |
| JRTB370  | 81168-0  | T3 Lite Stainless     | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |
| JRTB412  | 81903-7  | T3 Lite Stainless, LH | .223 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB414  | 81904-4  | T3 Lite Stainless, LH | .22-250 Rem  | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTB415  | 81905-1  | T3 Lite Stainless, LH | .243 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB416  | 81906-8  | T3 Lite Stainless, LH | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTB418  | 81907-5  | T3 Lite Stainless, LH | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTB420  | 81908-2  | T3 Lite Stainless, LH | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTB431  | 81909-9  | T3 Lite Stainless, LH | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTB440  | 81910-5  | T3 Lite Stainless, LH | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRTB441  | 81911-2  | T3 Lite Stainless, LH | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTB470  | 81912-9  | T3 Lite Stainless, LH | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |



A short bolt-lift angle of 70 degrees combined with a bolt throw to match the cartridge length means quick and smooth bolt cycling.



The ridged Tikka receiver is topped off with integral rails for use with Optilock mounts. This action is also drilled and tapped for use with conventional bases.



# SOUL & BODY

COMBINING PERFORMANCE WITH VALUE



## TIKKA T3 LITE

Inspired by the strengths of the mighty game animal, the Tikka T3 Lite is perfect for the hunter who chases his quarry in dense woods or from a tree stand, or for the rancher who likes to keep a versatile rifle handy. Just as accurate as its full-size brothers, this synthetic features a quick-handling cold-hammer-forged and free-floated barrel. Durable fiberglass-reinforced polymer stock with a straight comb and ambidextrous palm-swell. Left-hand models available, see index.



## TIKKA T3 LITE STAINLESS

Synthetic stocks are the choice of hunters who must face tough weather conditions. With its stainless steel finish, the Tikka T3 Lite Stainless offers even better resistance to the elements. The lightweight, injection-molded stock is a godsend to hunters who spend long days in the mountains, as is its guaranteed accuracy. With a Giugiaro-designed stock, this rifle's harmonious and functional layout is both handsome and fast-handling. Left-hand models available, see index.

|                   | TIKKA T3 LITE  | TIKKA T3 LITE STAINLESS                                      |
|-------------------|--|--|
| <b>ACTION</b>     | Bolt Action with Two Locking Lugs, Plunger Ejector           | Bolt Action with Two Locking Lugs, Plunger Ejector           |
| <b>CALIBER</b>    | 12 Calibers, see Tikka Rifles Chart                          | RH 12 Calibers, LH 10 Calibers, See Tikka Rifles Chart       |
| <b>STOCK</b>      | Synthetic  | Synthetic  |
| <b>FINISH</b>     | Blued (Carbon Steel)   | Stainless Steel  |
| <b>RECOIL PAD</b> | Rubber, Black  | Rubber, Black  |
| <b>SAFETY</b>     | Two-Position Safety  | Two-Position Safety  |
| <b>TRIGGER</b>    | Single-Stage, Adjustable from 2 lbs. to 4 lbs.               | Single-Stage, Adjustable from 2 lbs. to 4 lbs.               |
| <b>MAGAZINE</b>   | Flush, Detachable, See Tikka Firearms Index                  | Flush, Detachable, See Tikka Firearms Index                  |
| <b>SIGHT</b>      | Integral dovetail scope rail and taper for weaver-type scope | Integral dovetail scope rail and taper for weaver-type scope |

| CAT CODE | UPC CODE | MODEL   | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|---------|--------------|-----------------------------------|---------------|
| JRTE312  | 81147-5  | T3 Lite | .223 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE314  | 81148-2  | T3 Lite | .22-250 Rem  | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTE315  | 81149-9  | T3 Lite | .243 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE316  | 81150-5  | T3 Lite | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTE317  | 81151-2  | T3 Lite | .25-06 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE318  | 81152-9  | T3 Lite | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE320  | 81153-6  | T3 Lite | .30-06 SPRG  | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTE331  | 81157-4  | T3 Lite | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTE340  | 81154-3  | T3 Lite | .270 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRTE341  | 81155-0  | T3 Lite | .300 WSM     | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTE352  | 81278-6  | T3 Lite | 7mm-08 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 9.5"          |
| JRTE370  | 81156-7  | T3 Lite | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |



• **3 SHOT MOA GUARANTEED ON ALL TIKKA RIFLES**

Every rifle is tested at the factory and guaranteed to put 3-shots in a 1-inch group at 100 yards.



**TIKKA T3 LITE ADJUSTABLE**

The Tikka T3 Lite Adjustable adds an improved version of the T3 Super Varmint's adjustable cheek riser with flush adjustment knob to the already excellent Tikka T3 design. Shooters can now adjust the stock quickly and easily for the perfect alignment with their favorite optic to improve comfort and accuracy during any shooting situation.

|                   | TIKKA T3 COMPACT LITE  | TIKKA T3 LITE ADJUSTABLE                                     |
|-------------------|--|--|
| <b>ACTION</b>     | Bolt Action with Two Locking Lugs, Plunger Ejector           | Bolt Action with Two Locking Lugs, Plunger Ejector           |
| <b>CALIBER</b>    | 6 Calibers, See Tikka Rifles Chart                           | 21 Calibers, see Tikka Rifles Chart                          |
| <b>STOCK</b>      | Synthetic  | Synthetic  |
| <b>FINISH</b>     | Blued (Carbon Steel)   | Blued (Carbon Steel)   |
| <b>RECOIL PAD</b> | Rubber, Black  | Rubber, Black  |
| <b>SAFETY</b>     | Two-Position Safety  | Two-Position Safety  |
| <b>TRIGGER</b>    | Single-Stage, Adjustable from 2 lbs. to 4 lbs.               | Single-Stage, Adjustable from 2 lbs. to 4 lbs.               |
| <b>MAGAZINE</b>   | Flush, Detachable, See Tikka Firearms Index                  | Flush, Detachable, See Tikka Firearms Index                  |
| <b>SIGHT</b>      | Integral dovetail scope rail and taper for weaver-type scope | Integral dovetail scope rail and taper for weaver-type scope |

| CAT CODE | UPC CODE | MODEL           | CALIBER     | BARREL | RATE OF TWIST |
|----------|----------|-----------------|-------------|--------|---------------|
| JRTE322C | 72120-0  | T3 Compact Lite | .204 Ruger  | 20"    | 12"           |
| JRTE312C | 72116-3  | T3 Compact Lite | .223 Rem    | 20"    | 10"           |
| JRTE314C | 72117-0  | T3 Compact Lite | .22-250 Rem | 20"    | 14"           |
| JRTE315C | 72118-7  | T3 Compact Lite | .243 Win    | 20"    | 10"           |
| JRTE352C | 72121-7  | T3 Compact Lite | 7mm-08 Rem  | 20"    | 9.5"          |
| JRTE316C | 72119-4  | T3 Compact Lite | .308 Win    | 20"    | 11"           |



# SOUL & BODY

## COMBINING PERFORMANCE WITH VALUE



### TIKKA T3 COMPACT LITE


For years the Tikka T3 has set the standard for an affordable, durable and incredibly accurate rifle. The Tikka T3 Compact now makes that proven design available to younger or smaller statured shooters for the first time. With a reduced length of pull of 12.5" (adjustable to 13.5 with an available 1" spacer) and an improved recoil pad, the Tikka T3 Compact Lite is perfect for any hunt and fits any hunter. Its proven world class accuracy and Finnish durability means it can also grow with the hunter to provide a lifetime of highly accurate and dependable service.

**TIKKA T3: REDEFINING YOUR EXPECTATIONS OF A RIFLE:** The principle behind Tikka rifles is bold: with modern technology, there is no excuse for not delivering hunters the features they desire most in a rifle at a modest price. So the Sako engineers in Riihimäki, Finland and the Italian designers at Giugiaro went to work; the result is truly the finest production rifle available to hunters. Most importantly, each rifle leaves Finland only after grouping three shots under one-inch at 100 yds, making them an industry benchmark for out-of-the-box accuracy. Capitalizing on Sako's legendary gunmaking traditions, Tikka combines modern technology with time-honored craftsmanship to meet the requirements of modern hunters. Tikka by Sako -redefine your expectations of a rifle.

| CAT CODE | UPC CODE | MODEL              | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|--------------------|--------------|-----------------------------------|---------------|
| JRTE322A | 72131-6  | T3 Lite Adjustable | .204 Ruger   | 22 <sup>7</sup> / <sub>16</sub> " | 8"            |
| JRTE311A | 721224   | T3 Lite Adjustable | .222 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTE312A | 72123-1  | T3 Lite Adjustable | .223 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE314A | 72124-8  | T3 Lite Adjustable | .22-250 Rem  | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTE315A | 72125-5  | T3 Lite Adjustable | .243 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE321A | 72130-9  | T3 Lite Adjustable | .260 Rem     | 22 <sup>7</sup> / <sub>16</sub> " | 8"            |
| JRTE352A | 72138-5  | T3 Lite Adjustable | 7mm-08 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 9.5"          |
| JRTE316A | 72127-9  | T3 Lite Adjustable | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTE343A | 72136-1  | T3 Lite Adjustable | .338 Federal | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE317A | 72127-9  | T3 Lite Adjustable | .25-06 Rem   | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE351A | 72137-8  | T3 Lite Adjustable | 6.5x55SE     | 22 <sup>7</sup> / <sub>16</sub> " | 8"            |
| JRTE318A | 72128-6  | T3 Lite Adjustable | 270 Win      | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE353A | 72139-2  | T3 Lite Adjustable | 7x64         | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTE320A | 72129-3  | T3 Lite Adjustable | .30-06 Spr   | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTE380A | 72142-2  | T3 Lite Adjustable | 8x57IS       | 22 <sup>7</sup> / <sub>16</sub> " | 9.5"          |
| JRTE354A | 72140-8  | T3 Lite Adjustable | 9.3 x 62     | 22 <sup>7</sup> / <sub>16</sub> " | 14"           |
| JRTE370A | 72141-5  | T3 Lite Adjustable | 7mm Rem Mag  | 22 <sup>3</sup> / <sub>8</sub> "  | 9.5"          |
| JRTE331A | 72132-3  | T3 Lite Adjustable | .300 Win Mag | 22 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTE334A | 72133-0  | T3 Lite Adjustable | .338 Win Mag | 22 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRTE340A | 72134-7  | T3 Lite Adjustable | .270 WSM     | 22 <sup>3</sup> / <sub>8</sub> "  | 10"           |
| JRTE341A | 72135-4  | T3 Lite Adjustable | .300 WSM     | 22 <sup>3</sup> / <sub>8</sub> "  | 11"           |



A short bolt-lift angle of 70 degrees combined with a bolt throw to match the cartridge length means quick and smooth bolt cycling.



The ridged Tikka receiver is topped off with integral rails for use with Optilock mounts. This action is also drilled and tapped for use with conventional bases.



| CAT CODE | UPC CODE | MODEL       | CALIBER      | BARREL                            | RATE OF TWIST |
|----------|----------|-------------|--------------|-----------------------------------|---------------|
| JRTA315  | 81136-9  | T3 Hunter   | .243 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTA316  | 81137-6  | T3 Hunter   | .308 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTA318  | 81139-0  | T3 Hunter   | .270 Win     | 22 <sup>7</sup> / <sub>16</sub> " | 10"           |
| JRTA320  | 81141-3  | T3 Hunter   | .30-06 SPRG. | 22 <sup>7</sup> / <sub>16</sub> " | 11"           |
| JRTA370  | 81144-4  | T3 Hunter   | 7mm Rem Mag  | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTA331  | 81145-1  | T3 Hunter   | .300 Win Mag | 24 <sup>3</sup> / <sub>8</sub> "  | 11"           |
| JRTM112  | 81402-5  | T3 Tactical | .223 Rem     | 20"                               | 10"           |
| JRTM116  | 81403-2  | T3 Tactical | .308 Win     | 20"                               | 11"           |

# SOUL & BODY

## COMBINING PERFORMANCE WITH VALUE



### TIKKA T3 HUNTER

The Tikka T3 Hunter features a glass-smooth action, a crisp, adjustable trigger, free floated match-grade hammer-forged barrel and a perfect mating between stock and metal. No Tikka T3 is even put on the shipping dock unless it groups 3 shots within 1 inch or less at 100 yards. Besides this fabulous performance, the T3 Hunter features a blend of Giugiaro distinctive checkering with the classic elegance of wood. Left-hand models available, see index.



### TIKKA T3 TACTICAL

When it comes to accuracy, the T3 TAC is in a class of its own. A CrMo Steel, free-floating match grade barrel is surface manganese-phosphated for lasting protection against the elements. The barrel features a protected threaded muzzle which allows for the attachment of an optional Sako muzzle brake or sound suppressor. The modern bolt has two opposing locking lugs in front and an efficient extractor claw and spring loaded ejector plunger for automatic case ejection. Tikka rifles are world famous for their slick and fast bolt throw; emphasized with a black Teflon® coating and two-way safety, locking both handle and trigger. Tikka TAC is equipped with a Picatinny rail on top of the receiver which allows for the use of any US Mil. Std 1913 compatible mount. Optilock Weaver bases and rings are recommended for secure and precise scope mounting. Detachable magazines are in-line, straight feeding polymer units that are silent, durable and non-oxidizing in field conditions. The stock is comprised of fiberglass-reinforced co-polymer polypropylene and features an ambidextrous palm swell as well as an adjustable cheek piece.

|                   | TIKKA T3 HUNTER   | TIKKA T3 TACTICAL                                  |
|-------------------|---|--|
| <b>ACTION</b>     | Bolt Action with Two Locking Lugs, Plunger Ejector            | Bolt Action with Two Locking Lugs, Plunger Ejector |
| <b>CALIBER</b>    | 6 Calibers  | 2 Calibers   |
| <b>STOCK</b>      | Walnut  | Synthetic with Adjustable Cheek Piece              |
| <b>FINISH</b>     | Blued   | Manganese-Phosphated                               |
| <b>RECOIL PAD</b> | Rubber, Black   | Rubber, Black                                      |
| <b>SAFETY</b>     | Two-Position Safety   | Two-Position Safety                                |
| <b>TRIGGER</b>    | Single-Stage, Adjustable from 2 lbs. to 4 lbs.                | Single-Stage, Adjustable from 2 lbs. to 4 lbs.     |
| <b>MAGAZINE</b>   | Flush, Detachable   | Detachable   |
| <b>SIGHT</b>      | Integral dovetail scope rail and tapper for weaver-type scope | Picatinny rail for scope mount                     |





Beretta started development of its first, semi-automatic combat pistol over 100 years ago. Shortly after that pistol's introduction in 1915, it was adopted for military use. Ever since, Beretta has been designing and manufacturing pistols for use in combat around the world. Every feature that is part of a Beretta pistol, or tactical long gun, is designed with the worst case scenario in mind. Each pistol and tactical long gun shipped from Beretta carries with it 100 years of experience and feedback from the battlefield. Driving that experience and feedback is over 500 years of metallurgical research, manufacturing expertise, and a family passion for firearms that goes back 15 generations. Each generation of the Beretta family passes its knowledge and experience to the next to ensure that the valuable lessons learned in the field are put to the best possible use for product development and improvement. Never settle for an inferior product. Beretta's pistols are backed by 15 generations of skill, a century of battlefield feedback, 25 years of service with the U.S. Armed Forces, and will perform every time, everywhere.

# Beretta Pistols & Tactical Products



## Pistols & Other Tactical Products

|                    |                      |       |
|--------------------|----------------------|-------|
| <b>I30I</b>        | <b>I30I Tactical</b> | 54-55 |
|                    | <b>I30I Comp</b>     | 56-57 |
| <b>ARX</b>         | ARX100               | 58-59 |
|                    | ARX160 22LR          | 60-61 |
| <b>Cx4</b>         | Cx4                  | 62-63 |
| <b>CCW</b>         | Pico                 | 64-65 |
|                    | Nano                 | 65-67 |
| <b>Px4</b>         | Full Size Type F     | 68    |
|                    | Inox                 | 69    |
|                    | SD                   | 70    |
|                    | .45                  | 71    |
|                    | Compact              | 72    |
|                    | Sub-Compact          | 73    |
|                    | Accessories          | 74-75 |
| <b>90 Series</b>   | 92 Compact Rail      | 76    |
|                    | 92FS/INOX            | 77    |
|                    | M9                   | 78    |
|                    | M9A1                 | 79    |
|                    | 92A1 & 96A1          | 80    |
|                    | Accessories          | 81    |
| <b>Small Frame</b> | 21A Bobcat           | 82    |
|                    | 3032 Tomcat          | 82    |
| <b>U22 Neos</b>    | Neos                 | 83    |



**BERETTA**  
500 YEARS. ONE PASSION.

# I301 TACTICAL



| I301 TACTICAL           |   |
|-------------------------|---|
| <b>ACTION</b>           | Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning Piston |
| <b>GAUGE</b>            | 12  |
| <b>CHAMBER</b>          | 3"  |
| <b>FINISH</b>           | Synthetic   |
| <b>STOCK/FORE-END</b>   | Extra Grip Checkered  |
| <b>STOCK</b>            | Adjustable Shim System  |
| <b>RECOIL PAD</b>       | Rubber recoil pad   |
| <b>SAFETY</b>           | Crossbolt, oversized. Reversible.   |
| <b>TRIGGER</b>          | Chrome-Plated   |
| <b>RECEIVER</b>         | Aluminum Alloy  |
| <b>SIGHT</b>            | Ghost Ring  |
| <b>WEIGHT (AVERAGE)</b> | 6.7 Lbs.  |
| <b>CARRY CASE</b>       | Yes   |

## I301 TACTICAL

The I301 Tactical is Beretta's new gas operated semi-automatic shotgun designed for law enforcement and home defense. Right out of the box, the I301 Tactical features an oversized charging handle, large textured bolt release, and an oversized reversible safety button. The integrated BLINK gas operating system, featuring a cross tube gas piston, allows the I301 tactical to cycle 36% faster than any other shotgun on the market. Available in an 18.5" barrel configuration, the I301 Tactical features a robust, protected sighting system that uses a ghost ring for the rear sight and an interchangeable front blade sight. The receiver offers a MIL-STD 1913 picatinny rail. The Stock features an aggressive checkering pattern and length of pull is adjustable with the provided spacers. Drop and Cast can be adjusted as well.

| CAT CODE | UPC CODE | MODEL    | GAUGE    | BARREL | CAPACITY |
|----------|----------|----------|----------|--------|----------|
| J131T18  | 70316-9  | I301 Tac | 12 Gauge | 18.5"  | 4+1*     |

\*12 gauge 2 3/4" Shells





The I301 Tactical's sights include a ghost ring rear and a front blade. The rear ghost ring sight is adjustable for both windage and elevation. The front blade is removable for customization with aftermarket sights.



Loading port with bevelled edges.



Oversized bolt release lever and textured bolt handle designed for speed and efficiency.



Receiver incorporates a rear ghost ring sight and picatinny rail.



*Optima-Bore® HP geometry was conceived to offer the best ballistic performance available. The shot pattern remains perfectly uniform whatever the shell size or load.*



*Beretta makes the best barrels in the world. Starting with proprietary tri-alloy steel (Ni/Cr/Mo), the metal goes through a unique manufacturing process. Deep hole drilling, cold-hammer forging, and vacuum distension create the very best ballistic performance available.*



*Blink is the "engine" of the I301 Comp, and it is 36% faster than any other shotgun. Within the gas system, an innovative piston with an elastic scraper functions as a gasket, keeping the gun cleaner and making this the most reliable Tactical shotgun available.*

# 1301 Comp



| 1301 COMP               |   |
|-------------------------|---|
| <b>ACTION</b>           | Semi-automatic Gas Operation with Compensating Exhaust Valve and Self Cleaning Piston |
| <b>GAUGE</b>            | 12  |
| <b>CHAMBER</b>          | 3"  |
| <b>FINISH</b>           | Synthetic   |
| <b>STOCK/FORE-END</b>   | Extra Grip Checkered  |
| <b>STOCK</b>            | Adjustable Shim System  |
| <b>RECOIL PAD</b>       | Rubber recoil pad   |
| <b>SAFETY</b>           | Crossbolt, oversized. Reversible.   |
| <b>TRIGGER</b>          | Chrome-Plated   |
| <b>RECEIVER</b>         | Aluminum Alloy  |
| <b>RIB TYPE</b>         | Stepped rib, 10 X 8   |
| <b>SIGHT</b>            | Fiber Optic Bead, mid bead  |
| <b>WEIGHT (AVERAGE)</b> | 6.7 Lbs.  |
| <b>CARRY CASE</b>       | Yes   |

## 1301 Comp

The 1301 Competition is Beretta's new gas-operated semi-automatic shotgun designed for 3-Gun and practical shooting. Designed for competition use right out of the box, the 1301 Comp features an oversized charging handle, large bolt release, and extended reversible safety button. To optimize performance, the loading and ejection ports have been increased in size to allow for fast loading and unloading. The BLINK gas operating system, featuring a cross tube gas piston, cycles up to 36% faster than any other shotgun on the market. Available in a 21" or 24" barrel configuration, the barrels utilize the Optima HP interchangeable chokes and feature a stepped rib with mid bead and front fiber optic sight. The receiver is pre-drilled for mounting a rail or other attachment. The stock features an aggressive checkering pattern and the length of pull is adjustable from 13" -14.5" with the provided spacers. Drop and cast can be adjusted as well.

| CAT CODE | UPC CODE | MODEL     | GAUGE    | BARREL | CAPACITY |
|----------|----------|-----------|----------|--------|----------|
| J131C11  | 70303-9  | 1301 Comp | 12 Gauge | 21"    | 5+1*     |
| J131C14  | 70305-3  | 1301 Comp | 12 Gauge | 24"    | 5+1*     |

\*12 gauge 2 3/4" Shells





Oversized loading port with bevelled edges.



Oversized bolt release lever and textured bolt handle designed for speed and efficiency.



Receiver is drilled & tapped for easy rail attachment.



Optima-Bore® HP geometry was conceived to offer the best ballistic performance available. The shot pattern remains perfectly uniform whatever the shell size or load. Optima-Bore HP choke tubes further enhance the effect.



Beretta makes the best barrels in the world. Starting with proprietary tri-alloy steel (Ni/Cr/Mo), the metal goes through a unique manufacturing process. Deep hole drilling, cold-hammer forging, and vacuum distension create the very best ballistic performance available.



Blink is the "engine" of the 1301 Comp, and it is 36% faster than any other shotgun. Within the gas system, an innovative piston with an elastic scraper functions as a gasket, keeping the gun cleaner and making this the most reliable competition shotgun available.






Shown with optional accessories.

### ARX100

The ARX100 is the ultimate evolution of the modern sporting rifle. Designed for ease of use and ultimate reliability, the ARX100's feature set is unparalleled. The cold hammer forged barrel can be removed and replaced with various lengths and calibers in a matter of seconds. Case ejection can be switched from right to left with the simple push of a button. All of the critical controls on the ARX100 are completely ambidextrous. With a constant contact piston system, the ARX100 can easily feed and fire under the most unforgiving conditions. The lightweight, technopolymer receiver allows for reliable operation with virtually no lubricant. To make maintenance easy, the ARX100 has no pins and can be completely disassembled with no tools at all. Simplicity, flexibility, reliability. The ARX100 is the next step in modern sporting rifle evolution.

| CAT CODE | UPC CODE | MODEL  | CALIBER   | ACTION    | ROUNDS |
|----------|----------|--------|-----------|-----------|--------|
| JXR11600 | 68619-6  | ARX100 | 5.56 x 45 | Semi-Auto | 30     |




## ARX100 Multi-Caliber




The multi-position folding stock allows the user to adapt the rifle for every firing scenario.

Ambidextrous case ejection selector allows the user to choose left or right spent casing ejection.







### ARX 160

Finally, a training rifle in .22 caliber that looks, feels and shoots like Beretta's heralded ARX 160 military assault rifle. Just like the military version, the ARX 160 .22LR is lightweight, user-friendly, and an ergonomic masterpiece. This is a rifle full of cool features that will be a thrill to put through its paces at the range. Beyond its striking physical and working similarities to the combat version, it also shares its ambidextrous advantages. The two-position safety, magazine release, and cocking handle can all be set to the right or left hand preference. Picatinny rails allow the user to build on anything they can dream. The rifle can be disassembled for cleaning easily without tools, allowing access to clean the barrel from the back round. There is also easy access to the bolt and trigger system, just like with a .223 rifle. Constructed of reinforced polymer with flip up sights and an easy folding stock, the ARX 160 .22LR gives shooters the experience of shooting the world's preeminent military rifle at a price they can afford.





## FEATURES

- Ambidextrous, two-position safety lever
- Easy access to the bolt and trigger system like .223 rifle
- Picatinny Rails following MIL STD 1913 in aluminium and polymer
- Ambidextrous magazine release
- Charging handle convertible from right to left when disassembled
- Telescopic and foldable stock
- Adjustable polymer Flip Up sights
- 18" barrel system-rifle variant
- 9" barrel system-pistol variant
- 20 rounds STANAG type magazine

| Description                | Product Code | UPC Code | Caliber | Overall Length | Barrel Length | Weight Unloaded | Magazine Capacity |
|----------------------------|--------------|----------|---------|----------------|---------------|-----------------|-------------------|
| ARX160 22LR Rifle Variant  | JXR21800     | 306940   | .22LR   | 36.2"          | 18.1"         | 6.6 Lbs         | 20                |
| ARX160 22LR Rifle Variant  | JXR21801     | 70622-1  | .22LR   | 36.2"          | 18.1"         | 6.6 Lbs         | 10                |
| ARX160 22LR Pistol Variant | JXP21300     | 306957   | .22LR   | 18.9"          | 8.5"          | 5.7 Lbs.        | 20                |

# Cx4



## CX4

The innovative Cx4 pistol-caliber carbine is accurate, soft-shooting and easy to handle. With controls that are similar to a modern combat pistol, you don't have to be a seasoned rifle shooter to feel competent with the Cx4. However, the cold-hammer forged barrel delivers precision that even the most experienced expert will appreciate. In use by multiple law enforcement agencies across the U.S., the Cx4 has street-proven reliability that ensures performance on demand. Featuring a full-length aluminum top rail for mounting optical and red dot sights and a retractable Picatinny rail that extends from the fore-end allows the user to mount tactical lighting devices. Additional rails can be mounted on the left, right and bottom providing ample opportunity for customizing.

This light and compact carbine boasts the unique features of easily reversible ejection/extraction, safety and magazine button, all without tools. Length-of-pull can also be adjusted with the addition or removal of 1/2" spacers (one included). Completely adaptable the Px4 accept any full-size Beretta Px4 or 90 Series magazines.

| Description          | Product Code | UPC Code | Caliber | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Weight Unloaded | Magazine Capacity |
|----------------------|--------------|----------|---------|----------------|----------------|---------------|--------------|---------------|-----------------|-------------------|
| Cx4 (92 Series Mag)  | JX49220      | 70317-6  | 9mm     | 29.7           | 7.5            | 16.6"         | 12.9"        | 2.5"          | 5.75 Lbs.       | 10 Rounds         |
| Cx4 (92 Series Mag)  | JX49220M     | 81991-4  | 9mm     | 29.7"          | 7.5            | 16.6"         | 12.9"        | 2.5"          | 5.75 Lbs.       | 15 Rounds         |
| Cx4 (Px4 Series Mag) | JX4P415      | 81669-2  | .40 S&W | 29.7"          | 7.5            | 16.6"         | 12.9"        | 2.5"          | 5.75 Lbs.       | 14 Rounds         |
| Cx4 (Px4 Series Mag) | JX4P915      | 81668-5  | 9mm     | 29.7"          | 7.5            | 16.6"         | 12.9"        | 2.5"          | 5.75 Lbs.       | 17 Rounds         |

# Cx4Accessories

## Beretta CX4 Storm Folding Grip, 4 Position (EU00025)

Beretta CX4 Storm 4 Position Folding Steady Grip. The 4-Position Folding Steady Grip locks at horizontal, vertical, 45° & 135° positions. Beretta Trident Logo. Improved performance during rapid fire. Easy to fit & secure. Fits Picatinny / Weaver Rail. Light-weight Molded from reinforced polymer composite. Length in vertical position: 4.5 inches/11.5cm. No gunsmithing required.



## CX4 Adjustable Bipod w/ Picatinny Rail

Beretta Trident logo on leg release buttons on Beretta CX4 version. Versatile bipod, mounts onto a Picatinny rail in seconds. Legs can be attached/detached with two swift movements. The 3" Picatinny Rail allows the addition of a foregrip without taking up more space on the handguard. New recessed design allows legs to be mounted higher, giving a lower and more stable center of gravity. Comfortable rubber covers legs allowing a non-slip grip.

- Quick release push button leg extension
- Legs manufactured from stainless steel
- Legs numbered for reference
- No external springs
- Strong lightweight design
- Redesigned feet provide increased stability



## Beretta Cx4 Storm Barrel Shroud 9mm .40S&W .45ACP (EU00029)

Patented Design. – 100% Made in the USA! – The main body is made of 6061-T6 aircraft grade aluminum. – Precision CNC machined from billet. – Lettering is indexable/adjustable in position. Fits on all the Cx4 models. – Weight: 8.2 ounces! – Mil. Spec. acid etched (anti-glare) – Mil. Spec. anodized to give the unit a semi flat finish. – Professionally laser engraved. NOTE: These do NOT suppress sound in any way and are 100% legal for the regular civilian to own in all 50 US States.



## Beretta CX4 Storm Vertical Grip Long (EU00004)

The Beretta CX4 Bi Function Vertical Grip is designed for mounting onto a standard Picatinny or Weaver rail system.

- Allows natural "Fighting Stance" hold on your Cx4 Storm.
- Waterproof compartment for batteries.
- Molded from reinforced plastic composite.
- Super light weight
- Color: Black.



## Long Aluminum CX4 Storm Picatinny Side Rail (EU00007)

Retractable forward accessory rail extends out from the fore-end, allowing quick mounting of tactical light or laser unit.




## Beretta CX4 Vertical/Folding Grip (EU00006)

The Beretta CX4 Vertical/Folding Grip is designed for mounting onto a standard Picatinny or Weaver rail system. Allows natural "Fighting Stance" hold on your Cx4 Storm. Molded from reinforced plastic composite. Super light weight. Color: Black.



## Beretta CX4 Top Picatinny Rail (E00268)

The Beretta CX4 Picatinny Top Rail is designed of Aluminum and finished with Black Anodizing. Comes with three mounting screws and two nutplates. Ideal for scopes, lights, lasers, grips etc. Super light weight. Color: Black



## CX4 Storm Cocking Handle (C79898)

Beretta CX4 Cocking Handle. It's reversible, and it can be installed on both sides simultaneously.




## Beretta CX4 Bottom and Side Accessory Rail Kit (E00270)

The Beretta CX4 Bottom and Side Accessory Rail Kit is designed of Black Polymer and comes with four mounting screws. Used with the side rail provided with the CX4 Storm carbine, this kit finishes out the two side rail positions and adds the bottom rail for a vertical grip. Allows for attachment of any Weaver Mount Assembly. Ideal for Scopes, Lights, Lasers, Grips Etc. Super Light Weight Color: Black



## Beretta Factory 92FS & CX4 Magazine 9mm 30 Rds (C89282)

92 FS - 9mm series and CX4 Storm 9mm with 92 magazine adapter - Capacity: 30  
 - carbon steel made, glossy blue finishing  
 - counter hole indicators (4-8-12-16-20-30)  
 - plastic magazine plate, plastic magazine sleeve





# PICO



Serialized  
Modular Chassis

Simple Disassembly



Each Pico ships with  
its own storage case.



3-Dot Sight System

Smooth, Snag-Free Design

Advanced Ambidextrous Magazine Release

Stainless Magazine



Each Pico ships with  
two magazines, one  
flush and one with a  
grip extension.

## PICO

Super thin, ultra concealable, and easy to configure, the Beretta Pico sets a new standard for the micro compact carry pistol. The thinnest .380 auto made...by a full millimeter...the snag-free Pico's slide and frame is a true 18 mm at their widest point. The grip frame and sights are simple to modify. Extremely soft shooting with a double action trigger, the Pico is easy to control with its smooth, tip-to-parallel, straight line action. The removable, serialized sub-chassis and modular frame feature simple disassembly for easy cleaning and customizing. The modular chassis can accommodate a Lasermax™ Laser frame and be customized with a selection of colored frames. Even the dovetail quick-change sights can be adjusted or replaced by the user. Light, durable, and easy to draw from concealment, the Pico brings all the reliability and quality of a Beretta to bear on its standing as the leader of a new generation of concealed carry firearms.

| DESCRIPTION | CAT CODE | UPC CODE | MODEL | CALIBER | ACTION   | ROUNDS     |
|-------------|----------|----------|-------|---------|----------|------------|
| Pico .380   | JMP8D25  | 60505-0  | Pico  | .380    | DbI/Sngl | 6+1 Rounds |

# PICO

Integral Laser  
& Light Frames  
**LaserMax**  
PRECISION. PROTECTION.



| DESCRIPTION                   | CAT CODE   | UPC CODE | MODEL | CALIBER | ACTION   | ROUNDS     |
|-------------------------------|------------|----------|-------|---------|----------|------------|
| Pico .380 with LaserMax Light | JMP8D25LML | 60521-0  | Pico  | .380    | Dbl/Sngl | 6+1 Rounds |
| Pico .380 with LaserMax Laser | JMP8D25LMR | 60513-5  | Pico  | .380    | Dbl/Sngl | 6+1 Rounds |

## Accessories



### Colored Frames

Color frame availability may vary.



Trijicon Night Sights  
EU00035

### Holsters



GI03-INCS

**GOULD™  
&GOODRICH**  
Excellence In Holsters, Belts & Accessories



GI03-TS



Visit [www.berettausa.com](http://www.berettausa.com) for all Pico Accessories now available.

# Nano

The ultimate evolution of the micro compact carry pistol.



Serialized Modular Chassis



User-Adjustable Sights



Nano Specifications

| Overall Length  | 5.63"                  |
|-----------------|------------------------|
| Overall Height  | 4.17"                  |
| Overall Width   | .90"                   |
| Barrel Length   | 3.07"                  |
| Sight Radius    | 4.92"                  |
| Sights          | 3-Dot Low Profile      |
| Frame Chassis   | Stainless Steel Insert |
| Grip Frame      | Technopolymer          |
| Slide Material  | 4140                   |
| Slide Finish    | Pronox                 |
| Weight Unloaded | 19.75 oz               |

## BU9 NANO

The Beretta Nano is the ultimate evolution of the micro compact carry pistol. Utilizing a removable, serialized sub-chassis the Nano pistol can be easily modified with replaceable grip frames and is simple to disassemble and maintain. Ease of use and concealment were key drivers in the development of the Nano. The Nano's extremely low profile, snag free design makes it easy to carry and draw from concealment. To accommodate right- or left-handed use, the Nano's magazine release button can be easily reversed. The light, durable, frame employs modern thermoplastic technology through the use of fiberglass reinforced technopolymer. The Nano's sights are user adjustable with a 1.3mm hexwrench and your fingers. This allows anyone to adjust their sights without the assistance of a gunsmith. Modular structure, ergonomics and ease of use make the Beretta Nano the ideal firearm for concealed carry.

| MODEL                               | CAT CODE   | UPC CODE | MODEL    | CALIBER | ACTION   | ROUNDS    |
|-------------------------------------|------------|----------|----------|---------|----------|-----------|
| BU-9 Nano                           | JMN9S15    | 18954-3  | BU9 Nano | 9 mm    | Dbl/Sngl | 6+1 / 8+1 |
| BU-9 Nano Pink Frame                | JMN9S65    | 71927-6  | BU9 Nano | 9 mm    | Dbl/Sngl | 6+1 / 8+1 |
| BU-9 Nano FDE Frame                 | JMN9S55    | 71928-3  | BU9 Nano | 9 mm    | Dbl/Sngl | 6+1 / 8+1 |
| BU-9 Nano Crimson Trace Laser Frame | JMN9S1SCTC | 70323-7  | BU9 Nano | 9 mm    | Dbl/Sngl | 6+1 / 8+1 |





Laser Sight by  
LaserMax  
CF-NANO



Nano Pouch  
EU00035



Trijicon Night Sights  
EU00038



Laser Sight by  
Crimson Trace  
LG-483



ABS Belt Holster  
GI03CNPKRH



Hybrid Holster  
GI03-INCI-RH



Extended (8 Rd) Magazine  
Conversion Kit  
JK8RDEXT



Black Grip Frame  
UD5A0910



FDE Grip Frame  
UD5A1260



Rosa Grip Frame  
UD5A1261



**Px4 Storm**



Small, medium and large magazine catch buttons available for Px4 models

3-Dot Sight System

Automatic Firing Pin Block

Commander-Style Hammer

Picatinny Rail

Reversible Magazine Release

Ambidextrous Safety

Interchangeable Backstraps

Drop-Free Magazine



## PX4 FULL SIZE

### TYPE F

The Px4 represents the culmination of a century of experience building, testing, and refining pistols for military use worldwide. This NATO certified pistol is currently in use by military and law enforcement groups around the globe in every environment imaginable. Designed to meet the most stringent military standards, the Px4 has been reported to fire well over 150,000 rounds in commercial ranges with zero parts breakage. The light, yet durable frame employs a highly refined technopolymer reinforced fiberglass to deliver unparalleled strength and wear properties. The steel used in creating the Px4 is proprietary to Beretta and was developed to exceed the most impossible standards. The Px4's slide is machined from solid bar stock to ensure precision and performance. Utilizing a cold-hammer forged, rotary-barrel design, the Px4's action is one of the strongest available. The rotary barrel dissipates recoil energy in a unique fashion that decreases perceived recoil for the shooter allowing for faster sight recovery and follow up shots.

| Description          | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|----------------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 Type F Full Size | JXF9F21      | 81819-1  | 9mm     | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 17 Rounds         |
| Px4 Type F Full Size | JXF9F20      | 81728-6  | 9mm     | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 10 Rounds         |
| Px4 Type F Full Size | JXF4F21      | 81820-7  | .40 S&W | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 14 Rounds         |
| Px4 Type F Full Size | JXF4F20      | 81729-3  | .40 S&W | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 10 Rounds         |

# Px4 Storm



Px4 3-dot sights



## PX4 INOX

Utilizing all of the features and strengths of the NATO certified, battle hardened Px4, the Px4 Inox brings a new style and look to the Px4 family. Machined from bar stock, the Px4 Inox's stainless steel slide is bead blasted to a soft, satin finish to ensure a non-reflective surface. Paired with the highly refined techno-polymer reinforced fiberglass frame, the Px4 Inox is ready for hard use in any environment. Like all Px4's in the family, the Px4 Inox has three interchangeable backstraps, a magazine release that can be easily changed for right- or left-handed use, and an in-line feeding system that offers unparalleled reliability in the worst conditions imaginable.

| Description               | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|---------------------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 Type F Full Size INOX | JXF9F51      | 15796-2  | 9mm     | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 17 Rounds         |
| Px4 Type F Full Size INOX | JXF9F50      | 16453-3  | 9mm     | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 10 Rounds         |
| Px4 Type F Full Size INOX | JXF4F51      | 17295-8  | .40 S&W | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 14 Rounds         |
| Px4 Type F Full Size INOX | JXF4F50      | 17289-7  | .40 S&W | Dbl/Sngl | 7.6"           | 5.5"           | 4.0"          | 5.8"         | 1.4"          | 1.2"       | 27.7 oz         | 10 Rounds         |



# Px4 Storm



Special duty tactical case includes:

- 2 additional 10 round magazines
- 2 additional back straps
- 2 additional magazine catch buttons
- Flush hammer-spring cap
- Cleaning kit
- Lubricant oil



## PX4 SD

When the US SOCOM sent out a request for a new pistol, Beretta answered the call with distinction. Not just a spray painted version of a production pistol, the Px4 SD was built from the ground up to exceed the demanding requirements of SOCOM. Only the slide and frame were used from the original Px4 .45 to create the Px4 SD. Virtually every internal component was specifically designed, produced, and specially treated to create a pistol that is unrivaled in performance in the most impossible conditions imaginable. Many claim they can pass the venerable "Over the Beach Test," but Beretta has proven it in military trials. Sand, salt, mud and just about anything else you can throw at the Px4 SD are merely shrugged off. When the impossible is expected, the Px4 SD is, without question, the companion to have at hand.

| Description                                       | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|---|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 .45 Special Duty Type F Full Size 3 Magazines | JXF5F45      | 81976-1  | .45 ACP | Dbl/Sngl | 8.2"           | 5.7"           | 4.6"          | 5.9"         | 1.4"          | 1.2"       | 28.6 oz         | 9 / 10 Rounds     |



# Px4 Storm



Rotary locking system allows radial dissipation of recoil energy effectively reducing muzzle flip and felt recoil



## Px4 .45

The Px4 .45 is the result of a platform created to develop the ultimate .45 to meet the strict specifications of SOCOM's Joint Combat Pistol request. Utilizing a cold-hammer forged barrel for precision and a slide machined from bar stock made of Beretta's proprietary steel blend, the Px4 .45 represents the ultimate marriage of strength, power and performance. The 9 and 10 round magazines were specifically developed to operate despite sand, fouling and the elements. Beretta's battle proven Bruniton™ finish will ensure the Px4 .45 stays protected, regardless of the environment. If you need to play in the sand, crawl through mud, or go for a 3-mile swim, the Px4 .45 is ready.

| Description              | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|--------------------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 .45 Type F Full Size | JXF5F25      | 81975-4  | .45 ACP | Db/ Sngl | 7.6"           | 5.5"           | 4.0"          | 5.9"         | 1.4"          | 1.2"       | 28.2 oz         | 9 / 10 Rounds     |



# Px4 Storm



## PX4 COMPACT

With the introduction of the Px4 Compact pistol, Beretta has completed the Px4 Family. Heralded by many as the ultimate in balance and proportion, the Compact is equally suited for concealed carry, in a duty holster, plainclothes operations, home defense or a day at the range. Though it is completely concealable, the Compact offers a full grip for most shooters. The Compact offers full 16 round capacity (15+1 in 9mm), an accessory rail, ambidextrous slide stop, new integral and retractable lanyard loop, and a cold hammer forged barrel for ultimate precision. The Compact also houses the Px4 family's rotary barrel system. This system allows for in-line feeding for unparalleled reliability. The rotary barrel system leads to radial dissipation of recoil energy resulting in a significant reduction in felt recoil and fast follow-up shots.

| Description        | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|--------------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 Type F Compact | JXC9F2I      | 15428-2  | 9mm     | Dbl/Sngl | 6.8"           | 5.0"           | 3.2"          | 5.2"         | 1.4"          | 1.2"       | 27.3 oz         | 15 Rounds         |
| Px4 Type F Compact | JXC9F20      | 15366-7  | 9mm     | Dbl/Sngl | 6.8"           | 5.0"           | 3.2"          | 5.2"         | 1.4"          | 1.2"       | 27.3 oz         | 10 Rounds         |
| Px4 Type F Compact | JXC4F2I      | 15473-2  | .40 S&W | Dbl/Sngl | 6.8"           | 5.0"           | 3.2"          | 5.2"         | 1.4"          | 1.2"       | 27.3 oz         | 12 Rounds         |
| Px4 Type F Compact | JXC4F20      | 15468-8  | .40 S&W | Dbl/Sngl | 6.8"           | 5.0"           | 3.2"          | 5.2"         | 1.4"          | 1.2"       | 27.3 oz         | 10 Rounds         |





Px4 Sub-Compact comes with three interchangeable backstraps designed to customize the pistol for the shooter

**Px4 Storm**



SnapGrip® extension ensures maximum grip area for larger hands



### PX4 SUB-COMPACT

The Px4 Sub-Compact is a lot of pistol in a little package. It delivers all of the modularity of its bigger brothers in a sub-compact frame. Shooters still have the ability to change out three different backstraps, mount lights and lasers on the accessory rail, switch the magazine catch from left to right, and carry up to 14 rounds (13+1 in 9mm). The Sub-Compact's Snap-Grip® allows shooters with larger hands to gain a full grip when shooting. When not in use, the Snap-Grip® can be resnapped, making the entire package smaller for concealed carry. When you don't want to lose big gun performance, but need to carry concealed, the Px4 Sub-Compact will exceed your expectations.

| Description            | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|------------------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| Px4 Type F Sub-Compact | JXS9F21      | 81973-0  | 9mm     | DbI/Sngl | 6.2"           | 4.8"           | 3.0"          | 4.5"         | 1.4"          | 1.2"       | 26.1 oz         | 13 Rounds         |
| Px4 Type F Sub-Compact | JXS4F20      | 81974-7  | .40 S&W | DbI/Sngl | 6.2"           | 4.8"           | 3.0"          | 4.5"         | 1.4"          | 1.2"       | 26.1 oz         | 10 Rounds         |

# PX4 Accessories

## Sight Adjustment Tool

| Product Code      | Description           | Models                    |
|-------------------|-----------------------|---------------------------|
| <b>UD6A0027</b>   | Sight Adjustment Tool | PX4 Storm and 8000 Series |
| <b>ZPS92FTOOL</b> | Sight Adjustment Tool | 92/96 Series              |



## PX4 Storm Rear Sight Kit (4 PCS) (E00339)

Beretta PX4 Storm Rear Sight Kit (4 PCS)

Height: 0.267" (6.8 mm) – 0.279" (7.1 mm) – 0.303 (7.7 mm) – 0.314" (8 mm)



## PX4 Series, Adjustable Rear Sight & Front Sight (E00457)

Adjustable Rear Sight & Front Sight for PX4 series.

Three white dot system.

Adjustment key included.

Fits on: PX4 Full Size, Compact, Sub-Compact, Special Duty.



## PX4 Series Magazine Pad Extension & Spring 9 mm (E00345)

Magazine Pad Extension and spring, increasing the capacity of the 17 round magazine (9mm) to 20 rounds.

## PX4 Series Magazine Pad Extension & Spring .40 S&W (E00344)

Magazine Pad Extension plus spring, increases the capacity of the 14 round magazine (.40 S&W) to 17 rounds.




## PX4 Storm Floor-plate with Steel Insert (C75489)

PX4 Storm Floor-plate with steel insert



## PX4 Sub-Compact Snap Grip

Original SnapGrip® for PX4 Sub Compact Storm Magazines. The SnapGrip® extension ensures maximum grip area for larger hands, fits on all the Px4 sub-compact, perfect improvement for Sub-Compact.



## PX4 Magazine Release Kit (3pcs) High, Medium, & Low (E00343)

PX4 Magazine Release kit (3pcs) High, Medium, and Low.



# Magazines

| Product Code     | Description                                    | Caliber | Capacity | Finish  | Packaging |
|------------------|--|---------|----------|---------|-----------|
| <b>JM4PX920</b>  | Beretta Factory Px4 Storm Magazine             | 9mm     | 20       | Black   | Yes       |
| <b>JM4PX917</b>  | Beretta Factory Px4 Storm Magazine             | 9mm     | 17       | Black   | Yes       |
| <b>JM4PX915</b>  | Beretta Factory Px4 Storm Magazine             | 9mm     | 15       | Black   | Yes       |
| <b>JM4PX910</b>  | Px4 Storm Magazine                             | 9mm     | 10       | Black   | Yes       |
| <b>JM4PX4010</b> | Px4 Storm Magazine                             | .40 S&W | 10       | Black   | Yes       |
| <b>JM4PX4017</b> | Beretta Factory Px4 Storm Magazine             | .40 S&W | 17       | Black   | Yes       |
| <b>JM4PX4014</b> | Beretta Factory Px4 Storm Magazine             | .40 S&W | 14       | Black   | Yes       |
| <b>I383438</b>   | Beretta Factory Px4 Storm Magazine (bulk pack) | 9mm     | 17       | Black   | Yes       |
| <b>C89132</b>    | Px4 Storm Magazine (bulk pack)                 | .40 S&W | 14       | Black   | Yes       |
| <b>JMPX4S9E</b>  | Px4 Storm Sub-Compact Magazine SNAP GRIP       | 9mm     | 13       | Black   | Yes       |
| <b>JMPX4S9F</b>  | Px4 Storm Sub-Compact Magazine Standard        | 9mm     | 13       | Black   | Yes       |
| <b>UD8A027I</b>  | Px4 Storm Sub-Compact Magazine (Bulk Pack)     | 9mm     | 13       | Black   | Yes       |
| <b>JMPX4510</b>  | Px4 Storm SD Magazine Heavy Duty               | .45ACP  | 10       | Chromed | Yes       |
| <b>JMPX459</b>   | Px4 Storm SD .45ACP Magazine 9 Rds Standard    | .45ACP  | 9        | Black   | Yes       |



| Product Code    | Description  | Caliber | Capacity | Finish | Packaging |
|-----------------|--|---------|----------|--------|-----------|
| <b>JM88400</b>  | PX4 Compact 9mm Factory Magazine 15RD                | 9mm     | 15       | Black  | Yes       |
| <b>JM88510</b>  | PX4 Compact 9mm Factory Magazine 10RD                | 9mm     | 10       | Black  | Yes       |
| <b>JM88404</b>  | PX4 Compact .40S&W Factory Magazine 12RD             | .40 S&W | 12       | Black  | Yes       |
| <b>JMPX4S4E</b> | Px4 Storm Sub-Compact .40S&W Magazine 10RD SNAP GRIP | .40 S&W | 10       | Black  | Yes       |
| <b>JMPX4S4F</b> | Px4 Storm Sub-Compact .40S&W Magazine 10RD           | .40 S&W | 10       | Black  | Yes       |
| <b>C89134</b>   | Beretta Px4 Storm .40 S&W Magazine 10RD              | .40 S&W | 10       | Black  | Yes       |
| <b>C89133</b>   | Beretta Factory Px4 Storm 9mm Magazine 10RD          | 9mm     | 10       | Black  | Yes       |





## 90 SERIES

**92 COMPACT RAIL**

Designated "M9" by the U.S. Armed Forces, known simply as the 92 around the globe, the NATO certified Beretta 92FS is one of the most iconic battle pistols in the world. With outstanding accuracy and unparalleled reliability, the time tested and battle proven 92FS is THE World Defender. Introducing a new member of the 92 family, Taking some of the best features of the 92/M9 family. The new 92 Compact Rail is a formidable companion for those requiring a smaller format. All of the strengths of the 92 in a compact size for off-duty carry, plainclothes work, or everyday concealment.

| Description          | Product Code | UPC Code | Caliber | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Weight Unloaded | Magazine Capacity |
|----------------------|--------------|----------|---------|----------------|----------------|---------------|--------------|---------------|-----------------|-------------------|
| 92 Compact Rail Inox | J90C9F20     | 30690-2  | 9mm     | 7.75"          | 5.25"          | 4.25"         | 5.75"        | 1.5"          | 31.6 oz         | 13 Rounds         |
| 92 Compact Rail Inox | J90C9F21     | 30691-9  | 9mm     | 7.75"          | 5.25"          | 4.25"         | 5.75"        | 1.5"          | 31.6 oz         | 10 Rounds         |
| 92 Compact Rail      | J90C9F10     | 68593-9  | 9mm     | 7.75"          | 5.25"          | 4.25"         | 5.75"        | 1.5"          | 31.6 oz         | 13 Rounds         |
| 92 Compact Rail      | J90C9F11     | 68594-6  | 9mm     | 7.75"          | 5.25"          | 4.25"         | 5.75"        | 1.5"          | 31.6 oz         | 10 Rounds         |

90 SERIES



Slide-mounted safety/decocker



Red loaded chamber indicator is revealed when a round is chambered



3-Dot Sights

Open Slide Design

Non-Reflective, Black Bruniton™

Ambidextrous Safety (Type F)

External Hammer Design

Aluminum Alloy Frame

Disassembly Latch

Combat Trigger Guard

Reversible Magazine Release



92FS also available in INOX finish.

**92FS**

Designated the "M9" by the U.S. Armed Forces and NATO Certified, the 92FS is one of the most iconic battle pistols in the world. After a quarter century of service with the U.S. Armed Forces, a recently renewed contract, and continued use by allied forces worldwide, the 92FS is still going strong. Time tested and battle proven, the 92FS is THE World Defender. It delivers outstanding accuracy and reliability in the most unforgiving conditions. Its open slide design and optimal chamber feed angle allow for reliable feeding with a wide variety of ammunition styles and weights regardless of the environment. Pistols tested for the military must shoot a 10-shot group at 50 meters measuring three inches or less; most shoot well under that and commercial pistols are held to the same quality standards. The 92FS has an ambidextrous safety/decocker that allows for extremely safe operation and positive manipulation with either hand. The magazine release can easily be reversed for right- or left-handed use. The rear sight is designed to provide a front projection so that, in an emergency, the user may rack the slide single-handedly by pushing the rear sight against the edge of a table, door, or even a rigid gun belt. Beretta's proprietary Bruniton™ coating offers superior corrosion resistance with an attractive black finish.

| Description     | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|-----------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| 92 FS           | J92F300M     | 81550-3  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 15 Rounds         |
| 92 FS           | J92F300      | 02930-6  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 10 Rounds         |
| 92 FS INOX (US) | JS92F500     | 81822-1  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 15 Rounds         |
| 92 FS INOX (US) | JS92F510     | 81873-3  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 10 Rounds         |



## 90 SERIES

## OFFICIAL SIDEARM OF THE U.S. MILITARY.



Distinctive military style markings on various components closely replicate those of the U.S. Armed Forces M9 pistols.

Unique M9-prefixed serial number (M9-xxxxxx) sets this configuration apart from the other 92 series pistols.

**M9**

From the jungle heat of Panama to the savage sandstorms of Iraq, U. S. Armed Forces have counted on the M9 as their official sidearm for over a quarter century. The commercial M9 pistol is the closest thing to the military M9 that a civilian may legally own. Functionally, this M9 is identical, in every regard, to the military M9. The combat trigger guard, finish, sights and operating system that every U.S. soldier, sailor, airman, and marine rely upon in battle. Like its military counterpart, the commercial M9 not only meets or exceeds all U.S. Military testing guidelines, it totally rewrites them. The commercial M9 delivers the same accuracy, reliability, and performance that defends our nation's defenders. The average reliability of all M9 pistols tested at Beretta U.S.A. is 17,500 rounds without a single stoppage. During one test of twelve pistols fired at Beretta U.S.A. under Army supervision, Beretta-made M9 pistols shot 168,000 rounds without a single malfunction.

| Description | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|-------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| M9          | J92M9A0M     | 81637-1  | 9mm     | Dbt/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 15 Rounds         |
| M9          | J92M9A0      | 81683-8  | 9mm     | Dbt/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.3 oz         | 10 Rounds         |





# 90 SERIES

Tactical



## M9A1

The United States Marine Corps came to Beretta and asked for a modification to their M9 pistols. They wanted an accessory rail to attach tactical lighting devices and laser aiming devices as they head into the darkest corners of the world. In 2006, the M9A1 was born. The M9A1 sports aggressive checkering on the frontstrap and backstrap, a mil-spec picatinny rail, and specially designed, PVD coated, sand resistant magazines.

| Description | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Unloaded | Magazine Capacity |
|-------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|-----------------|-------------------|
| M9A1        | JS92M9A1M    | 81719-4  | 9mm     | Dbl/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.9 oz         | 15 Rounds         |
| M9A1        | JS92M9A1     | 81678-4  | 9mm     | Dbl/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 33.9 oz         | 10 Rounds         |

# 90 SERIES



## 92AI & 96AI

The latest addition to the 90 Series Family, the 92AI/96AI is the ultimate evolution of the 92FS. The frame of the AI's have an integral MIL-STD 1913 rail for attachment of tactical lights and laser aiming devices. 9mm magazines have an increased capacity of 17 rounds and are completely interchangeable with other 9mm, 90 Series pistols. The new, removable front sight allows the user to easily replace damaged sights or to install tritium night sights or other accessory sights. The new captive, single-piece recoil spring assembly simplifies the assembly and disassembly process and minimizes the possibility of spring loss. The AI's also feature a new, internal frame buffer that increases service life by reducing stress on the receiver. The 96AI brings a .40 caliber 90 Series pistol back to the family for those shooters that desire a big bore.


| Description | Product Code | UPC Code | Caliber | Action   | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Grip Width | Weight Un-loaded | Magazine Capacity |
|-------------|--------------|----------|---------|----------|----------------|----------------|---------------|--------------|---------------|------------|------------------|-------------------|
| 92AI        | J9A9F10      | 11108-7  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 34.4 oz          | 17 Rounds         |
| 92AI        | J9A9F11      | 11109-4  | 9mm     | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 34.4 oz          | 10 Rounds         |
| 96AI        | J9A4F10      | 11110-0  | .40 S&W | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 34.4 oz          | 12 Rounds         |
| 96AI        | J9A4F11      | 11111-7  | .40 S&W | DbI/Sngl | 8.5"           | 5.4"           | 4.9"          | 6.1"         | 1.5"          | 1.3"       | 34.4 oz          | 10 Rounds         |



# Accessories

## Beretta 92/96 Locking Block Kit (LE9201)

The perfect kit to keep your Model 92/96 in perfect working condition after years of faithful use! This kit includes the following components: Recoil Spring (A), Beretta 3rd Generation Locking Block (B), 3rd Generation Locking Block Plunger (C) and a Locking Block Pin (D). Items B and C must be used together. Fits the following model firearms: Beretta 92-92S-92F-92FS-96-Billennium-Vertec-Centurion. The 3rd Generation Locking Block Components are the latest improvements in Beretta's Model 92/96 locking system.



| Model   | Product Code  | Description  |
|---|---------------|--|
| Beretta Solid Steel Recoil Spring Guide & Recoil Spring "Gold Finish" | <b>E00189</b> | Replaces factory Recoil Rod and Spring. Fits all Beretta 90 series pistols. Steel Recoil Rod and Titanium Nitride coated recoil spring. Nitride coating reduces friction and fights corrosion. It does not fit the 92AI, 96AI, and the 90-Two. |

## Oversize Steel Magazine Release Button (C86992)

*Oversize Magazine Release Button 92/96 Series SS (UD8A0203)*

Replaces smaller factory Magazine Release. Does not include bushings and spring. Requires re-use of your bushings and spring.



## Beretta 92 / 96 / 98 Elite II Hammer (UD5A0584)

The perfect part to give your Model 92/96/98 an aggressive look! This skeletonized hammer is Beretta factory original and not only looks cool but can improve cycle time because of the lighter weight.

| Product Code     | Description                                | Caliber | Capacity | Finish                | Packaging |
|------------------|--|---------|----------|-----------------------|-----------|
| <b>JM909PI7</b>  | Beretta Factory 90-TWO Magazine            | 9mm     | 17       | Blue                  | Yes       |
| <b>JM904PI2</b>  | Beretta Factory 90-TWO Magazine            | .40 S&W | 12       | Blue                  | Yes       |
| <b>JM92HCB</b>   | Beretta Factory 92FS Magazine              | 9mm     | 15       | Black                 | Yes       |
| <b>C8602I</b>    | Beretta Factory 92FS Magazine              | 9mm     | 15       | Black                 | No        |
| <b>JM80399HC</b> | Beretta Factory 96 Magazine                | .40 S&W | 11       | Black                 | Yes       |
| <b>C86006</b>    | Beretta Factory 96 Magazine                | .40 S&W | 11       | Black                 | No        |
| <b>JM9AI15</b>   | M9AI – 92FS Magazine Sand Resistant        | 9mm     | 15       | Special PVD-Dark Grey | Yes       |
| <b>JM96</b>      | Beretta Factory 96 Magazine                | .40 S&W | 10       | Blue                  | Yes       |
| <b>JM92F</b>     | Beretta Factory 92FS Magazine              | 9mm     | 10       | Black                 | Yes       |
| <b>JM8675IHC</b> | Beretta Factory Billennium / 92FS Magazine | 9mm     | 15       | Nickel                | Yes       |
| <b>I385979/I</b> | Beretta Factory 92FS Magazine              | 9mm     | 20       | Black                 | Yes       |
| <b>JM9022PK</b>  | Beretta Factory 92FS Practice Kit Mag      | .22LR   | 10       | Black                 | Yes       |
| <b>C89282</b>    | Beretta Factory 92FS & CX4 Magazine        | 9mm     | 30       | Black                 | Yes       |



**E00219**



**JG92FSR2**



**JG92FSP**



**E5C199**



**JG92FSW**



| Product Code    | Description                             | Finish  |
|-----------------|---|---------|
| <b>E00219</b>   | 92 Series Wood Grips                    | Walnut  |
| <b>JG92FSR2</b> | 92 Series Rubber Grips                  | Rubber  |
| <b>JG92FSP</b>  | Beretta 92FS / 96 Series Original Grips | Plastic |
| <b>E5C199</b>   | Beretta 92-Two Thin Unit Grip           | Plastic |
| <b>JG92FSW</b>  | Beretta 92 Series Wood Grips            | Walnut  |



# Small Frame

Tip-up barrel design allows user to load chamber without slide retraction



Frame mounted safety



Single-stack magazine

Recessed magazine release

Frame-Mounted Safety

Contoured Tang

Low-profile "express-style" rear sight

## 21A BOBCAT & 3032 TOMCAT

The direct descendent of one of our oldest pocket pistols (the 950), the 21 Bobcat and 3032 Tomcat continue a legacy of refined concealed carry pistols. Beretta's small frame pistols are distinguished in the market by their practicality and simplicity of design. In fact, an earlier model of the .25 ACP was the first concealed carry pistol of a certain fictional renowned, gentleman secret agent. The tip-up barrel design provides direct chamber access to allow simple loading and clearing without slide retraction. Slim and precisely engineered to fit comfortably in the shooter's hand, the 21 Bobcat and 3032 Tomcat pistols are a great choice for concealed carry.

| Description          | Product Code | UPC Code | Caliber | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Weight Un-loaded | Magazine Capacity |
|----------------------|--------------|----------|---------|----------------|----------------|---------------|--------------|---------------|------------------|-------------------|
| 3032 Tomcat INOX     | J320500      | 18881-2  | .32     | 4.9"           | 3.7"           | 3.8"          | 3.3"         | 1.1"          | 14.5 oz          | 7 Rounds          |
| Model 21 Bobcat INOX | J212500      | 18874-4  | .22 LR  | 4.9"           | 3.7"           | 2.4"          | 3.5"         | 1.1"          | 11.8 oz          | 7 Rounds          |




## NEOS INOX



Designed and manufactured in Beretta's U.S.A. facility, the NEOS is a modular, semi-automatic, .22 LR pistol is ideal for small game hunting, target shooting, or informal plinking. Though designed for ease of use by entry-level shooters, the NEOS will deliver for even the most skilled shooter. Constructed of five core assemblies, which are easily disassembled without tools, the NEOS is offered in the classic Beretta blue or Inox finishes. The ergonomically designed grip is made of fiberglass reinforced, technopolymer with anti-slip finish and has optional colored or rubber inlay grips. The pistol's cutting edge, modular design allows for personalization and the flexibility to be adapted to multiple shooting disciplines.

| Description       | Product Code | UPC Code | Caliber | Overall Length | Overall Height | Barrel Length | Sight Radius | Overall Width | Weight Unloaded | Magazine Capacity |
|-------------------|--------------|----------|---------|----------------|----------------|---------------|--------------|---------------|-----------------|-------------------|
| U22 Neos 4.5      | JU2S45B      | 80757-7  | .22 LR  | 8.8"           | 5.2"           | 4.5"          | 7.4"         | 1.5"          | 31.7 oz         | 10 Rounds         |
| U22 Neos 4.5 INOX | JU2S45X      | 80759-1  | .22 LR  | 8.8"           | 5.2"           | 4.5"          | 7.4"         | 1.5"          | 31.7 oz         | 10 Rounds         |
| U22 Neos 6        | JU2S60B      | 80758-4  | .22 LR  | 10.3"          | 5.2"           | 6"            | 8.9"         | 1.5"          | 36.2 oz         | 10 Rounds         |
| U22 Neos 6 INOX   | JU2S60X      | 80760-7  | .22 LR  | 10.3"          | 5.2"           | 6"            | 8.9"         | 1.5"          | 36.2 oz         | 10 Rounds         |

Connect with us:  
[Facebook.com/BerettaUSA](https://www.facebook.com/BerettaUSA)  
[Twitter @Beretta\\_USA](https://twitter.com/Beretta_USA)  
[Youtube.com/BerettaCommunity](https://www.youtube.com/BerettaCommunity)



**Beretta U.S.A. Corp.**  
17601 Beretta Drive  
Accokeek, MD 20607

UQAN 2406 (1/14)

